TAT

FLEA AND TICK KILLER

WITH RESIDUAL ACTION

Kills Fleas and Ticks Fast

Keeps Killing up to 5 weeks

STAINLESS

ACCEPTED

Under the Vederal Insecticide, Fungicide, and Rodenticide Act, as amended, for the posticide registered under EPA Reg. No.

ACTIVE INGREDIENTS:

d-trans Allethrin	0.05%
*N-Octyl bicycloheptene dicarboximide	0.40%
**Chlorpyrifos [O,O-diethyl O-(3,5,6,-trichloro-2-pyridyl) phosphorothioate]	
INERT INGREDIENTS	
Total 1	

This product contains petroleum distillate.

- *MGK-264, Insecticide Synergist
- **U.S. Patent No. 3,244,586 Dow Chemical Company

Keep Out of Reach of Children CAUTION. See back panel for additional precautionary statements.

NET WT. 16 OZ.

[Back Panel]

TAT FLEA AND TICK KILLER WITH RESIDUAL ACTION

Kills Fleas and Ticks Fast • Kills Fleas Up To 5 Weeks Stainless

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product is for residential use as a spot treatment to kill fleas and ticks.

To Operate: Shake can before using. Hold container upside down. Point valve away from body and press button.

To Kill Fleas and Ticks

Remove and destroy old pet bedding. Thoroughly apply as a spot treatment to infested areas, such as pet beds and resting quarters, nearby cracks and crevices, along and behind baseboards, windows and door frames, and localized areas of floors and floor coverings, where these pests may be present. Put fresh bedding in pets' quarters after spray has dried. Do not use this product on pets. Treat dogs and cats with a product registered for flea and tick control on animals before allowing them to enter treated area. Pay particular attention to areas where pets congregate.

2/2

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Avoid breathing spray mist and provide adequate ventilation of area being treated. Avoid contact with skin, eyes and clothing. May be harmful if swallowed, inhaled or absorbed through the skin. Wash thoroughly with soap and water after handling. In the home, all food processing surfaces and utensils should be covered during treatment, or thoroughly washed before use. Cover exposed food. Remove pets, birds and cover fish aquariums before spraying.

Statement of Practical Treatment

If in Eyes: Immediately flush with plenty of water. Get medical attention if irritation persists. If on Skin or Clothing: Remove contaminated clothing. Wash skin with soap and water. Get medical attention if irritation persists. Wash clothing prior to reuse. If Inhaled: Remove person to fresh air if effects occur and call a physician. If Swallowed: Get immediate medical attention. Do not induce vomiting. Vomiting may cause aspiration pneumonia. Gastric lavage may be indicated if swallowed. Note to Physician: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine is an antidote.

Environmental Hazards

Do not contaminate water when disposing of equipment washwaters.

Physical or Chemical Hazards

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

WALCO-LINCK COMPANY

18 Ford Products Road; Drawer A Valley Cottage, NY 10989-0599

EPA Reg. No. 506-158	EPA Est.
----------------------	----------