

300 | 5399174
17

Ms. Kim Davis
Walco-Linck Company
P.O. Box 769
1234 Route 46
Clifton, NJ 07015

BEST AVAILABLE COPY

Dear Ms. Davis:

Subject: Revised Finished Labeling
TAT Area Fogger I
EPA registration No. 506-160
Your Submission Dated January 7, 1991

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

With respect to the requested change in the "Physical or Chemical Hazards" paragraph, you may retain the current language. Please refer to the February 20, 1991 Federal Register Notice (34 FR 6856) for additional information on pesticide aerosol flammability.

Sincerely yours,

George T. Larocca
Product Manager (13)
Insecticide-Rodenticide Branch
Registration Division (27505C)

Enclosure

63245:I:Moats:L13-16:KEVRIC:07/25/91:08/23/91:DD:WO:CL

CONCURRENCES

SYMBOL								
SURNAME								
DATE								

TAT AREA FOGGER I

**For Use In Homes and Nonfood Areas of
Restaurants, Industrial Buildings, Schools,
Warehouses, Offices, Theatres, Garages, Hotels
Motels, Hospitals and Kennels**

One Unit Treats up to 6,000 Cubic Feet

**Kills Houseflies, Cockroaches, Fleas
Saw-toothed Grain Beetles, Ticks,
Confused Flour Beetles, Rice Weevils,
Small Flying Moths, Pill Bugs and Crickets**

ACTIVE INGREDIENTS:

- Pyrethrins 0.050%
- *Cyano (3-phenoxyphenyl) methyl 4-chloro-
alpha-(1-methylethyl) benzeneacetate .. 0.400%
- **Piperonyl Butoxide, Technical 0.100%
- +N-Octyl bicycloheptene dicarboximide 0.167%
- INERT INGREDIENTS 99.283%**
- *Licensed under U.S. Patent No. 4,062,968 of Sumitomo
Chemical Company.
- **Equivalent to 0.08% (butylcarbityl)(6-propylpiperonyl)
ether and 0.02% related compounds.
- +MGK-264, Insecticide Synergist

Keep Out of Reach of Children


C A U T I O N
**See back panel for additional
precautionary statements.**

EPA Reg. No. 506-160

EPA Est. _____

NET WEIGHT 7.5 OZ.

**WALCO-LINCK COMPANY
P.O. Box 769, Clifton, NJ 07015**



DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

This product will kill Cockroaches, Houseflies, Confused Flour Beetles, Saw-toothed Grain Beetles, Rice Weevils, Small flying Moths, Fleas, Ticks, Pill Bugs and Crickets.

Do not use in food areas of food handling establishments, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served such as dining rooms but excluding areas where food may be prepared or held.

Nonfood areas are areas such as garbage rooms, lavatories, floor drains (to sewers), entries and vestibules, offices, locker rooms, machine rooms, boiler rooms, garages, closets and storage (after canning or bottling).

In the home all food-processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Remove all pets and birds and cover fish aquariums before spraying. Remove all motor vehicles before using in garages.

Not for use in USDA Meat and Poultry plants.

Cover exposed food, dishes and food-handling equipment. Open cabinets and doors to area to be treated. Shut off fans and air conditioners. Put out all flames and turn off all pilot lights. Close doors and windows. Point valve opening away from face and eyes when releasing. Use one unit for each 6,000 cubic feet of unobstructed area. Use additional units for remove rooms or where free flow of mist is not assured. Do not remain in the area during treatment and ventilate thoroughly before reentry.

TO OPERATE VALVE: To lock valve in open position for automatic discharge, press valve button all the way down, hooking the catch. Then place fogger on stand or table in the center of the room with valve locked open, placing several layers of newspaper or pad under fogger. Leave building at once and keep building closed for four hours before airing out. Open all doors and windows and allow to air for 30 minutes. Repeat spraying in two weeks or when necessary.

To Kill Ticks and Fleas: Destroy old pet bedding and replace. Use product as above. Treat dogs and cats with a product registered for tick control on pets prior to reentry.

STORAGE: Store in a cool, dry place (inaccessible to children and pets) away from sources of heat or ignition. **DISPOSAL:** Replace cap, wrap container in newspaper and discard in trash. Do not puncture or incinerate container.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

CAUTION: Harmful if swallowed. Avoid inhalation of vapors. Avoid contact with skin, eyes or clothing. Wash contaminated skin promptly with soap and warm water. For eyes, flush with plenty of water. Get medical attention if irritation persists. Avoid contamination of food and feedstuffs.

Do not use in commercial food processing, preparation, serving or storage areas. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Cover exposed food.

Remove pets, birds and cover fish aquariums before spraying.

Statement of Practical Treatment

If Swallowed: Do not induce vomiting because of aspiration hazard. Get medical attention immediately. **If On Skin:** Wash skin with soap and water. Get medical attention if irritation persists. **If In Eyes:** Immediately flush with plenty of water. Get medical attention if irritation persists. **If Inhaled:** Remove person to fresh air. Apply artificial respiration if warranted. Contact a physician if needed.

Physical or Chemical Hazards

Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.