

SIX pounds active per gallon

2,4-D AMINE

ACTIVE INGREDIENT:
 Dimethylamine Salt of
 2,4-Dichlorophenoxyacetic Acid 70.4%

INERT INGREDIENTS: 29.6%
 Equivalent to 2,4-D acid 58.5 percent

Keep out of reach of children.

WARNING!
CAUSES IRRITATION OF EYES AND SKIN.

Do not get in eyes.
Avoid contact with skin and clothing.
In case of contact, flush eyes with plenty of water for at least 15 minutes and get medical attention; wash skin with plenty of soap and water.

Store away from foodstuffs or articles subject to odor penetration.

FOR USE BY MANUFACTURERS IN PREPARATION OF PESTICIDES


STORE ABOVE 60 F TO KEEP FROM FREEZING. If allowed to freeze, warm to 100 F and redissolve before using.

ATTENTION: Before using consult the State Agricultural Extension Service or Experiment Station concerning specific usage, dosages and methods of application. Spray or dust must never be allowed to reach flowers, vegetables, shrubs and susceptible crop plants. Bent grass and clovers may be damaged or killed. **EVEN SMALL AMOUNTS OF DRIFT ARE HIGHLY INJURIOUS. DO NOT SPRAY OR DUST IN WIND.** Coarse sprays are less likely to drift. Vapors may injure susceptible plants in the immediate vicinity. Formulations of 2,4-D must not be applied by airplane in the vicinity of growing susceptible crops. Do not store near fertilizers, seeds, insecticides and fungicides. Sprayers or other equipment used for 2,4-D application should never be used for other agricultural chemicals. Keep concentrate away from domestic animals. Do not contaminate water and foodstuffs with spray drift or washings.

5-2-72
524-126

LOT NO. _____ DATE KEPT _____
NET _____

MONSANTO COMPANY, ST. LOUIS, MO. U.S.A.



31

GENERAL INFORMATION

Monsanto 2,4-D/2,4,5-T Brush Killer...
Apply to the undersides of leaves and woody parts...
Apply to the undersides of leaves and woody parts...
Apply to the undersides of leaves and woody parts...

Monsanto 2,4-D/2,4,5-T Brush Killer...
Apply to the undersides of leaves and woody parts...
Apply to the undersides of leaves and woody parts...

12-6-66
524-99

2,4-D/2,4,5-T AMINE BRUSH KILLER

FOR CONTROLLING WOODY PLANTS.
CAUTION: CAUSES IRRITATION OF SKIN AND EYES.

Avoid contact with eyes, skin or clothing.
In case of contact, flush eyes with plenty of water for at least 15 minutes
and get medical attention; wash skin with plenty of soap and water.
Do not wear contaminated shoes or clothing.
Do not store near food, fertilizer, seeds, insecticides or fungicides.
Do not contaminate water used for irrigation, domestic or spray purposes.

Keep out of reach of children.
ACTIVE INGREDIENTS:
*Triethylamine salt of
2,4-Dichlorophenoxyacetic acid 29.7%
*Triethylamine salt of
2,4,5-Trichlorophenoxyacetic acid 28.5%
INERT INGREDIENTS: 41.8%
100.0%

*Equivalent to 20.3% or 2 pounds 2,4 D acid per gal. and 20.3% or 2 pounds 2,4,5-T acid per gal.
NET CONTENTS 1 U.S. GALLON



WARNING—Extreme care must be used when applying 2,4-D and 2,4,5-T to prevent injuring desirable plants and crops. 2,4-D and 2,4,5-T should not be used in susceptible crops such as cotton, tomatoes, vegetables, grapes, fruit trees, soybeans, tobacco or beans. Do not allow spray mist to drift onto such plants, since even minute quantities of spray may cause severe injury. Use the lowest pressure necessary to provide adequate foliage penetration while keeping drift at a minimum. Use low pressure when spraying to prevent back-spraying which is caused by a drift.
Do not use on newly seeded lawns. Creeping grasses, such as bent are injured by 2,4-D and 2,4,5-T and should not be sprayed unless spot applications are made on weeds and localized turf injury can be tolerated. White clover or other legumes are damaged by 2,4-D and 2,4,5-T.

Do not use in greenhouses.
Large amounts of 2,4-D and 2,4,5-T in soil may temporarily inhibit seed germination. Never use more than recommended.
Keep containers closed when not in use and do not reuse for other purposes.
It is safest to use a separate sprayer for application of 2,4-D and 2,4,5-T herbicides. If the same sprayer must be used for other crop spraying, it should be flushed thoroughly with water immediately after use. Next, fill equipment (including hoses and nozzles) with water containing one volume household ammonia to 100 volumes of water, and allow to stand for one day. Then flush equipment thoroughly (including hoses and nozzles) several times with water.



SIX pounds active per gallon

2,4-D AMINE

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

ATTENTION:

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..

... ..


... ..

... ..

... ..

5-2-72
524-126

PACKER



NET