

STOP! READ THE LABEL



DANGER
Keep out of reach
of children

CAN KILL YOU

INSECTICIDE

PARATHION 500

BY **Monsanto**

NOT FOR HOME USE

48 3%
43 5%
8 2%
100 0%

100% parathion
liter



T. U.S. GAL.

POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

FIRST AID TREATMENT

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If **breathing has stopped**, start artificial respiration immediately and maintain until doctor sees victim. If **swallowed** and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In **case of contact**, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN

Antidote—administer atropine sulfate in large doses, TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. **DO NOT GIVE MORPHINE OR TRANQUILIZERS.** Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement; **VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.**

POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

CONTAINER DISPOSAL

See attached booklet for proper disposal.

CROP USE DIRECTIONS

Use only according to attached label booklet instructions.

CONDITIONS OF SALE

Read "LIMIT OF WARRANTY AND LIABILITY" before buying or using.


If terms are not acceptable, return at once unopened!

IN CASE OF ANY EVIDENCE OF DAMAGED OR LEAKING CONTAINERS,
TELEPHONE COLLECT, (205) 236-6381 MONSANTO, ANNISTON, ALABAMA.

MONSANTO COMPANY

AGRICULTURAL PRODUCTS

ST. LOUIS, MISSOURI, 63166 U.S.A.



814.05.000.06/53


STOP! READ THE LABEL



DANGER
Keep out of reach
of children

CAN KILL YOU


INSECTICIDE



By **Monsanto**

NOT FOR HOME USE

O p nitrophenyl phosphorothioate
erivative solvent



U.S. GAL.

POISON SIGNS (Symptoms)

Parathion is a very dangerous poison. It rapidly enters the body on contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pin-point pupils, tightness in chest, labored breathing, nervousness, sweating, watering of eyes, drooling or frothing of mouth and nose, muscle spasms and coma.

FIRST AID TREATMENT

Call a doctor (physician), clinic or hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim. If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

NOTE TO PHYSICIAN

Antidote—administer atropine sulfate in large doses. TWO to FOUR mg. intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2 PAM chloride is also antidotal and may be administered in conjunction with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement; VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS

POST TREATED AREA

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas

CONTAINER DISPOSAL

See attached booklet for proper disposal

CROP USE DIRECTIONS

Use only according to attached label booklet instructions.

CONDITIONS OF SALE

Read "LIMIT OF WARRANTY AND LIABILITY" before buying or using.


If terms are not acceptable, return at once unopened!

IN CASE OF ANY EVIDENCE OF DAMAGED OR LEAKING CONTAINERS,
TELEPHONE COLLECT, (205) 236-6381 MONSANTO, ANNISTON, ALABAMA

MONSANTO COMPANY

AGRICULTURAL PRODUCTS

ST. LOUIS, MISSOURI, 63166 U.S.A.



814 05 09 16 74

POISONOUS BY SKIN CONTACT, INHALATION, OR SWALLOWING RAPIDLY ABSORBED THROUGH SKIN
REPEATED EXPOSURE MAY, WITHOUT SYMPTOMS, BE INCREASINGLY HAZARDOUS

DO NOT GET ON SKIN, IN EYES, ON CLOTHING

DO NOT BREATHE DUST, VAPOR, OR SPRAY MIST

DO NOT STORE NEAR FOOD OR FEED PRODUCTS

DISPOSAL OF EMPTY CONTAINER

WARNING

MONSANTO COMPANY, ST. LOUIS, MISSOURI 63103

EMERGENCY SUPPLY

FIRST AID

IF INHALED: Get fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. If swallowed: Do not induce vomiting. Give water to drink. If on skin: Wash with soap and water. If in eyes: Flush with water for 15 minutes.

IF ON SKIN: Wash with soap and water. If in eyes: Flush with water for 15 minutes.

IF SWALLOWED: Do not induce vomiting. Give water to drink.

IF IN EYES: Flush with water for 15 minutes.

IF ON CLOTHING: Remove clothing and wash with soap and water.

IF ON SKIN: Wash with soap and water.

IF IN EYES: Flush with water for 15 minutes.

IF ON SKIN: Wash with soap and water.

IF IN EYES: Flush with water for 15 minutes.

IF ON SKIN: Wash with soap and water.

IF IN EYES: Flush with water for 15 minutes.

IF ON SKIN: Wash with soap and water.

IF IN EYES: Flush with water for 15 minutes.

IF ON SKIN: Wash with soap and water.

IF IN EYES: Flush with water for 15 minutes.

IF ON SKIN: Wash with soap and water.

IF IN EYES: Flush with water for 15 minutes.

IF ON SKIN: Wash with soap and water.

IF IN EYES: Flush with water for 15 minutes.


IF ON SKIN: Wash with soap and water.

IF IN EYES: Flush with water for 15 minutes.

IF ON SKIN: Wash with soap and water.

IF IN EYES: Flush with water for 15 minutes.

IF ON SKIN: Wash with soap and water.



Emulsifiable concentrate for controlling certain insects on the listed field, forage, fruit and vegetable crops.

Birds and

Keep out of reach of children

DANGER! POISONOUS BY SKIN CONTACT, INHALATION, OR SWALLOWING. RAPIDLY ABSORBED THROUGH SKIN. REPEATED EXPOSURE MAY, WITHOUT SYMPTOMS, BE INCREASINGLY HAZARDOUS.

504-131

ACCEPTED
Jul 14 1970
INSECTICIDE
FOR ECONOMIC POISON BEH...
ED UNDER...
TO ATTACHED...
Monsanto

POISON

ACTIVE INGREDIENT

INERT INGREDIENTS

NET CONTENTS - U.S. GALLONS

DIRECTIONS FOR USE

COTTON

CAUTION

GRASS

HOPS

SOYBEANS

SUGAR BEETS

Tobacco

CAUTION

LETTUCE