



STOP! READ THE LABEL



**DANGER—POISON—PRECAUTIONS**


**CAN KILL YOU IF SWALLOWED**

This product can kill you if swallowed. Even a small amount of dust may be fatal if swallowed.



**CAN KILL YOU BY SKIN CONTACT**

This product can kill you if touched by hands or spilled on skin, on eyes or on clothing.



**CAN KILL YOU IF BREATHED**

This product can kill you if vapors, or dust are breathed.

**POISON**  
See side panels  
for antidote  
and precautions



**DANGER**  
Keep out of reach  
of children

**CAN KILL YOU**

**MINIATURE FACSIMILE**  
Smallest Type size on package 12 point.

**GRANULES**

**Parathion**

**4%**

INSECTICIDE BY **Monsanto**

NOT FOR HOME USE

NET 50 LBS.



**POISONOUS TO FISH AND WILDLIFE**

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur.

**USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING**

1. Wear water proof pants, coat, hat, rubber boots or rubber overshoes. 2. Wear safety goggles. 3. Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection. 4. Wear heavy duty gloves to the wrists.

**WORK SAFETY RULES**

Keep hands and feet clean. Do not touch face. Wash hands and face when there is any possibility of contact with the product. Do not eat, drink, or smoke while using this product. Do not use this product in areas where children, pets, or livestock are present. Do not use this product in areas where it may be blown or drifted to other areas. Do not use this product in areas where it may be blown or drifted to other areas.

**WARRANTY**

Monsanto warrants that the product is as described on the label. It does not warrant that the product will perform under all conditions. The user assumes all liability for the use of the product. The user agrees to indemnify and hold Monsanto harmless from all claims, damages, and expenses, including reasonable attorney's fees, arising out of the use of the product.

REGISTERED TRADEMARK OF MONSANTO COMPANY  
© 1968 MONSANTO COMPANY  
NET WEIGHT 50 LBS.

**POISON SIGNS (Symptoms)**

Parathion is a very dangerous poison. It rapidly enters the body in contact with all skin surfaces and eyes. Clothing wet with this material must be removed immediately. Exposed persons must receive prompt medical treatment or they may die.

Some of the signs and symptoms of poisoning are: Headache, nausea, vomiting, cramps, weakness, blurred vision, pinpoint pupils, tightness in chest, labored breathing, perspiration, sweating, watering of eyes, drooling of mouth and nose, loss of pulse and coma.

**FIRST AID TREATMENT**

Call a doctor (physician) show up hospital immediately. Explain that the victim has been exposed to parathion and describe his condition.

If breathing has stopped, start artificial respiration immediately and maintain until doctor sees victim.

If swallowed and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving a glass or strong salt water to drink. Repeat until vomiting ceases. Never give anything by mouth to an unconscious person. Have victim lie down and keep quiet. See doctor immediately.

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

**NOTE TO PHYSICIAN**

Antidote: Administer atropine sulfate in large doses. TWO (2) cc 1% solution intravenously or intramuscularly or 10 to 15 cc 1% solution subcutaneous. Repeat at 10 to 15 minute intervals until signs of intoxication disappear. Atropine sulfate 10 mg tablets may be administered intramuscularly with atropine. DO NOT GIVE MORPHINE OR TRANQUILIZERS. Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first signs of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. One fluid ounce of the poison may be lethal and fatal effects have been reported after initial improvement. VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 24 HOURS.

**CROP USE DIRECTIONS**

See label for crop use directions.

**POST TREATED AREA**

Contact your State Agricultural Extension Service or Experiment Station regarding post-treatment areas.


**CONDITIONS OF SALE**

Available to farmers, gardeners, and other persons who are qualified to use this product. See label for restrictions. This product is sold on a non-warranted basis. See label for restrictions.

**GRANULES**  
**Parathion**  
**4%**

INSECTICIDE BY **Monsanto**

NET 50 LBS.



SEE FACSIMILE  
size on package 12 point



**CAN KILL YOU**

**GRANULES**

**Parathion** **4%**

INSECTICIDE BY **Monsanto**

NOT FOR HOME USE

ACTIVE INGREDIENT  
Parathion (90% free base) (technical phosphorothioate) 4.0%  
INERT INGREDIENTS 96.0%  
100.0%



NET **50** LBS.

IN CASE OF ANY EVIDENCE OF DAMAGED OR LEAKING CONTAINERS  
TELEPHONE COLLECT (205) 236-6381 MONSANTO ANNISTON ALABAMA

**GRANULES**

**4%**

INSECTICIDE BY **Monsanto**

NET **50** LBS.

ately. Explain that the victim has been exposed to parathion and describe his condition.

**If breathing has stopped**, start artificial respiration immediately and maintain until doctor sees victim. **If swallowed** and victim is awake (conscious) make him vomit quickly. Induce vomiting by sticking finger down throat or by giving soapy or strong salty water to drink. Repeat until vomit is clear. **Never give any thing by mouth to an unconscious person.** Have victim lie down and keep quiet. See doctor immediately.

**In case of contact**, immediately flush eyes or skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. See doctor immediately.

**NOTE TO PHYSICIAN**

Antidote—administer atropine sulfate in large dose, TWO to FOUR mg intravenously or intramuscularly as soon as cyanosis is overcome. Repeat at 5 to 10 minute intervals until signs of atropinization appear. 2-PAM chloride is also antidotal and may be administered in conjunction with atropine. **DO NOT GIVE MORPHINE OR TRANQUILIZERS.** Parathion is a strong cholinesterase inhibitor affecting the central and peripheral nervous systems and producing cardiac and respiratory depression. At first sign of pulmonary edema the patient should be given supplemental oxygen and treated symptomatically. Continued absorption of the poison may occur and fatal relapses have been reported after initial improvement. **VERY CLOSE SUPERVISION OF THE PATIENT IS INDICATED FOR AT LEAST 48 HOURS.**

**CROP USE DIRECTIONS**

Use only according to label instructions.

**POST TREATED AREA**

Consult your State Agricultural Extension Service or Experiment Station regarding posting treated areas.

**CONDITIONS OF SALE**

Read **LIMIT OF WARRANTY AND LIABILITY** before buying or using.  
If terms are not acceptable, return at once unopened!

1165743

**WARNING**  
KEEP AWAY from FEED or FOOD PRODUCTS  
**POISON**  
CAUTION—DO NOT DROP  
IF LEAKING **DON'T** BREATHE FUMES FROM CONTENTS SWALLOW

This is to certify that the contents of this package are properly described by name and are packed and marked and are in proper condition for transportation according to the Regulations prescribed by the Department of Transportation.

**MONSANTO COMPANY**  
Shipper's name required herein for shipments by express



**DANGER—POISON—PRECAUTIONS** 

**CAN KILL YOU IF SWALLOWED**

This product can kill you if swallowed even in small amounts dust may be fatal if swallowed



**CAN KILL YOU BY SKIN CONTACT**

This product can kill you if touched by hands or spilled on skin, in eyes or on clothing.



**CAN KILL YOU IF BREATHED**

This product can kill you if vapors, or dust are breathed.

**POISON**

See side panels for antidote and precautions

**MINIATURE FACSIMILE**  
Smallest type size on package 12 point.

EPA Reg. No. 524-140

**POISONOUS TO FISH AND WILDLIFE**

This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of any body of water. Do not apply when weather conditions favor drift from treated areas. Do not apply where runoff is likely to occur.

**USE ONLY WHEN WEARING THE FOLLOWING PROTECTIVE EQUIPMENT AND CLOTHING:**

- (1) Wear water-proof pants, coat, hat, rubber boots or rubber overshoes.
- (2) Wear safety goggles.
- (3) Wear mask or respirator approved by the U.S. Bureau of Mines for parathion protection.
- (4) Wear heavy duty, natural rubber gloves.

**WORK SAFETY RULES**

Keep all unprotected persons and children away from treated area or where there is danger of drift.

Do not rub eyes or mouth with hands. If you feel sick in any way, STOP work and get help right away. Call a doctor (physician) clinic or hospital—immediately. Explain that the victim has been exposed to parathion and describe his condition. After first aid is given (see First Aid Treatment Section) and if a doctor cannot come, take victim to clinic or hospital.

**IMPORTANT!** Before removing gloves, wash them with soap and water. Always wash hands, face and arms with soap and water before smoking, eating or drinking.

**AFTER WORK,** take off all work clothes and shoes. Shower, using soap and water. Wear only clean clothes when leaving job. Do not wear contaminated clothing. Wash protective clothing and protective equipment with soap and water after each use. Respirator should be cleaned and filter replaced according to instructions included with respirator.

**ACTIVE INGREDIENT**  
Parathion 90 diethyl O p nitrophenyl  
**INERT INGREDIENTS**

**para**

### LIMIT OF WARRANTY AND LIABILITY

Monsanto Company warrants that this material conforms to the chemical description on the label and is reasonably fit for the purposes referred to in the directions for use. This product is sold subject to the understanding that the buyer assumes all risks of use or handling which may result in loss or damage which are beyond the control of the seller, such as for example incompatibility with other products, the manner of its use or application, or the presence of other products or materials in or on the soil or crop. MONSANTO MAKES NO OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS OR MERCHANTABILITY. The exclusive remedy of the user or buyer, and the limit of the liability of Monsanto Company or any other seller for any and all losses, injuries or damages resulting from the use or handling of this product shall be the purchase price paid by the user or buyer for the quantity of this product involved. The buyer and all users are deemed to have accepted the terms of this notice which may not be varied by any verbal or written agreement.

**NOTE:** Consult the State Agricultural Extension Service, Weed Specialist or Experiment Station concerning specific usage, dosages and methods of application.

**Sweep up and bury spillage** whether it occurs indoors or in the field. Once a bag has been opened, use it completely or bury the remainder. Make sure that the hoppers of equipment are emptied of parathion granules while still in the field.

**Do not burn or re-use this container.** Completely empty the contents and bury the unused chemical and empty container at least 18 inches deep in an isolated location away from water supplies.

### DIRECTIONS FOR USE

Be sure to read and understand the DANGER statements before using!

#### TO CONTROL WIREWORMS

Broadcast 75 to 100 lbs. per acre on soil before planting and thoroughly work into upper 4 to 9 inches. Use only on these crops:

<u>Beans</u>	<u>Corn</u>	<u>Rutabagas</u>
<u>Beets</u>	<u>Endive</u>	<u>Soybeans</u>
<u>Broccoli</u>	<u>Egg Plant</u>	<u>Sugar Beets</u>
<u>Brussels Sprouts</u>	<u>Escarole</u>	<u>Sugarcane</u>
<u>Cabbage</u>	<u>Kale</u>	<u>Sweet Corn</u>
<u>Cantaloupe</u>	<u>Lettuce</u>	<u>Sweet Potatoes</u>
<u>Carrots</u>	<u>Onions</u>	<u>Tomatoes</u>
<u>Cauliflower</u>	<u>Peas (blackeye)</u>	<u>Turnips</u>
<u>Celery</u>	<u>Peppers</u>	<u>Watermelon</u>

Broadcast 50 lbs. per acre on soil at least 3 weeks before planting and work into top 6 to 9 inches. Use only on this crop:

#### Tobacco

Broadcast 100 to 150 lbs. per acre on soil before planting and thoroughly work into upper 4 to 9 inches. Use only on this crop:

#### Potatoes

Band side dress 75 lbs. per acre at time of side dress fertilizer application to both sides of the row. Use only on this crop:

#### Potatoes

#### TO CONTROL CORN ROOTWORMS

Apply 25 to 37.5 lbs. per 13,068 feet (one acre of 40 inch row spacing) of row as a 7 inch wide row soil treatment when planting. Use 25 lbs. of 13,068 feet of row at cultivation time and cover with 1/2 inch of soil. Use only on these crops:

Field Corn Hybrid Seed Corn Sweet Corn Pop Corn

Apply 50 to 62.5 lbs. per acre as a row soil treatment at planting or pegging time, work lightly into soil. Use only on this crop:

#### Peanuts

#### TO CONTROL GARDEN SYMPHYLAN

Apply 125 lbs. per acre to soil surface before planting time and thoroughly work into upper 6 to 9 inches. Use only on these crops:

Beans Lettuce Sugar Beets  
Corn Potatoes Tomatoes

#### TO CONTROL CUTWORMS

Broadcast 75 to 100 lbs. per acre before planting and thoroughly work into upper 1 to 3 inches. Use only on these crops:

Corn Cucumbers

#### TO CONTROL WHITE GRUBS

Broadcast 75 to 100 lbs. per acre before planting and thoroughly work into upper 4 to 6 inches. Use only on these crops:

Corn Soybeans Sugar Beets

#### TO CONTROL ONION MAGGOTS

Apply 50 lbs. per acre in furrow with seed at planting time. Use only on this crop:

#### Onions

#### TO CONTROL GREEN JUNE BEETLES

Broadcast 12.5 to 20 lbs. per acre. Do not apply within 15 days of pasturing or cutting for animal feed. Use only on this crop:


#### Pastures

 ~~DANGER-POISON-PRECAUTIONS~~



onsanto

NET 50 LBS.



**WARNING**  
KEEP AWAY from FEED or FOOD PRODUCTS  
**POISON**  
CAUTION-DO NOT DROP  
IF LEAKING **DON'T** BREATHE FUMES  
TOUCH CONTENTS  
SWALLOW

This is to certify that the contents of this package are properly described by name and are packed and marked and are in proper condition for transportation according to the Regulations prescribed by the Department of Transportation

**MONSANTO COMPANY**

Shipper's name required hereon for shipments by EXPRESS

POISONOUS SOLID

