

## Specially formulated for Nomix Application Equipment.

ACTIVE INGREDIENT

Coproblemine salt of glypnolate NEAT INGREDIENTS

183% 917%

100 0%

Move to Precautionary Statements section.

Contains 199 grams per litre or 1.66 pounds of the active ingredient isopropylamine sait of N-phosphonomethyli glycine per U.S. gailon Equivalent to 147 grams per litre or 1.23 pounds per U.S. gailon of the acid. glyphosate

Keep out of reach of children WARNING!

## Complete Directions for Use

1989-1 875-15-200.21/53

\*NOMIX is a trademark of Nomix Manufacturing Company Limited of the United Kingdom and used under PEClusive license by Monsanto Company

\* Pegistered trademark of Monsanto Company

Product protected by U.S. Patent Nos. 3 799 758 and 4 415 531. Other patents are pending

Re-arrange on pamphlet - see following page.


EPA Reg No 524 409

MONSANTO COMPANY 1988

MONSANTO COMPANY AGRICUL "BRAL PRODUCTS OT LOUIS MISSOURI 63167 (1.0 A

Nansarra Na ACCEPTED

Unier the Federal Insecticide, I man ide, and Rodennoide Act, as amended, for the pesticide registered under CONTROL C



3/17

Substitute following format for previous page:

NOMIX

Grass & Weed Herbicide by Monsanto

Specially formulated for Nomix Application Equipment.

Complete Directions for Use

EPA Reg. No. 524-409

™Nomix is a trademark of Nomix Manufacturing Company Limited of the United Kingdom and used under exclusive license by Monsanto Company.

@Registered trademark of Monsanto Company

1989-1 875.15-200.21/53

Product protected by U.S. Patent Nos. 3,799,758 and 4,405,531. Other patents are pending.

No license granted under any non-U.S. patent.

Monsanto Company 1989.

Monsanto Company Agricultural Products St. Louis, Missouri 63167 U.S.A. Read the entire raties before units, the product

Eine only according to abelie in the folio-

Read (1993) of MARRANTY DV Ability Certise Dusing or Uson, intremminate in the legist elimetum at these property

WAR WHERE WARF ACRESSES AND SHEETED

#### LIMIT OF WARRANTY AND LIABILITY

This company warrants that this productive is own to the hemical description on the later and is reasonable for the the purposer set term in the complete directors for use. Carectors when used in a cornance with those Carectors under the conditions described therein. NO ITHER EXPRESS WARRANTY OF EMPLIES WARRANTY OF ENTIRES OR PARTICULAR PURPOSE OR MERICHANTABILITY IS MADE. This warranty is also not extra the conditions and limitations stated herein.

Euver and as users shall promptly notify this condany is any claims, whether balled in contract inegligence istrict liability other fort or otherwise.

Buyer and all users are responsitive for all loss or damage. from use or handling which results from conditions beyond the control of this company including but not imited to incompatibility with products other than those jet forth in the Directions, application to or contact with desirable vegeration, unusual weather, weather condi-Figes which are outside the range considered normal at the application site and for the time period when the product is applied, as well as weather conditions which are outside the application ranges set forth in the Directions, application in any manner not explicitly set forth in the Directions, moisture, implifiers outside the moisture range specified in the prections or the presence of priducts, other than those set furth in the (kirections in or on the soil, crop or freated vegetation) THE FXCLUSIVE REMEDY OF THE OUTER OR BOYER AND THE CANT OF THE CABILITY OF THE COMPANY OR ANY JOHER GELLER FOR ANY AND ALL LOSSES, ENJURIES. CR DAMAGES RESULTING FROM THE USE OR HAN. ELENG OF THIS PRODUCT ENCLUDING CLAIMS BASED. IN CONTRACT NEGLIGENCE STRICT LIABILITY OTHER FIGRE OR OTHERWISE) SHALL BE THE PURCHASE PRICE FAID BY THE USER OR BUYER FOR THE QUANTITY OF THIS PRODUCT INVOLVED OR AT THE ELECTION OF THIS COMPANY OR ANY OTHER SELLER, THE REPLACE MENT OF SUCH QUANTIFY OF IT NOT ACQUIRED BY PICRCHASE REPLACEMENT OF SUCH QUANTITY IN NO EVENT SHALL THIS COMPANY OR ANY OTHER SELLER PF LIABLE FOR ANY INCIDENTAL CONSEQUENTIAL OR PESIAL DAMAGES

The particular value of the particular acceptance of the particular value of the particular value of the particular value of the value

#### PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animais

meep but ut result of Children

## WARNING!

CAUSES SUBSTANTIAL BUT TEMPORARY EYE INJURY

Counties organized and area of the

Areas goggies, face shield on latest glasses

Gash thoroughly with way and water after bandring

Remove Coraminated Inthing and wash before reuse

This product thay cause an allergic swin reaction.

HRST AIE IF IN EYE, hush with Denty of water for at least 15 minutes. If irritation persists call a eyecian.

Fight Tents in minimizately flugh with prenty of water for at least 15 minutes white removing contaminated inthing. As soon as soap is available, wash skin thoroughly with soap and water if irritation persists and a physician.

in case of an emergency involving this product Laft Collect, day or night +314, 694,4000

#### Environmental Hazards

- Find topy of the fight water or wetland inwamps, bygs marsher, and onto len. Colnot i of aminate water when I out nglit equipment washwaters.

#### Physical or Chemical Hazards

Apply this product only through NOMIX apply ation equipment designed for its use OIC NOT CICRE GRAPPLY THIS PRODUCT IN ANY OTHER TYPE — JON TAINER FRATICULARLY GALVANIZED STEEL OR UNLINED STEEL CONTAINERS OR SPRAY TANKS. This cridust will react with such containers and tanks to produce hydrogen gas which may form a nightly combustible gas mostore. This gas mixture could flash or exprode causing serious personal in usy. If gritted by upon flame spark, welder sits in lighted against any other grit in outliers.

#### Substitute:

MAY CAUSE ALLERGIC SKIN REACTION.

Do not get in eyes, skin or on clothing.

Wear goggles or face shield.

Wash thoroughly with soap and water after handling.

FIRST AID: IF IN EYES, immediately flush with plenty of water for at least 15 minutes. Get medical attention.

IF ON SKIN, immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing. As soon as soap is available, wash thoroughly with soap and water. Wash clothing before reuse. Sensitized persons should avoid further contact and reuse of contaminated clothing. Get medical attention.

KEEP PEOPLE AND PETS OFF TREATED AREA UNTIL FOLIAGE IS DRY.

#### INSERT:

Moved from page 1 and changed name of active ingredient:

\*Contains 199 grams per litre or 1.66 pounds per U.S. gallon of the active ingredient, glyphosate, N-(phosphonomethyl) glycine in the form of its isopropylamine salts. Equivalent to 147 grams per litre of 1.23 points per U.S. gallon of the acid, glyphosate.

### DIRECTIONS FOR USE

ing granist up of Engeral law to use this product of site in a long of the extension is labelled

## Storage and Disposa-

in the state of the Alas And Angle of the State of the St

-1.

The second secon

. .

We shall will be from the lope of this product that will not he will be head to be a not seen and the approved for performent or saying a color of with applicable Federal (fate of will educe).

(a) The property of a net retains value and product the one of the property and property of a net of the one of the property of a net of the property of the one of the property of the proper

When contained is completely empredienting his Mile spok lation ego oment buncture and problem in a lar tary language in the lar one are negation on it allowed the series was authorities by burning it burners from an

#### GENERAL INFORMATION

tions conditions the treated area unto the age to

The position is a concepted where a terminal is also individually from a supplication requirement of the following by the read off subscriped by the read of the view and the read of the

In project or an immended for immer a inflying some land ground and seed on management in area, it in a secretar primary and readsides interior of the national size immensional tier identification of the national size immensional tier identification of the national size in province and the national secretary in the properties of the national size of the national s

THE PROCESS AN INSURE OR CELTROY ALL AS ETA THEN CONTROL TO LAVOID TORRAY PRIFT CONTROL AS THE CONTROL OF DRIVING AND AND HARD HARD ATTERNATION TO ALL AND THEAD ATTERNATION OF THE CONTROL AND AND AND AND AND AND AND AND A


## **WEEDS CONTROLLED**

Mitten approximation of the control of the control

#### ANNUALS

manifest of a	Burn, our care
will para in the care	TARRES OF THE PERSON
* ****	HIRAPP) ""
**, ·	many a
	4 ** , ** *
and the second	the second of
	ala 'P
e e e e	

Move to "Precautionary Statements" Section.



#### PERENNIALS

217

When you have the immended under the long tion that the stage that

The second secon

#### **HOW TO APPLY**

wither into this beind annual weeds, apply 2 for any one at his time product as a uniform spray when they agenote on its evergenation for party softion (blocks), on this telegroperential weeds, apply 4 to 30 cyclic business time optopositions a uniform poral over their mayor to one or the stable vegetation. The time for which TO agenetic forms the more information with many time when they have the stable for more information with many time when they when the allowing small actives a growing strong which is a gardinary to a gardinary optime vegetation in the any of the single incommended rate for partial more in our product of the preparation of the single control of the single products as a control of the

nun lorsk buring winds toprotriuns las sorak dieffich warnich wa ement may lotte damage it any segeta tignium alted luse only formstapp loation equipment when applying this project.

## HOW TO CALIBRATE

The first of the first accordance to come to the accordance of the first accor


<u> </u>	<u>:</u>		<u> </u>	<u>:</u>	<u>.</u>		j	-	X
1		. ų -	• •			~ _4	JE	7	f see
	` <u></u>	7	:	÷	-	7	,	Æ	::
٠	1	•	-	-	4	.:	1	14	. 5
	: \	Ź٠.	•		:	7	<i>f</i> :		
		,			`.	/			. :
			`\.		Ξ,	<i>,</i> •	•	`	.:
:			• 5		Ĺ				:
		٠	:	$\backslash$	/. <u>.</u> .	1.	: -	4	

organish organish in the authorization of the necessarians and the control of the necessarians and the control of the control

no my rough on the second of t

## Replace:

"HOW TO APPLY", "HOW TO CALIBRATE" and "HOW TO USE CHART" sections with the following pages.




## HOW TO APPLY

Select the desired product flow rate from the calibration guide for the type of weeds to be controlled - annuals or perennials.

Apply this product as a uniform spray over the foliage of the undesirable vegetation. See the "How to Calibrate" section of this label for more information.

Do not spray during windy conditions, as spray drift or swath displacement may cause damage to any vegetation contacted. Use only Nomix application equipment when applying this product.



# 8/11/8

### HOW TO USE THE CALIBRATION GUIDES

- 1. Determine walking speed.
- 2. Select the spray width desired.
- 3. Select the calibration guide for either annual or perennial weeds.
- 4. Find where the walking speed column intersects the spray width row on the calibration guide.
- 5. Where the row and column intersect are numbers for the Multi Flow™ units needed to deliver the desired rate.
- 6. Using the calibration cup provided with the Nomix unit, measure the flow of the product for 30 seconds. If needed, adjust the equipment and measure the flow rate again for 30 seconds. Repeat this procedure until the amount of product collected matches the desired rate from the calibration guide.
- 7. For specific calibration procedures, see the "How to Calibrate" section of this label.

"Multi Flow is a trademark of Nomix Manufacturing Company Limited of the United Kingdom used under exclusive licence by Monsanto Company.

# 17


# NOMIX GRASS & WEED HERBICIDE CALIBRATION GUIDES

## (30 Second Multi Flow\* Measurement)

## ANNUAL WEEDS

SPRAY SWATH	(WALKING SPEED)				
WIDTH	1.5 MPH	2.0 MPH	2.5 MPH	3.0 MPH	
6"	2 to 4**	3 to 5	3 to 6	4 to 7	
9" [	3 to 6	4 to 7	4 to 9	5 to 11	
12"	4 to 7	5 to 10	6 to 12	7 to 14	
15"	4 to 9	6 to 12	7 to 15	9 to 18	
18"	5 to 11	7 to 14	9 to 18	10 to 21	
21"	7 to 13	8 to 17	10 to 21	12 to 25	
24"	7 to 14	9 to 19	12 to 24	14 to 28	
36"	10 to 21	14 to 28	17 to 35	21 to 42	

<sup>\*.</sup> One Multi Flow equals 0.8 milliliter.



Use the lower rate when treating small actively growing annual weeds. Increase the rate within the recommended range as height and density of the vegetation increases.

## NOMIX GRASS & WEED HERBICITE CALIBRATION GUIDES

## (30 Second Multi Flow Measurement)

## PERENNIAL WEEDS

SPRAY SWATH		(WALKING SPEED)					
WIDTH	1.5 MPH	2.0 MPH	2.5 MPH	3.0 MPH			
6"	4 to 9***	5 to 12	6 to 15	7 to 18			
9"	6 to 14	7 to 18	9 to 22	11 to 27			
12"	7 to 18	10 to 24	12 to 30	14 to 35			
15"	9 to 22	12 to 30	15 to 37	18 to 44			
18"	11 to 27	14 to 35	18 to 44	21 to 35			
21"	13 to 31	17 to 41	21 to 51	25 to 62			
24"	14 to 35	19 to 47	24 to 59	28 to 70			
36"	21 to 53	28 to 70	35 to 88	42 to 105			


One Multi Flow equals 0.8 milliliter.

Increase the rate within the recommended range as height and density of the vegetation increases. Use the higher number for tough to control weeds.

# 11/17

## HOW TO CALIBRATE

- Nomix application equipment should be calibrated prior to each use
  of the product.
- 2. Attach Nomix calibration flow cup to the Nomix equipment. Remove spray disc, if attached.
- 3. Connect the product container and prime the equipment to remove the trapped air. Priming must be done with the head of the lance held above the handle but below the level of the product container.
- 4. Lower the lance head with attached calibration cup to spraying position.
- 5. Depress the trigger with the power on. Collect the product for a measured period of time, such as 30 seconds. Check the amount of product collected in the calibration cup.
- 6. Raise the lance tip above head level and depress the trigger long enough to allow product to flow back into the lance.
- 7. Repeat until the correct volume is obtained.



#### WHEN TO APPLY

Aubiya yay kousiy gatwing bianto Abbiya ti in the art e gracions and the indicat worlds anythme after emergency and when little entito lake is present to be as wise interception Affect to white in SCOR in the white has been a contracted to the contr

Hence the consistency with the first constitution of the constitu a digraphic group and the attention of the first section of organizacjamskim objektovenskeg HAID CONSISTER ADDINGS OF THE WINDS HIS STEEL proquet to make with a the plant to the more path time AND THE PROPERTY HAS BUY ON APPLICATION OF RETREATMENTS WILL BO NECELLARY TO A LL NOW MEEDIS EMERGING FALM SEED

the application will control or suppress weeds i sted in the LASSOS CONTROLLED Lermon of this rate in Lontrolly hot authorised within 4 weeks, allow time to suffi who regrowth in the vegetation and make a recest super ration

#### ORNAMENTALS AND PLANT BEDS

inamentals, tipwers and other plants used for landscap ng may be granted in treated areas if in more days after application. This product may also be used as a direct. ed application to control undestrable sesetation grow ng around urnamentals, trees or includs. Avoid Cotax intact with any desirable plants. To avoid lightly an desirable plants, prévent spray or drift contact with tonage Litems or bark, DO NOT SPRAY INTO IDRIOVER THE TOP OF SESIRABLE PLANTS TREES OR SHRUBS

#### GREENHOUSE/SHADEHOUSE

In lighted oit will also graines and broadlest weeds in tedin this abel which are prowing in giver. Let Hem value restable wegetation during application. His moment es thigging in Uty. Air cithuran chifann mui tibe turnes Hi during application, DED-RABLE GAFENH U.E. FLANTS ARE BE INJURED FIRSH ACTED BY CREAT CR CRIST OF THIS PRODUCT

## **CLEANING OF EQUIPMENT**

The Nomix application equipment must be reased after Having Jerand prick to stokage, using findial deaner to remove resigues of this product, ir allure to properly stean the equipment may result in equipment tailute or in usy. . Ubragiumt v reather desirable vegetation After in rough , waning sourpment may be used to soon. ther Minights products intervally formulated for use to minight and association equipment.

warm or jeing from the copy our name segic property والراطر ومواطرو يماني والمعط الراوس بالمعاد أأرا البيحاد on a compared to a contact with ASS compressional through a project the line of these and contain and the same and a complex.

网络海峡 海 电流电流

MININANT MEANING

The state of the second and the same of th Land and and and an arrangement

MINISTRA MISSE 1 4 7 93 44 7 1 1 4 7 93 44 7 1



Change to:

This product will control or suppress . . .

Delete:

Monsant o

Change to:

. . . .



READY TO USE

• KILLS PLANTS, ROOTS AND ALL

NON SELECTIVE SYSTEMIC GRASS AND BROADLEAF WEED KILLER

## SHAKE WELL BEFORE USING

Read the entire label before using this product

Use only according to label instructions

Read "LIMIT OF WARRANTY AND LIABILITY" before buying or using If terms are not acceptable return at once unopened

REFORMULATION OR REPACKAGING IS PROHIBITED

### PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Keep out of reach of children.

## WARNING!

GAUSES SUBSTANTIAL BUT TEMPORARY EYE INJURY

Do not get in eyes or on skin or on clothing Wear goggles face shield or safety glasses, Wash thoroughly with soap and water after handling Remove contribunated clothing and wash before reuse This product hay cause an affergic sign reaction

FIRST AID IF IN EYES flush with blenty of water for at least 15 minutes. If infitation persists, call a physician

If ON SIGN immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing 4s soon as positions available, wash skin thoroughly with soop and water If irritation persists, call a physicians

In case of an emergency involving this product Call Collect: day or night: (314) 694-4000

#### Environmental Hazards

Do not apply directly to water or wetland (swamps, bogs, marshes and potholes. Do not contaminate water when disposing of wash-

(See other side for Storage and Disposati-

**ACTIVE INGREDIENT** 

**INERT INGREDIENTS** 

18 3% 81 7%

\*Centains 199 grams per litre or 1.66 pounds of the active ingredient enormodamine salt of Nichosophonomethyli glycine per U.S. gallon. Equipplent to 147 grams per litre or 1-23 pounds per II S gallon of the acrd glypherate

> **NET 5 LITRES** (5 qts. 9 fl. oz.)

Part 1 of 2

ACCEPTED

Under the Federal Insection Funger of F fenticide Act. on one of the pesticide

registern i ur les.

14/11

(A)

CAUSES SUBSTANTIAL BUT TEMPORARY EYE INJURY.

MAY CAUSE ALLERGIC SKIN REACTION.

Do not get in eyes or on skin or on clothing. Wear goggles or face shield.

Wash thoroughly with soap and water after handling.

FIRST AID: IF IN EYES, immediately flush with plenty of water for at least 15 minutes. Get medical attention.

IF ON SKIN, immediately flush with plenty of water for at least 15 minutes while removing contaminated clothing. As soon as soap is available, wash thoroughly with soap and water. Wash clothing before reuse. Sensitized persons should avoid further contact and reuse of contaminated clothing. Get medical attention.

- \*Glyphosate, N-(phosphonomethyl)glycine in the form of its isopropylamine salt . . . 18.3:
- \*Contains 199 grams per litre or 1.66 pounds per U.S. gallon of the active ingredient, glyphosate, N-(phosphonomethyl)glycine in the form of its isopropylamine salt. Equivalent to 147 grams per litre or 1.23 pounds per U.S. gallon of the acid, glyphosate.

Bit Alury & Mary Yo



(See other side for Precautionary Statements)

## Physical or Chemical Hazards

Apply this product ONLY through NOMIX application equipment designed for its use. DO NOT STORE OR APPLY THIS PRODUCT IN ANY DTHER TYPE OF CONTAINER, PARTICULARLY GALVANIZED STEEL OR UNLINED STEEL CONTAINERS OR SPRAY TANKS. This product will react with such containers and tanks to produce hydrogen gas which may form a highly combustible gas mixture. This gas mixture could flash or explode causing serious personal injury, if ignited by open flame, spark, welder's torch, lighted digarette or other ignition source.

## **DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in any man ner inconsistent with its labeling

Keep people and pets off treated area until foliage has bried

## Storage and Disposal

Do not contaminate water foodstuffs, feed or cred by storage or disposal.

#### STORAGE

Store this product in its original container and in a secured storage area

#### DISPOSAL

Wastes resulting from the use of this product that cannot be used or chemically reprocessed should be disposed of in a landful approved for pesticide disposal or in accordance with applicable Federal, state or local procedures

Emptied container retains vapor and product residue. Observe all labeled safeguards until container is destroyed. Do not reuse container.

When container is completely emptied through NOMIX application equipment, puncture and dispose of in a sanitary landfill or by incineration, or, if allowed by state and local authorities by burning. If burned, stay out of smoke

(See label booklet for Complete Directions for Use)

#### LIMIT OF WARRANTY AND LIABILITY

This Company warrants that this product conforms to the chemical description on the label and is masonably fit for the purposes set forth in the Complete Directions for Use Label booklet ("Directions") when used in accordance with those Directions under the conditions described therein. NO OTHER EXEMPLES WARRANTY OR IMPLIED WARRANTY OF FITNESS FOR PARTICULAR PURPOSE OR MERCHANTABILITY IS MADE. This warranty is also subject to the conditions and limitations stated between

Buyer and all users shall promptly notify this Company of any claims whether based in contract, negligence, strict liability other fort or otherwise.

Buyer and all users are responsible for all loss or damage from use or handling which results from conditions beyond the control of this Company including but not limited to incompatibility with products other than those set forth in the Directions, application to or contact with desirable vegetation, unusual weather, weather conditions which are outside the range considered normal at the application size and for the time period when the product is applied, as well as weather conditions which are outside the application ranges set forth in the Directions application in any manner not explicitly set forth in the Directions, or the presence of products other than those set forth in the Directions in or on the soil, crop or treated vegetation.

THE EXCLUSIVE PEMBOY OF THE USER OR BUYER AND THE LIMIT OF THE LIABILITY OF THIS COMPANY OR ANY OTHER SELLER FOR ANY AND ALL LOSSES INJURIES OR CAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT (INCLUDING CLAIMS BASED IN CONTRACT NEGLIGENCE STRICT LIABILITY OTHER TORT OR OTHERWISE SHALL BE THE PURCHASE PRICE PAID BY THE USER OR BUYER FOR THE QUANTITY OF THIS PRODUCT INVOLVED OR AT THE ELECTION OF THIS COMPANY OR ANY OTHER SELLER. THE REPLACEMENT OF SUCH QUANTITY OR IF NOT ACQUIRED BY PURCHASE REPLACEMENT OF SUCH QUANTITY. IN NO EVENT SHALL THIS COMPANY OR ANY OTHER SELLER BE LIABLE FOR ANY INCIDENTAL. CONSEQUENTIAL OR SPECIAL DAMAGES.

Buyer and all users are deemed to have accepted the terms of this LIMIT OF WARRANTY AND LIABILITY which may not be varied by any verbaor written agreement.

Product protected by U.S. Patent Nos. 3 799 758 and 4,405.531. Other patents are pending

EPA Reg. No. 524-409

EPA Est 602 WO 1

MONSANTO COMPANY 1988

"NOMIX is a trademark of Nomis Manufacturing Company Emifect of the United Kingdom and used under exclusive license by Manuanto Company

Registered trademark of Monsanio Company

MONSANTO COMPANY

AGRICULTURAL PRODUCTS

ST LOUIS MISSOURI 63167 U.S.A

Monsomo

Part 2 of 2

875 15 200 **)4**-53RP

No license granted under any non-U.S. patent.

#### READY TO USE

#### KILLS PLANTS, ROOTS AND ALL

## NON SELECTIVE SYSTEMIC GRASS AND BROADLEAF WEED KILLER SHAKE WELL BEFORE USING

Read the entire label before using this product Use only according to label instructions Read "LIMIT OF WARRANTY AND LIABILITY" before buying or using If terms are not acceptable, return at once unopened REFORMULATION OR REPACKAGING 13 PROHIBITED

## PRECAUTIONARY STATEMENTS

Hazards to Humans and Domestic Animals

Keep out of reach of children

## WARNING!

CHUSES SUBSTANTIAL BUT TEMPORARY EYE INJURY

Do not get in eyes or on skin or on rlothing

Wear goggles lack chiefd or safety glasses

Wash thoroughly with soon and water after handling

Remove contaminated clothing and wast before reuse

ins product may cause an alleget skin-teaction

FIRST AID IF IN EYES, Wash with piency of water for at least 15 minutes If irritation persists call a physician

IF CN SIGN, immediately flush with plenty of water for at least 15 minutes but removing contaminated clothing. As soon as soap is available, wash

the thoroughly such shap and write.

In case of an emergency involving this product Call Collect, day or night, (3;4) 694 40J0

#### Environmental Haza ds

Do not apply directly to water or wetland (swarips, bogs, marshes, and potholes) (to not contaminate water when risposing of equipment washwaters

#### Physical or Chemical Hazards

Apply this product ONLY through NOMIX application equipment designed for its use DO NOT STORE OR APPLY THIS PRODUCT IN ANY OTHER TYPE OF CONTAINER PARTICULARLY GALVANIZED STEEL OR LINLINED STEEL CONTAINERS OR SPRAY TANKS. This product will react with such containers and tanks to produce hydrogen gas which may form a highly combustible gas mixture. This gas mixture could flash or explode, causing serious personal injuly, if ignited by open flame, spark, welder's torch, lighted cigarette or other ignition source

### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in any manner inconsis tent with its labeling

Keep people and pets off treated area until foliage has dried

## Storage and Disposal

Do not contaminate water, foodstuffs, feed or seed by storage or disposal

Store this product in its original container and in a secured storage area

DISFOSA:

Wastes resulting from the use of this product that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticide disposal or in accordance with applicable Federal, state or local procedures

Empfied container retains vapor and product residue. Observe all labeled safeguards until container is destroyed. Do not reuse container

When container is completely emptied through NOMIX application equipment, puncture and dispose of in a sanitary landfill, or by incineration, or, if allowed by state and local authorities, by burning, If burned, stay out of smoke

(See label booklet for Complete Directions for Use.)

ranges set forth in the Directions. ly set forth in the Directions, moistu specified in the Directions, so the set forth in the Directions in or or

THE EXCLUSIVE REMEDY OF THE L INC YMASMOD SHITS OF THIS COMPANY OR LOSSES, INJURIES OR DAMAGES LING OF THIS PRODUCT (INCLUDIN GENCE STRICT; JABILITY, OTHER PURCHASE PRICE PAID BY THE U THIS PRODUCT INVOLVED, OR AT ANY OTHER SELLER, THE REPLAC ACQUIRED BY PURCHASE REPL **EVENT SHALL THIS COMPANY OR I** INCIDENTAL CONSEQUENTIAL O

Buyer and all users are deemed to OF WARRANTY AND LIABILITY WHIC ten agreement

ACTIVE INGREDIENT B **INERT INGREDIENTS** 

> \*Contains 199 grant ient to 14 i grams per litte or 1 glyphocate.

Product protected by U.S. Patent patents are pending

EPA Reg. No 524-409

"NOMIX is a trademark of Nomix United Kingdom and used under e

Registered trademark of Monsai

**YMARMOD OTHARMOM** AGRICULTURAL PRODUCTS ST LOUIS MISSOUR! 63167 U.S.

EPA Est 602 MO 1



and accention in symptoms occur

**3** 

\*Glyphosate, N-(phosphonomethyl)glycine in the form of its isopropylamine salt...........18.3%

- 0
- \*Contains 199 grams per litre or 1.65 pounds per U.S. gallon of the active ingredient, glyphosate, N-(phosphonomethyl) glycine in the form of its isopropylamine salt. Equivalent to 147 grams per litre or 1.23 pounds per U.S. gallon of the acid, glyphosate.
- No license granted under any non-U.S. patent.

