

ACCEPTED

# NIX

## VEGETATION KILLER

EPA Reg. No. 527-74 AA

A non-selective vegetation killer. Apply undiluted as a spray on ~~non-cropland areas~~ where bare ground is desired. The degree of weed control and duration of effect will vary with the amount of chemical applied, soil type, rainfall and other conditions.

**Active Ingredients**

Petroleum Oil	96.10%
2,4-Dichlorophenoxyacetic acid (isooctyl ester)	1.09%
Bromacil (5-bromo-3-cyclohexylmethyluracil)	0.61%
Pentachlorophenol	0.80%
Other Chlorophenols	0.09%
Inert Ingredients	1.31%
<b>Total</b>	<b>100.00%</b>

2,4-Dichlorophenoxyacetic acid equivalent 0.70%

**DIRECTIONS**

To control most weeds in an extended period of time on non-cropland areas such as parking lots, fence rows, loading ramps, railroad sidings, storage yards around buildings and industrial plant sites, apply 2 to 5 gals. per 1,000 sq. ft. (80 to 200 gals. per acre). To control annual weeds and grasses such as foxtail, ryegrass, wild oats, crabgrass, cheatgrass, broomsedge, ragweed, lambsquarters and turkey mullein, apply 1 to 2 gals. per 1,000 sq. ft. (40 to 80 gallons per acre). For other **HARD TO KILL** perennial weeds and grasses such as Johnson-grass, saltgrass, bouncing bet, bracken fern and horsetail, apply 3 to 5 gals. per 1,000 sq. ft. (20 to 200 gals. per acre).

To control perennial weeds and grasses such as smooth brome, Canada bluegrass, purple top, quackgrass, broomsedge, aster, dandelion, dog fennel, goldenrod, plantain and wild carrot, apply 2 to 4 gals. per 1,000 sq. ft. (80 to 160 gals. per acre).

Apply any time of year except when ground is frozen. Best results are obtained after predominant species are well established in late spring or early summer. Before use, calibrate equipment to insure uniform coverage of area to be treated. Measure out the proper amount and apply.

**Equipment:** Power sprayer, compressed air hand sprayers, knapsack sprayers or an ordinary sprinkling can may be used for application. No dilution or agitation is required.

**WARNING: KEEP OUT OF REACH OF CHILDREN.**

**HARMFUL IF SWALLOWED OR ABSORBED THROUGH SKIN. CAUSES SKIN IRRITATION.** Do not get in eyes, on skin or on clothing. Do not breathe vapor or spray mist. Wash thoroughly after handling. In case of contact, wash skin with soap and water. If in eyes, immediately flush with large amounts of water for at least 15 minutes; get immediate medical attention. Remove and wash contaminated clothing before re-use.

This product is toxic to fish and wildlife. Keep out of lakes, streams, or ponds. Apply this product only as specified on this label.

**CAUTION:** Do not apply liquid directly to, or otherwise permit it to come into contact with susceptible plants, such as vegetables, flowers, fruit trees, ornamentals, cotton, grapes, or other desirable plants and do not permit spray mist to drift onto them. Coarse sprays are less likely to drift. Vapors from this product may injure susceptible plants in the immediate vicinity. Do not use spray equipment for other purposes. Do not store near fertilizers, seeds, insecticides or fungicides. Do not contaminate waters used for irrigation or domestic purposes. Do not reuse empty container — destroy by perforating or crushing and bury in a safe place.

NET CONTENTS

GALLONS

FORM 111-A

**Midland LABORATORIES, INC.**

DUBUQUE, IOWA 52001



SINCE  
1903