

NIX-II

NON-SELECTIVE VEGETATION KILLER

EPA Reg. No. 627-102

FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY

NIX II is a nonselective herbicide that can be applied in water or oil before or after plant growth begins. It can be applied up to 3 months after weed emergence. Faster knockdown of older weeds can be attained by diluting with oil instead of water. Although NIX II has considerable activity through foliar contact, much of its activity is through roots and its effectiveness is dependent on rainfall to move it into the root zone. NIX II will inhibit plant growth for up to a year and sometimes longer. Effectiveness will depend on the soil type, climate, conditions, weed type and growth stage.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

NOTE

Use only in areas where complete bare ground vegetation control on non-crop land and paved areas is desired. Care must be taken to keep application and spray drift away from desirable flower beds, lawns and shrubs or to areas where their roots may extend. Do not apply over roots or valuable trees or woody ornamental plants. Apply only outside the drip line of trees. Do not allow contact with fertilizers, insecticides, fungicides or seeds.

To treat one acre (43,560 sq ft) mix 20 gallons of NIX II in 80 gallons of water and apply uniformly. For small areas or strip treatment along fences, curbs, etc. apply 4 pints NIX II per 1000 sq ft in sufficient water (2 gal) to give thorough and uniform coverage. Use a coarse spray to reduce drift. For best results, apply prior to weed emergence or when weeds are young and actively growing. Dense growth can be controlled by mowing and removing cuttings before application. For unusually heavy growth, hard to kill vegetation or high rainfall areas, a second application may be necessary. Very dry soil conditions will require thorough watering after application.

For faster top kill of existing vegetation, apply NIX II mixed with diesel oil, fuel oil or weed oil. Use oils at rates of 100-200 gals per acre. Tall dense vegetation such as Johnson grass will generally require 150 or more gals of oil per acre for thorough coverage.

Application equipment should be thoroughly cleaned after use with a detergent and water to prevent corrosion. Equipment which has been used to apply this product should not be used for applying insecticides, fungicides, fertilizers or other agricultural chemicals as plant injury may result.

Long lasting bare ground vegetation control of non-crop land for industrial sites, Military installations, Airports, Rights-of-way, Parking lots, Storage areas, Railroads, Lumber yards, Highway medians, Pipelines, Fences, Recreational areas, Schools, Tank farms, around buildings and similar sites.

ACTIVE INGREDIENTS:

Monuron Trichloroacetate

[3-(p-chlorophenyl)-1,1-dimethylurea trichloroacetate]*

Aromatic Petroleum Derivative

INERT INGREDIENTS:


TOTAL

12.34
71.33
16.33
<u>100.00</u>

*Contains 1 lb per gallon

DANGER: KEEP OUT OF REACH OF CHILDREN

See Side Panel For Additional Precautionary Statements



**Rochester
Midland**

P. O. BOX 1515 • ROCHESTER, NEW YORK 14603
BRANCH WAREHOUSES IN PRINCIPAL CITIES

NET CONTENTS GALLONS

EPA Est. No. 627-IL-1

Form 118 B

DIRECTIONS FOR USE

(continued)

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Pesticide, spray mixture or rinsate that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies. Triple rinse (or equivalent) and offer for recycling, reconditioning, or disposal in approved landfill or bury in a safe place. Consult federal, state or local disposal authorities for approved alternative procedures such as limited open burning.

DANGER

HAZARDS TO HUMANS: Corrosive. Causes irreversible skin and eye damage. Do not get in eyes, on skin or clothing. Wear goggles and rubber gloves when handling. Harmful if swallowed or inhaled. Avoid breathing spray mists or contaminating foods. Wash thoroughly after handling and before eating and smoking. Remove and wash contaminated clothing before reuse.

FIRST AID:

If swallowed: Drink PROMPTLY a large quantity of milk, egg whites or gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

If in eyes: Immediately flush with plenty of water for 15 minutes and get medical attention.

If on skin: Wash immediately with plenty of soap and water.

If inhaled: Remove from contaminated areas.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Treat for circulatory shock, respiratory depression and convulsions if needed.

ENVIRONMENTAL HAZARDS: Toxic to fish. Keep out of lakes, ponds and streams. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL OR CHEMICAL HAZARDS: Do not use, pour, spill or store near heat or open flame. Store at temperatures above 32°F.

WARRANTY

All statements concerning the use of this product apply only when used as directed. Carefully read the label.

The manufacturer makes no warranties, expressed or implied, concerning the product or its use, which extend beyond the description on the label.

EPA Est. No. 527-IL-1