

ts  
ter

grass  
eds before  
other side.

ORA LAWNS  
S, THE LAWN PEOPLE

5,000 sq ft)  
CHILDREN  
In case of contact, flush eyes  
contaminate feed, foodstuffs,  
purposes  
waste or burning. Stay away

5.75%  
94.25%  
Total 100.00%  
Product of USA  
Marysville, Ohio 43040

revents crabgrass

NEW  
Halts  
prevents crab  
grass  
Scotts

and 13 other problem weeds  
before they start - see below.  
DO NOT USE ON DICONDRA LAWNS  
A PROBLEM SOLVING PRODUCT BY SCOTTS, THE LAWN PEOPLE

How To Use

- DO apply, to prevent germination of barnyardgrass, browntop panicum, crabgrass, foxtail, goosegrass, lovegrass, witchgrass, carpetweed, chickweed, Florida pusley (Mexican clover), lambsquarter, nodding spurge, pigweed and purslane by...
  - mid-February in Southern California
  - mid-March in Northern California
  - late winter or early Spring (up to time dandelions are in puffball stage) in all other states.
- DO apply using a Scotts Standard or Automatic Spreader at setting **9 1/2**
- DO apply any time of day - lawn foliage may be either wet or dry.
- DO overlap spreader wheel tracks to avoid missed streaks.
- DON'T use this product to control dandelions or any other weeds already sprouted and growing.
- DON'T use on bentgrass or dichondra.
- DON'T apply to newly seeded or sodded areas wait until after the grass has required mowing 2 times. On newly sprigged lawn areas wait until bare areas are covered.
- DON'T plant grass seed, sod or sprig for 3 growing months after use of this product.
- DON'T rake or aerify after application to the degree that the Halts chemical barrier in the soil will be disturbed.

Free bulletin-service

As a user of this Scotts lawn product, you are entitled to a free subscription to Lawn Care, our service bulletin which has been helping lawn-owners for over 40 years.

Unless you already receive Lawn Care, send us this coupon and we'll mail you the seasonal issues prepared especially for your region of the country.

NAME (please print) \_\_\_\_\_  
 ADDRESS \_\_\_\_\_  
 CITY \_\_\_\_\_  
 STATE \_\_\_\_\_ ZIP \_\_\_\_\_

Scotts No-Quibble Guarantee

NEW  
Scotts Halts prevents crabgrass

**NEW!**  
 Scotts  
**ProTurf**  
 fertilizer  
 with weedgrass  
 preventer

NET WEIGHT 49½ LBS (22.5 Kg)

**NEW!**  
 Scotts  
**ProTurf**  
**20-5-5**  
 fertilizer with weedgrass preventer

Controls these weeds as they sprout, without harm to turf:  
 bermudagrass, Florida quackgrass, bedding sedge,  
 browntop panicum, Mexican clover, pigweed (redroot),  
 Carpetweed, nuttall, year amaranth,  
 Common Chickweed, goosegrass, Purslane,  
 crabgrass, lambsquarters, witchgrass,  
 lovegrass

Provides long-lasting fertilizer.

**USE THESE SPREADER SETTINGS**  
 To ensure proper distribution

49½ LBS TREATS 11,000 SQ FT (¼ ACRE) AT NORMAL RATE  
 49½ LBS TREATS 9,170 SQ FT (¼ ACRE) AT HEAVY RATE

SPREADER	SPEED	SPACING	NORMAL RATE	HEAVY RATE
Scotts Drop Type	3 mph	overlapping wheels	•	•
Scotts Rotary	3 mph	8 feet	•	•
Scotts 1000 8ft	4.5 mph	overlapping wheels	•	•
Lely ATP & WFR	4.5 mph	12 feet	•	•
(PTO Model)	4.5 mph	16 feet	•	•
Lely HR	4.5 mph	16 feet	•	•
(PTO Model)	4.5 mph	overlapping wheels	•	•
Gandy 8 ft	4.5 mph	overlapping wheels	•	•
A Series Model	4.5 mph	overlapping wheels	•	•

**FOR USE ON ESTABLISHED TURFGRASS ONLY**  
 For most effective control of *Poa annua* (annual bluegrass), henbit, shepherds purse apply at the **HEAVY RATE** in late summer or early fall, before germination. Apply again the Spring at **NORMAL RATE**.  
 To control spring sprouting weeds (such as crabgrass) apply at **NORMAL RATE** in late winter or Spring before the third or fourth mowing of the year, before temperatures are regularly in the 80's.  
 Turf may be either moist or dry.

**PRECAUTIONS**  
 Do not use on bentgrass turf or dichondra.  
 Do not use on areas composed of 50% or more of *Poa annua*.  
 On newly planted areas, wait until grass has been mowed at least twice and not before two months.  
 After application, avoid any severe aerating or raking which might disturb the surface and break the chemical barrier.  
 Delay seeding, sodding or snigging for 3 growing months.  
 Limit use to two applications per year.  
 ProTurf Division, O M Scott & Sons, Marysville, Ohio 43040

Scotts  
**ProTurf**

**NEW!**  
 fertilizer with weedgrass preventer

Scotts  
**ProTurf**  
**NEW! 20-5-5**  
 fertilizer with  
 weedgrass preventer

FOR PROFESSIONAL USE ONLY

Scotts  
**ProTurf**

**NEW!**  
 fertilizer with weedgrass preventer

NET WEIGHT 49½ LBS (22.5 Kg)

ACCEPTED

UNDER THE FEDERAL INSECTICIDE, FUNGICIDE AND RODENTICIDE ACT  
 ECONOMIC POISON REGISTERED  
 NO. 1387

**NEW!**  
 Scotts  
**ProTurf**  
 fertilizer  
 with weedgrass  
 preventer