

1064  
Pm 21  
11

FRONT:

FERTILIZER PLUS  
101 BROAD SPECTRUM  
FUNGICIDE #8513  
05/11/84 RF  
04/05/85 MJB  
04/08/85 MJB

18-5-5  
Fertilizer Plus 101  
Broad Spectrum  
Fungicide

8513

(Note: The description above will be inverted.)

(Scotts(R))  
ProTurf(R)  
BRAND


18-5-5  
Fertilizer Plus 101  
Broad Spectrum  
Fungicide

- . prevents and controls turfgrass diseases
- . provides controlled release nitrogen feeding

Net Weight 27 1/2 lbs (12.47 kg)

LEFT COLUMN

KEEP OUT OF THE REACH OF CHILDREN  
DANGER  
PRECAUTIONARY STATEMENTS



Hazards to Humans and Domestic Animals: DANGER, corrosive, causes eye damage. Skin sensitizer. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield, rubber gloves, long sleeve shirt, and long pants when mixing, loading and applying this product. May be fatal if inhaled. Do not breathe vapors. Harmful if swallowed or absorbed through the skin.

First Aid:

Note to Physician: Probable mucosal damage may contraindicate the use of gastric lavage. Persons having an allergic reaction respond to treatment with antihistamines or steroid creams and/or systemic steroids.

Environmental Hazards: This product is toxic to fish, aquatic invertebrates, and marine/estuarine organisms. Runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not apply directly to water. Do not apply when weather conditions favor drift from treated areas.

GUSSETS:

RIGHT GUSSET

8513

(Scotts(R))  
ProTurf(R)  
BRAND

18-5-5  
Fertilizer Plus 101  
Broad Spectrum  
Fungicide

LEFT GUSSET

Scotts(R))  
ProTurf(R)  
BRAND

18-5-5  
Fertilizer Plus 101  
Broad Spectrum  
Fungicide

8513

BACK:

18-5-5  
Fertilizer Plus 101  
Broad Spectrum  
Fungicide

8513

TO OF N BAG  
PULL WHITE TAPE

(Scotts(R))  
ProTurf(i)  
BRAND

18-5-5  
Fertilizer Plus 101  
Broad Spectrum  
Fungicide

Directions for use

---

LEFT COLUMN

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

For use on turfgrasses and dichondra only.

Fertilizes turfgrass and controls these diseases:

Turfgrasses

- |                                      |  |
|--------------------------------------|--|
| leaf spot<br>(Helmintho-<br>sporium) | copper spot<br>stem rust of<br>bluegrasses |
| dollar spot                          | curvularia                                 |
| brown patch                          | leaf spot                                  |

- Dichondra (in California only)  
alternaria leaf spot  
gloeosporium (anthracnose)

For use on golf course tees, greens and dichondra

To prevent diseases apply to moist foliage at 10-14 day intervals. Begin applications at expected time of disease activity and continue as climatic conditions remain favorable for disease development.

To control active diseases apply to moist foliage at first signs of disease. Follow with the preventative application schedule to bring the disease under control and prevent further infestation.

RIGHT COLUMN

For severe leaf spot (Helminthosporium) and dollar spot infestations apply to moist foliage at 7-10 day intervals until disease is stopped.

BACK CONTINUED:

Precautions

Please observe handling information as noted in the caution statement to allow safe use of the product.

General Directions

Note to User: This product may produce temporary allergic side effects characterized by redness of the eyes, mild bronchial irritation and redness or rash on exposed skin areas. Persons having allergic reaction should contact a physician.

Wear long sleeve shirt, long pants, and gloves while mixing, loading and applying this product.

STORAGE AND DISPOSAL

STORAGE: Store in a clean, dry place. Reseal opened bag by folding top down and securing.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, pesticide spray or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

ProTurf Division  
The C. M. Scott & Sons Company  
Marysville, Ohio 43041

Suggested Spreader Settings

to provide proper distribution calibrate spreader before application

27 1/2 lbs (12.47 kg) treats 11,000 ft<sup>2</sup> (1/4 acre/1022 m<sup>2</sup>)

SPREADER	GROUND OR PTO SPEED	WIDTH OF COVERAGE	SPREADER SETTINGS
Scotts (Drop Type)	3 mph	overlap wheels	5 1/4
Scotts rotaries (R-7, PR-1, PT-10)	3 mph	8 feet	E
Lely-WTR & WFR Models	4.5 mph	16 feet	3 1/2 III
Lely-HR (PTO Model)	450 rpm @ 4.5 mph	16 feet	3 1/2 III

8513

18-5-5  
Fertilizer Plus 10i  
Broad Spectrum  
Fungicide

**BEST AVAILABLE COPY**