



## UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF PREVENTION. PESTICIDES AND TOXIC SUBSTANCES

JUL 2 5 2007

Ms. Lisa R. McClellan Senior Regulatory Scientist The Scotts Company 14111 Scottslawn Road Marysville, OH 43041

RE: Notification for General Label Revisions Per PR Notices 98-10 and 2007-1

EPA Reg. No.: 538-280

Date of Submission: June 26, 2007

Dear Ms. McClellan:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated June 26, 2007, for the product Super Turf Builder with Plus 2 Weed Control The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action(s) requested fall within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions, please call me directly at 703-305-6249 or Joyce Edwards of my staff at 703-308-5479.

Sincerely,

Linda Arrington

Notifications & Minor Formulations Team Leader Registration Division (7505P)

Office of Pesticide Programs

2/7

				2/7	
Please read instructions on reverse before completing form.  United States Environmental Protection Ag Washington, DC 20460			Registrati Amendme	•	
Ann	lastion for D	4icida Castian I	<u> </u>		
1. Company/Product Number	Cation for F	esticide - Section I  2. EPA Product Manage		Proposed Classification	
538-280		Joanne Miller			
Company/Product (Name) Super Turf Builder with Plus 2 Weed Control		PM# PM-23	I INONE I I		
5. Name and Address of Applicant (Include ZIP Code)		6. Expedited Review. In accordance with FIFRA Section $3(c)(3)(b)(1)$ , my product is similar or identical in composition and labeling to:			
The Scotts Company		·			
14111 Scottslawn Road	EPA Reg. No.				
Marysville, Ohio 43041		Product Name			
Check if this is a new address		Productivanie			
	Sec	tion II	· <del>-</del>		
Amendment - Explain below.		Final printed labels i		ency letter dated XX-XX-XX	
Resubmission in response to Agency letter dated XX-	"Me Too" Application				
Notification - Explain below.		Other - Explain below. JUL 2 5 2007			
Explanation: Use additional page(s) if necessary. (For section I and Section II.)  Notification for general label revisions per PR Notices 98-10 and 2007-1. (See attached letter)					
	Sect	ion III			
Material This Product Will Be Packaged In:		·	<del>- 1</del>		
Child-Resistant Packaging Unit Packaging  Yes*  Yes	Wate	Soluble Packaging 2. Type of Container  Yes Metal			
□ No □ No		No No		stic	
*Certification must If "Yes" No. Unit Packaging wgt. Con		s" No. per age wgt. Container	Gla	ss	
be submitted			Pap		
3. Location of Net Contents Information  4. Size(s) Retail Container  5. Location of Label Directions					
Label Container	, ,	TBD On Bag On Labeling accompanying product			
6. Manner in Which Label is Affixed to Product Lithograph Other					
Paper glued					
Stenciled Section IV					
1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)					
Name Title Telephone No. (Include Area Code)					
Lisa R. McClellan		ior Regulatory Scientis		(937) 644-7691	
Certification  I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I certify that any knowingly false or misleading statement may be punishable by fine or imprisonment or both certification.  (Stamped)					
		3. Title  Senior Regulatory Scientist			
4. Typed Name: Lisa R. McClellan		5. Date: June 26, 2007			

### The Scotts Company

and Subsidiaries



June 26, 2007

Sherada Hobgood Document Processing Desk (NOTIF) Office of Pesticide Programs (7504P) U.S. Environmental Protection Agency Room S-4900, One Potomac Yard 2777 South Crystal Drive Arlington, VA 22202-4501 NOTIFICATION

JUL 2 5 2007

SUBJECT:

Super Turf Builder with Plus 2 Weed Control, EPA Reg. No. 538-280

Notification: General labeling revisions

Dear Ms. Hobgood:

Enclosed are the following to support this Notification per PR Notices 98-10 and 2007-1:

(1) Registration application, Form 8570-1

(2) Two (2) copies of the final printed label, with changes highlighted.

The following revisions were made to the Super Turf Builder with Plus 2 Weed Control label:

- 1) Fertilizer ratio: 29-2-3
- 2) Application: Apply anytime weeds are growing
- 3) Addition of the following marketing claims:
  - a. Available only at authorized Scotts Lawn Pro retailers 🛩
  - b. Kills Weeds!
  - c. A thicker, greener lawn Guaranteed!
  - d. Scotts Best Fertilizers
  - e. New and Improved!
  - f. Improves lawn's ability to absorb water and nutrients
  - g. Builds stronger, deeper roots for more effective water use
  - h. More greening power than regular Turf Builder with Plus 2 Weed Control
  - i. Helps lawn lock in/retain/hold water/moisture to protect against heat and drought
  - j. Builds thick, green turf from the roots up
  - k. Better Weed Control\*\* (back panel: \*\*As compared to previous formula)
  - I. Kills Weeds Completely, kills dandelions, clover and other broadleaf weeds
  - m. Feeds and Strengthens Helps lawn stand up to heat, drought, and wear and tear
  - n. Gives you a thicker, greener lawn than regular Turf Builder with Plus 2 Weed Control
  - o. Kills dandelions and other major lawn weeds completely
  - p. Won't burn your lawn Guaranteed!
  - q. Water Smart™ Formula Makes the most of every drop
- 4) Stewardship messages:
  - a. Scotts and Your Environment "We care. Scotts products are designed with care to grow thicker, greener lawns. Because green is good. A healthy lawn cleans the air, produces oxygen and prevents runoff and soil erosion. You can make a difference. Help keep our water resources clean. Apply this product only to your lawn, and sweep up any product that lands in the driveway, sidewalk or street back on to your lawn."

- 5) Feeding Information:
  - a. Feed Regularly For Your Best Lawn Regular feedings of Scotts Turf Builder will help build a lawn you and your family can enjoy. Scotts Turf Builder provides the nutrients your lawn needs to look its weed-free best and withstand the stresses of heat, drought and family activity
    - i. One Annual Feeding-Feeding once a year starts the growth process by greening and building new roots.
    - ii. 2-3 Annual Feedings Each feeding builds on the last. The roots grow thicker and stronger, and the lawn starts to crowd out weeds.
    - iii. 4 Annual Feedings The root system is deep and strong and the lawn has more resources to survive stresses.
  - b. Plan your feeding schedule. Choose the right product for your lawn.
    - i. Early Spring February-April [Art bag]
      - If you have crabgrass: Scotts Super Turf Builder with Halts Crabgrass Preventer
    - ii. Late Spring April-June [Art bag]
      - If you have weeds: Scotts Super Turf Builder with Plus 2 Weed Control
    - iii. Summer July-August [Art bag]
      - 1. If you have bugs: Scotts Super Turf Builder with Summerguard
    - iv. Fall September-November [Art bag]
      - If you have fall weeds: Scotts Super Turf Builder Winterguard with Plus 2 Weed Control
- 6) Consumer Information:
  - a. [Question mark art] Get Expert Advice For Your Lawn NOW! Want information on what to use and when? Sign up today to get free expert advice specifically for your lawn.
  - b. Visit Scots.com or call 1-800-543-TURF (8873)
  - c. Under Questions/Information: Consumer Helpline
- 7) Nutrient Information:
  - a. [Art: 20% More Nitrogen/Nutrients/Nutrition than regular Turf Builder]
  - b. The Super Turf Builder Advantage Your lawn requires essential nutrients to thrive. The Super Turf Builder line of fertilizers is exclusively formulated to deliver the most greening power/nutrition/nutrients you can get from Scotts. The special formula in Super Turf Builder with Plus 2 Weed Control gives your lawn 20% more nitrogen/nutrition/nutrients than regular Turf Builder with Plus 2 Weed Control for your best lawn ever.
- 8) Revised All-in-One particles statements:
  - a. [NPK art]
  - b. Each of Scotts exclusive All-i-One Particles contain the key feeding nutrients to provide consistent feeding to every treated square inch of your lawn. The result: A thick, green lawn without burning. Guaranteed! \*All-in-One Particle = nitrogen, phosphorus and potassium contained in every particle.
- 9) Lawncare Information: Tips for Lawncare Success:
  - a. Mow your lawn high. A mowing height of 3" allows the grass to develop a deep root system & helps your lawn use water more effectively.
  - Leave the grass clippings on your lawn. This recycles the plant nutrients back into the soil.
  - c. Conserve water. Your lawn will begin to wilt when water is needed. As much as possible, take advantage of nature's sprinkler and rely on the rain to water your lawn. It's free!
- 10) Disposal section: Disposal: <a href="Member: 16">If Empty</a>: Do not reuse this container. Place in trash or offer for recycling if available. <a href="If Partly Filled">If Partly Filled</a>: Call your local solid waste agency for disposal instructions. Never place unused product down any indoor or outdoor drain. (Per PR Notice 2007-1, removal of the 1-800-CLEANUP Number for disposal instructions.)

5/

- 11) Spreader Settings section:
  - **a.** Spreading Tips Apply header strips. Then apply product in longest direction of lawn. For best results, use a Scotts® spreader.
  - b. Scotts Broadcast/Rotary Spreaders Each pass should be within 5 feet of each other to ensure an overlap. Scotts Basic<sup>®</sup>, Standard<sup>TM</sup>, Deluxe Edgeguard<sup>®</sup>, Lawn Pro<sup>TM</sup> or SpeedyGreen<sup>®</sup>
  - c. Scotts EasyGreen®
  - **d.** Scotts Drop Spreaders Make sure spreader wheel completely overlaps previous wheel marks. Scotts AccuGreen®
  - e. For additional spreader settings, please call 1-800-543-TURF (8873).
  - **f.** [art broadcast/rotary spreader application]
  - g. [art drop spreader application]
  - h. Spreader settings: 3 3/4, 28 1/2, 5 1/2
  - i. Covers 5,000 sq. ft.
- 12) Guarantee: NOTICE: Buyer assumes all risks of use, storage or handling of this product not in accordance with directions. (This is use in conjunction with the Scotts No-Quibble Guarantee and meets the EPA Warranty Guidance document issued in 2006.)

"Notification of label changes relative to PR Notices 98-10 and 2007-1. This notification is consistent with the guidance in PR Notices 98-10 and 2007-1 and the requirements of EPA's regulations at 40 CFR 156.10 and 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula of this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willfully make any false statement to EPA. I further understand that if this notification is not consistent with the guidance of PR Notices 98-10 and 2007-1 and the requirements of 40 CFR 156.10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA".

If you have any questions regarding this submission, please contact me at 937-644-7691.

Respectfully,

The Scotts Company

Lisa R. McClellan

Senior Regulatory Scientist






APPLY WEEDS ARE NOTIFICATION GROWING JUL 2 5 200/

AUTHORIZED SCOTTS!

#### **KILLS WEEDS!** A THICKER, GREENER LAWN - GUARANTEED!



# SUPER TURF BUILDER.

WILPLUS 2. WEED CONTROL

LAWN FERTILIZER AND BROADLEAF WEED CONTROL

- Improves lawn's ability to absorb water and nutrients

  Builds stronger, deeper roots for more effective water use
- More greening power than regular Turf Builder® with Plus 2® Weed Control
- Helps lawn lock-in/retain/hold water/moisture to protect against heat and drought
- ☐ Builds Thick, Green Turf from the Roots Up
  ☐ Better weed control\*\*
- ☐ KILLS WEEDS COMPLETELY Kills dandellons, clover and other broadlear weeds
- FEEDS AND STREGTHENS Helps lawn stand up to heat, drought, and wear and tears
- Gives you a thicker, greener lawn than regular Turf Builder® with Plus 2® Weed Control\*
- ☐ Kills dandelion and other major lawn weeds completely ☐ Won't burn your lawn Guaranteed!


WATER SMART™ FORMULA Makes the most of every drop!\*



AVAILABLE ONLY AT AUTHORIZED SCOTTS\* LAWN PRO\* RETAILERS

COVERS 5,000 SQ. FT.

MADE IN U.S.A. NET WT. 17.24 lb (7.82 kg)



MPROVED

tCAS # 94-75-7 ttCAS # 16484-77-8

KEEP OUT OF REACH OF CHILDREN

3005





3005









Feed Regularly For Your Best Lawn

Regular freeings of Scots® Super Turf Duider® will help build a lawn you and your

family Can injoy. Scots® Super, furf Builders, provides the intrincits you kinn needs to
book to weed free best and whistiand that stress of help, drought and family scoting.

10.00	25Q 1	2736.
One Annual	2-3 ANNUAL FEEDINGS	4 ANNUAL FEEDINGS
starts the growth	Each feeding builds on the last. The roots grow thicker and stronger and the lawn	and strong and the lawn







THE SUPER Advantage.

JULY Bridge Advantage.

JULY Bridge Advantage Advantag



Ger Expert Advice

For You'r Lawin NOM!

Wast information on what to

us and when? Sin up today
to get first supert advice
to get first supert advice

1-800-543-TURF (8873).

conserve water. You then the reside to part the second of the second of

A General Section 1999.

Why to morist, greas. To help particles stick to weed leaves, the grass should be thoroughly watered or wet notew before applying Super Turf Builder® With Plus 2® Weed Control.

babla and centifiedergress leaves, wait until after the second mowing of the year, but NOT before midrich, in the fall, DO NOT treat centipede after the first of October and DO NOT treat babla after the first.

we say be seen to the second moving of the year, but NOT before the second moving of the year, but NOT before the second moving of the year, but NOT before the first of October and DO NOT treat balls after of November.

Do not use this product on flowers, shrubs, fruit, or vegetable plants or on creeping be \$2. Augustinegrass, capetgrass, dichondra, or lippia lawns. On bermudagrass, balls, certifications, some treatile. This product applies 1.5 november 1.

y result. product applies 1.5 pounds of 2.4-D per acre per application. The maximum number of bro lications per treatment site is two per year.

Watering or rain
On not water your lawn for 24 hours after application, Water will wash the wes
and reduce the effectiveness of this product.
This product should not be applied if rain is expected within the next 24 hours.
IMPORTANT

What to expect
Weed stems and leaves will begin to
complete control

Seedling/sodding/sprigging
Walt until the new grass has been mowed alless four times before applying Super Turf Builder® With Plus 2®
Weel Control.
If you are planning to seed, sod. or sprig, you should wait at least one month after you have applied Super Turf
Builder® With Plus 2® Weed Control.

Storage and Disposal
STORAGE Store in a dean, dry place. Reseal opened bag by folding top down and securing.
DISPOSAL If Emptyp Do not reuse this container. Place in trash or offer for recycling if available.
If Partly Filleds (all jour local solid waste agency disposal instructions. Never place unused product down any indoor or outlood or fain.

Spreader Settings

For best results, use a Scotts\* spreader. By Lavelul when applying this product near shrubs, flower bods, or vegetable gardens, as contact with wead control may damage these desirable plants. When using a rotary spreader, take special care near desirable plants.

Consejos para tener éxito en el cuidado de su céspedi Corte el césped alto. Una altura de corte de 3º permite que la grana desarrol syuda e que uchepol utiliza el aque made sfettivamento, los activimentes de las pla-cos de la grana recortada en su césped. El con edicia los activimentes de las pla-Conserves el agrana recortada en su césped. El con edicia los activimentes de las pla-conserves el agrana. Su césped meganetar a manchinara coaxido mecerita agua. In

a que las partículas se adhieran a las hojas de las malezas, la grama debe in de la noche antes de anlicar Super Turi Rudder® con control de maleza

\*\*Se does applicar grams honed. Para syndars, que las particuss se apour au caracteristic de production de la nocia ante se despite a super la bilidar de con control de malez plus de presentante repais e mojada con rocio de la nocia ante side aplicar Super Turf Buildar de con control de malez plus de la control de presentante de production de la nocia ante se parar hasta la segunda vez que corte la grama en el año pero NO antes de madición de matro. En el otido NO los debe tratar la grama ciempide después del primero de nocimento de la control de la contro

IMPORTANTE
Qué debe esperar
Los tallos y hojas de las málezas se empezarán a retorcer y a
mes o más para obtener un control completo.
Ente producto no previera que las semilas de las malezas pre
Siembra / Colocación de texpes/retoños nuevo
Espera a que la meser grama haya sido cortada por lo manos
de malezas Plaz 2.

\*\*Completa / Colocación de texpes/retoños nuevo
Espera a que la meser grama haya sido cortada por lo manos
de malezas Plaz 2.

\*\*Colocación de texpes/retoños nuevo
Espera a que la meser grama haya sido cortada por lo manos
de malezas Plaz 2.

\*\*Colocación de texpes/retoños nuevo

\*\*Espera que la meser grama haya sido cortada por lo manos
de malezas Plaz 2.

\*\*Colocación de texpes/retoños nuevo

\*\*Espera que la meser grama haya sido cortada por la manos

\*\*Espera que la meser grama haya sido cortada por la manos

\*\*Espera que la meser grama haya sido cortada por la manos

\*\*Espera que la meser grama haya sido cortada por la manos

\*\*Espera que la meser grama haya sido cortada por la manos

\*\*Espera que la meser grama haya sido cortada por la manos

\*\*Espera que la meser grama haya sido cortada por la manos

\*\*Espera que la meser grama haya sido cortada por la meser

\*\*Espera que la meser grama haya sido cortada por la manos

\*\*Espera que la meser grama haya sido cortada por la manos

\*\*Espera que la meser grama haya sido cortada por la meser

\*\*Espera que la meser grama haya sido cortada por la meser

\*\*Espera que la meser grama haya sido cortada por la meser

\*\*Espera que la meser grama haya sido cortada por la meser

\*\*Espera que la meser grama haya sido cortada por la meser

\*\*Espera que la meser grama haya sido cortada por la meser

name e procurcino unizizzone en eringue internos o externos. Onnes del esparcidar ritener los mejores resultados, utilice un esparcidor Scotts<sup>a</sup>. Sea cuidadoso al aplicar este producto c tota, lectos de flores o justines de vegetales pues el contacto con el herbicida puede dañar estas plantas que limbra: Cuando une un esparcidor gistorio debe tener espocal cuidado erca de glantas que no deste elimbra.

#### HOW TO APPLY

Spreading Tips
Apply hader strips. Then apply product in longest direction of lawn.
For best results, use a Scotta' apreader.
Spreader Settings

Scotts® Broadcast/Rotary Spreaders
Each pass should be within 5 feet of each other to ensure Scotts Basic. Standard Debugs. EdgeGuered, Luwin Prof. or SpeedyGreen®
Scotts® EasyGreen®

Covers 5,000 sq. ft. 33/4 **28**<sup>1</sup>/<sub>2</sub>



Cubre 5,1
Esparcidores giratorios/de siembra a voleo Scotts®
Cada pasada debe ser a menos de 5 pies de la otra para asegurar
un traslape.
Scotta Basic™, Standard™, Delurar™
EdigeGouraf', Lawan Pro® o SpaedyGreen®
Scotts® EasyGreen®

33/4 **28**<sup>1</sup>/<sub>2</sub>

Scotte<sup>®</sup> Drop Spreaders Make sire spreader wheel completely overlaps provious wheel marks. Scotte<sup>®</sup> Accourages.

51/2



Esparcidores de goteo Scotts®
Cada pasada debe ser a menos de 5 pies de la otra para asegurar
un traslapa.
Scotts® AccuGraen®

51/2

For additional spreader settings, please call 1-800-543-TURF (8873)

What to expect Dandellons and other weeds will be killed in 3 to 4 weeks and ye

Sanda-Lightweight granules near better weed control. Most 18m weed controls must be absorbed through the weeds! leaves to be effective. Super Tur fluidate\* With Plus 2\* Weed Control is absorbed by the weeds! leaves weed occurrent may be absorbed through the weeds! leaves to be effective. Super Tur fluidate\* With Plus 2\* Weed Control or Super Tur fluidate\* With Plus 2\* Weed Control is absorbed by the weeds! heaves. Killing the plant completely, root and all. Weeds control or Super Tur fluidate\* With Plus 2\* Weed Control or Super Tur fluidate\* With Plus 2\* Weed Control or Super Tur fluidate\* with Plus 2\* Weeds Control or Super Tur fluidate\* with Plus 2\* Weeds Control or Super S

Dictionweed diameters healail information KEEP OUT OF REACH OF CHILD REN

CAUTION

PRECAUTION

PRECAUTION

PRECAUTION

Hazards to fitumens and Demartic Animats: CAUTION, causes eye irritation. Harmful if ovationed, Avoid contact with reyes, allo, or olothly, West long-sleeved shirt, long parts, socis and shoes, After use remove clothing and launder separately before reuse, wash hands and exposed skin thoroughly with soap and water.

On ont allow people (other than the applicate) or pets on the above static thoroughly with soap and water.

("\( \tau\), Can areas until pray has dried or dort has settled.

FIRST AID

and we people with the period of during he settled.

FIRST AIDs until pray has olded or during he settled.

FIRST SID such a people with the settled of the settled he settled h

cer las posiciones adicionales del esparcidor, llame al 1-800-543-TURF (8873)

Qué de bo esporar El dinte de león y etras malezas se eliminarán en 3 a 4 semanas y su o en 4 a 6 das.

El diente de leon y ottas malezas se eliminarán en 3 a 4 seemanas y su céspede estra é mas verde na 6 días.

Los grándos perçentes y figores a organificam major control de malezas. Esperificas para cespordas se las hojas de las malezas culturas para que sen efectivos. Les grándos de Sique Turí Bulder en control de malezas Plus 2º sen apequelas de las malezas. El harbicidas en Super Turí Bulder en control de malezas Plus 2º se absorbe en las hojas de la malezas eliminando la planta completamente con todo y raíses.

Las malezas que controla Super Turí Bulder en control de malezas Plus 2º se absorbe en las hojas de la maneza centrilla servicios para ceptral de la maneza del la maneza d

Primeros auxilios e información ambiental MANTENER FUERA DEL ALCANCE DE LOS NIÑOS

PRECAUCION AVISOS DE PRECAUCION

ACTION DE PRECAUCION

ACTION

ACTION Si la persona no respira llarne al 911 o a una ambul Liame al centro de control de arvenenamiento o a de envase del producto o la effueta cuando Bame Rigespes ambi sertaleg. No se debe aplicar cuan El igado a la deriva o la saldia o flujo por tierra pu No lo aplique directamente al agra. No contamine

29-2-3

2% 3% 10%  ADVERTENCIA: El comprador asume todos los riesgos de uso, almacenamiento o manejo de este producto si no se

Si por cusiquier razón usted, el consumidor, no está satisfecho después de usar este producto, tiene derecho a que se le devueiva su dinero. Simplemente envienos su avidancia da

Questions/Information



PLES. Marysville, Chie 4,9041
Product of U.S.A.
D 2007 Licensed by The Scotts Company LLC.
Wolfs' rights reserved.
Information regarding the castonits and Invels of most dis in this product is available on the internet at



062507 ACC