ACTIVE INGREDIENTS:
Malathion*
Xylene

5: 3

Xylene INERT INGREDIENTS:

12.0%

Total 100.0%

*O,O-dimethyl dithiophosphate of diethyl mercaptosuccinate

HOW TO USE

- Use at rate indicated below.
- Apply thoroughly, making sure the foliage is well covered ... repeat application as needed.
- For best results use a Sears tank or hose end sprayer.

CAN BE USED ON:

Shade Trees Ornamentals Flowers	Aphids, Birch Leaf Miner, Spider Mites, Thrips, Japanese Beetle (Adults), Lace Bugs, Mealy Bugs, Bagworms, Boxwood Leaf Miners, Tent Caterpillar, and Scale Crawlers.	Use 2 table- spoonfuls to each gallon water.
Beans, Peas, Tomataes, Potatoes, Cabbage, Carn, Squash, Melons, and Onion,	Aphids, Mexican Bean Beetle, Spider Mites, Imported Cabbage Worm, Cabbage Looper, Thrips, Leafhopper.	Do not apply later than 7 days before harvest. Use 2 teaspoonfuls to each gallon water.

CAUTION:

Harmful if swallowed. Avoid breathing of spray mist. Avoid contact with skin; wash thoroughly after using. Avoid contamination of feed and foodstuffs. Do not use in undiluted form. Do not use in dwellings. This material may cause injury on certain ferns as well as certain species of Crassula, and to McIntosh and related varieties of apples.


Highly toxic to fish. Do not contaminate ornamental fish ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.


This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Do not use, pour, spill or store near heat or open flame.

Do not reuse empty container, discard in a safe place.

Conditions of use are beyond seller's control. Seller's liability is limited to product's replacement or purchase price refund. Seller makes no warranty, express or implied, concerning product's use beyond claims on label.





*O,O id methy: dithiophosphate at a etcyl mercaptosuccinate

HOW TO USE

- Use at rate indicated below.
- Apply thoroughly, making sure the foliage is well covered ...repeat application as needed.
- For best results use a Sears tank or hose end sprayer.

CAN BE USED ON.

Shade Trees Ornamentals Flowers	Aphids, Birch Leaf Miner, Spider Mites, Thrips, Japanese Beetle (Adults), Lace Bugs, Mealy Bugs, Bagworms, Boxwood Leaf Miners, Tent Caterpillar, and Scale Crawlers.	Use 2 table- spoonfuls to each gallon water.
Beans, Peus, Tomatous, Potatous, Cabbage, Corn, Squash, Melons, and Onion.	Aphids, Mexican Bean Beetle, Spider Mites, Imported Cabbage Worm, Cabbage Looper, Thrips, Leafhopper.	Do not apply later than 7 days before harvest. Use 2 teaspoonfuls to each gallon water.

CAUTION:

Harmful if swallowed. Avoid breathing of pray mist. Avoid contact with skin, wash thoroughly after using. Avoid contamination of feed and foodstuffs. Do not use in undiluted form. Do not use in dwellings. This material may cause injury on certain ferns as well as certain species of Crassula, and to McIntosh and related varieties of apples.

Highly toxic to fish. Do not contaminate ornamental fish ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

This product is highly toxic to bees exposed to direct treatment or residues on crops. Protective information may be obtained from your Cooperative Agricultural Extension Service.

Do not use, pour, spill or store near heat or open flame.

Do not reuse empty container, discard in a safe place.

Conditions of use are beyond seller's control. Seller's liability is limited to product's replacement or purchase price refund. Seller makes no warranty, express or implied, concerning product's use beyond claims on label.

71 11547 ACC TEL ヘラカ MAR UNDER THE I' 50% **FUNCICIDE** AN FOR ECONOMI ED UNDER NO TO ATTACHED B₹. DISTRIBUTED DESTROYS CERTA **USE ON VEGETAB** ORNAMENTALS and Fig. CAUTION KEEP OUT OF REAL FCHILDRE (See back panel for additional caution,

E.P.A. Reg. No

NET CONTENTS 1 PINT