


ACCEPTED
AUG 4 1977
Henry The Fish
550-114



NAMCO[®] PYRENONE[®] CONCENTRATE

FOR PEST CONTROL OPERATORS ONLY

ACTIVE INGREDIENTS:

Pyrethrin	1%
Technical Piperonyl Butoxide*	10%
Petroleum Hydrocarbons	74%

INERT INGREDIENTS: 15%

*Equivalent to 8.0% of (butylcarbyl) 16-propylpiperonyl ether & 2.0% related compounds

EPA Reg. No. 550-114-AA
EPA Est. No. 550-CA-1

KEEP OUT OF REACH OF CHILDREN

CAUTION

Hazard if swallowed. Do not breathe spray or mist. Wear a mask or respirator of a type recommended by NIOSH to give adequate protection against this material. Wash hands, arms, and face with soap and water after handling and before eating or smoking. Wash all contaminated clothing with soap and hot water before reuse.

Wash persons and pets prior to use and ventilate treated areas prior to re-entry. Remove or cover fish bowls (tanks) before spraying or fogging. Do not make applications when food is present or unprotected. Food handling utensils and equipment should be well protected or washed thoroughly before use.

COMBUSTIBLE MIXTURE: Do not use, pour, spill, or store near heat or open flame. Keep container closed.

CONTAINER DISPOSAL: Do not reuse empty container. Dispose of in accordance with state and local laws and regulations. Where permitted, destroy this container by puncturing or crushing and then burning or discarding in a safe place away from water supplies. Empty drums may be sent to an approved reconditioner.

PEST & WILDLIFE: This product is poisonous to fish. Keep out of lakes, streams or ponds. Do not contribute water by cleaning of equipment or disposal of wastes.

Do not store, handle only as specified on product labeling. Containers may be subject to civil and/or criminal penalties for failure to observe the labeling directions and precautions.

NET CONTENTS:

Manufactured by

NAMCO[®] Van Waters & Rogers

2001 Junction Avenue, San Jose, CA 95131

Apply only as specified on labeling.

DIRECTIONS FOR USE

For use in homes, apartments, offices, hotels, hospitals, restaurants, schools, and other structures.

For maximum effectiveness a combination of localized surface application and space treatment is recommended. Repeat treatments as necessary.

When treating for stored product pests remove and destroy all infested materials, where possible. Fumigate, or treat by other effective means, using an approved product intended for this purpose, for control of non-exposed or accessible insects.

AS A SURFACE SPRAY - For insect clean-up of severe insect infestations: dilute at a rate of 1 can concentrate in 4 parts water or suitable spray base oil. This dilution may not be used in edible product areas of federally inspected meat and poultry plants. In these plants and for normal infestation: dilute 1 part concentrate in 9 parts water or oil.

AS AN AID IN THE CONTROL OF EXPOSED OR ACCESSIBLE STAGES OF THE FOLLOWING HOUSEHOLD AND STORED PRODUCTS PESTS: COCKROACHES, ANTS, SILVERFLY, BEETLES, CRICKETS, SPIDERS, MICE, CLOTH MOths, BEDBUGS, AND TICKS. This product may be applied undiluted or diluted to the maximum rates shown below. **AS A SPACE SPRAY** - This product may be applied undiluted or diluted to the maximum rates shown below. **FOR INSECT CLEAN-UP OF SEVERE INFESTATIONS:** dilute at a rate of 1 can concentrate in 4 parts water or suitable spray base oil. This dilution may not be used in edible product areas of federally inspected meat and poultry plants. In these plants and for normal infestation: dilute 1 part concentrate in 9 parts water or oil.

TO CONTROL FLEAS: Thoroughly spray infested areas, pet beds, petting areas, nearby areas and crevices, along DO behind bookshelves, moldings, windows and door frames and localized areas of floor and floor coverings. From bedding should be placed in animal quarters following treatment. Concurrent treatment of animals by a veterinarian is recommended. Do not treat animals with this formulation.

(continued opposite / reverse panel)

SELLER MAKES NO WARRANTY, EXPRESS OR IMPLIED, CONCERNING THE MATERIAL OR THE USE OF THE PRODUCT OTHER THAN INDICATED ON THE LABEL. BUYER ASSUMES ALL RISK OF USE AND/OR HANDLING OF THIS MATERIAL WHEN SUCH USE OR HANDLING IS CONTRARY TO LABEL INSTRUCTIONS.

NAMCO[®], trademark of Van Waters & Rogers

AS A SPACE SPRAY - AS AN AID IN THE CONTROL OF EXPOSED OR ACCESSIBLE STAGES OF FLIES, FRUIT FLIES, GNATS, MOSQUITOS, BEEFLEA FLIES, WASPS, HORNETS, AND OTHER STINGING INSECTS. This product may be applied undiluted or diluted to the maximum rates shown below.
Conventional spray equipment - 1 to 20
Vaporizing equipment (non-thermal) - 1 to 10
Fogging equipment (thermal) - 1 to 5
Dilute with water or suitable spray base oil.

USE PRECAUTIONS

TREAT FOOD PROCESSING PLANTS ONLY WHEN PLANTS ARE NOT IN OPERATION. When used in meat and poultry processing plants, this product must be diluted at least 1 to 1 with a suitable spray base oil. Consult label above for maximum dilution rates. The spray mixture must be dispersed from equipment indicated to deliver an aerosol spray (no droplets over 50 microns in diameter and 80% less than 30 microns).

- Pre-treatment**
 - Remove or cover exposed food and food handling surfaces.
 - Remove all persons, birds and other pets from the area to be treated. Cover fish bowls (tanks) if they cannot be removed.
 - Close all doors and windows (but of ventilation system, if ducts and air handling equipment).
 - Extinguish all open flames, including pilot lights.
 - During Application**
 - Avoid breathing spray mixture. Use a respirator.
 - Fill room completely with the mist of spray by directing toward the other parts of the room and corners.
 - To reduce settling of spray mist, turn on ceiling fans.
 - After Application**
 - Do not remain in treated area.
 - Leave room closed for at least 10 minutes.
 - Ventilate thoroughly prior to re-entry. Do not re-enter until 2 hours.
 - Wash all exposed food processing surfaces and utensils thoroughly before use.
- Pyrethrin[®] trademark of Parke-Davis American Corp.