

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS**

DANGER  POISON

POISONOUS LIQUID AND VAPOR UNDER PRESSURE. INHALATION MAY BE FATAL OR CAUSE DELAYED LUNG INJURY. LIQUID AND VAPOR CAUSE BURNS WHICH MAY BE DELAYED.

Do not breathe vapor. Use only with adequate ventilation, or with proper respiratory protection (a full-face canister, self-contained or air-supplied respirator approved by NIOSH).

Avoid contact with eyes, skin, and clothing. In general, it is recommended that the minimum clothing practical be worn when working with this material. Rubber or leather protective wear, including gloves, should not be worn. Do not allow re-use of clothing or shoes contaminated with liquid chloropicrin until free of fumigant; for shoes, aerate for at least one week.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, ponds, or streams. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL HAZARDS: Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

CHEMICAL HAZARDS: Do not use containers made of aluminum, magnesium or their alloys.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

FOR USE BY PEST CONTROL OPERATORS/OTHER TRAINED PERSONNEL

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry, ventilated place — away from dwellings. It is recommended that the storage site be isolated from locations where foods, food grade materials, drugs, seeds, and feed stuffs are stored. Do not remove protective caps until cylinder is in position for connections to be made.

HANDLING SPILLS AND LEAKING CYLINDERS: Only experienced individuals using proper personnel protective devices including a self-contained breathing apparatus in pressure/demand mode should attempt to enter an area in which this product is leaking. Inspect valve and safety caps to determine if they are leaking, if so, tighten. Should the leaking continue, consider burying the cylinder at least 30 inches deep in a safe place and sealing the soil surface with water. Spills may be allowed to evaporate; however, due to the high percentage of chloropicrin (boiling point 180°F.) in this product this may take some time. Absorption on a suitable media and burying the waste at least 30 inches in a safe place and sealing the soil surface with water is suggested. Petroleum solvents have been found to be of value in the clean-up process. Contact the supplier for assistance before proceeding further.

DISPOSAL: Empty cylinders, close valve clockwise, or to the right, hand tight. Disconnect lines and replace both the small and large protective caps. Return empty cylinders to manufacturer by following instructions on POISON/Shipping tag attached to cylinder. Cylinders containing product should be returned only after contacting manufacturer for proper shipping instructions.


NOTICE TO BUYER/USER: State and/or local laws and regulations restrict the use of the material in many localities. Consult local pesticide authorities for regulations restricting your proposed usage. Comply with laws and regulations.

See attached pamphlet for specific use directions and precautions.

SELLER MAKES NO WARRANTY, EXPRESS OR IMPLIED, CONCERNING THE MATERIAL OR THE USE OF THIS PRODUCT OTHER THAN INDICATED ON THE LABEL. BUYER ASSUMES ALL RISK OF USE AND/OR HANDLING OF THIS MATERIAL WHEN SUCH USE/ OR HANDLING IS CONTRARY TO LABEL INSTRUCTIONS.

RESTRICTED USE PESTICIDE

FOR USE ONLY BY CERTIFIED APPLICATORS OR PERSONS UNDER THEIR DIRECT SUPERVISION AND ONLY FOR THOSE USES COVERED BY THE CERTIFIED APPLICATOR'S CERTIFICATION



NAMCO

PICTEL

For use as a pre-plant soil treatment.

ACTIVE INGREDIENTS

Chloropicrin	57%
1,3-Dichloropropane and related chlorinated hydrocarbons	43%

KEEP OUT OF REACH OF CHILDREN

DANGER  POISON

STATEMENT OF PRACTICAL TREATMENT

SEEK IMMEDIATE MEDICAL ASSISTANCE IN CASE OF POISONING

If inhaled: Carry patient to fresh air. Get medical assistance at once. Make sure patient can breathe freely. Keep patient warm and quiet. Give artificial respiration if breathing has stopped. Oxygen should be administered only by qualified personnel. **In case of contact:** For skin, immediately remove all contaminated skin coverings including shoes, clothing, personal articles and adhesive or other bandages. Wash skin thoroughly with soap and running water. If irritation or blisters develop get medical attention. For eyes, flush thoroughly with plenty of water for at least 15 minutes and seek immediate medical attention. **Note to Physician:** Keep patient at rest and under observation for 24 to 48 hours. Secondary infection of burns (blisters) are common.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS!

Manufactured By

Van Waters & Rogers
division of Univar

San Mateo, CA 94403

EPA Reg. No. 550-124-AA

