

New Reg NO.  
550-134

Old  
[5316-45]

**DIRECTIONS**

**INDOOR SPACE SPRAYING  
INCLUDING FOGGING**

**FLIES, MOSQUITOES AND GNATS:**

**For Non-Thermal Application:** Use a spray containing 0.05% to 0.50% SBP 1382. See precautions below.

**For Thermal Application:** Use a 0.20% spray. Apply as a dry fog at the rate of 1 1/2 oz per 100 cu ft of space. See use precautions below.

**USE PRECAUTIONS**

**TREAT FOOD PROCESSING PLANTS ONLY  
WHEN PLANTS ARE NOT IN OPERATION.**

**Prior to Treatment:**

Remove or cover exposed food and food handling surfaces.

Remove all persons, fish, birds and other pets from the area to be treated.

Close all doors and windows. Shut off ventilation system, air ducts, and air conditioning equipment.

Extinguish all open flames including pilot lights.

**During Application:**

Avoid breathing mist. Use a respirator.

Fill room completely with the mist by directing toward the upper portions of the room and corners.

To reduce staining—spray exit should be a minimum of 5 feet from objects.

**After Application:**

Do not re-enter treated area.

Leave room closed for 30 minutes.

Ventilate thoroughly prior to re-entry.

In hospitals, ventilate the room for a minimum of 2 hours.

Wash all exposed food processing surfaces and utensils thoroughly before use.

Repeat as necessary.

Apply only as specified on this label.

**CONTACT OR SPOT SPRAYING**

**CONTACT SPRAYING.** Adjust spray to produce large wetting type spray particles.

In hospitals, patients should be removed from room prior to treatment.

Room should be ventilated for 2 hours after spraying. Do not return patients to room until after ventilation.

**WASPS:** Use a 0.05 to 0.35% spray. Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary.

**FOR CRAWLING INSECTS:** Roaches, earwigs, grain mites, scorpions, spiders and centipedes. Use a 0.25 to 0.35% spray. Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards, and storage areas. Spray directly on insects where possible.


**ANTS:** Use a 0.25 to 0.35% spray. Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

**DILUTING INSTRUCTIONS**

Mix the following amounts of this concentrate with a low odor kerosene to a volume of one (1) gallon.

% SBP 1382	Fld. oz SYNTHROID-3
0.05%	2-1/4
0.10%	4-1/4
0.15%	6-1/2
0.20%	8-1/2
0.25%	10-1/2
0.35%	15
0.50%	21-1/2

\*Active ingredient of SBP 1382, trademark of S. B. Panick Co. † U. S. Patent No. 3,465,007.



**NAMCO<sup>®</sup>**  
**SYNTHROID-3 (In Oil)**

For use in bakeries, food plants, restaurants, schools, hotels, motels, office buildings, hospitals and food handling plants.

**ACTIVE INGREDIENTS:**

* 1-(5-Benzyl-3-furyl)methyl 2, 2-dimethyl-3-2-methylpropionyl)cyclopropanecarboxylate	3.0%
Related compounds	0.4%
Aromatic petroleum hydrocarbons	3.9%
Petroleum distillate	92.0%
<b>INERT INGREDIENTS:</b>	0.7%
	100.0%

\*Cis/trans isomers ratio: max. 30% (+) cis and min. 70% (+) trans.

LPA Reg. No. 5316-45-AA

**NET CONTENTS**

**MANUFACTURED BY  
NAMCO CHEMICALS**

(A Subsidiary of Allied Equities Corp.)  
785 Landess Avenue, Milpitas, California  
Fresno — Honolulu — Monrovia — Phoenix — Portland  
Sacramento — Watsonville

**CAUTION:**

Harmful if swallowed. Avoid breathing spray mist. Avoid contact with skin.

Remove persons and pets prior to use and ventilate treated areas prior to re-entry. Cover fish bowls while spraying. Do not make applications when food is present or unprotected. Food handling utensils and equipment should be well protected or washed thoroughly before use.

**COMBUSTIBLE MIXTURE:** Do not use, pour, spill, or store concentrate or spray mixture near heat or open flame. Keep container closed.

This product is toxic to fish and wildlife. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Birds feeding on treated areas may be killed.

Do not reuse empty container. Dispose of in accordance with state and local laws and regulations. Where permitted, destroy this container by perforating or crushing and then burying or discarding in a safe place away from water supplies.

**NOTICE:** Seller warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE express or implied, extends to the use of this product contrary to label instructions or under abnormal conditions, or under conditions not reasonable to Seller, and Buyer assumes the risk of any such use.

NAMCO<sup>®</sup> trademark of NAMCO CHEMICALS  
3331

ACC. NO. 5316-451

Old  
[5316-45]

### DIRECTIONS

#### INDOOR SPACE SPRAYING INCLUDING FOGGING

##### FLIES, MOSQUITOES AND GNATS:

**For Non-Thermal Application:** Use a spray containing 0.05% to 0.50% SBP 1382. See precautions below.

**For Thermal Application:** Use a 0.20% spray. Apply as a dry fog at the rate of 1 1/3 oz. per 1000 cu. ft. of space. See use precautions below.

#### USE PRECAUTIONS

##### TREAT FOOD PROCESSING PLANTS ONLY WHEN PLANTS ARE NOT IN OPERATION.

###### Prior to Treatment:

Remove or cover exposed food and food handling surfaces.

Remove all persons, fish, birds and other pets from the area to be treated.

Close all doors and windows. Shut off ventilation system, air ducts, and air conditioning equipment.

Extinguish all open flames including pilot lights.

###### During Application:

Avoid breathing mist. Use a respirator.

Fill room completely with the mist by directing toward the upper portions of the room and corners.

To reduce staining—spray exit should be a minimum of 5 feet from objects.

###### After Application:

Do not remain in treated area.

Leave room closed for 30 minutes.

Ventilate thoroughly prior to re-entry.

In hospitals, ventilate the room for a minimum of 2 hours.

Wash all exposed food processing surfaces and utensils thoroughly before use.

Repeat as necessary.

Apply only as specified on this label.

#### CONTACT OR SPOT SPRAYING

**CONTACT SPRAYING.** Adjust spray to produce large wetting type spray particles. In hospitals, patients should be removed from room prior to treatment. Room should be ventilated for 2 hours after spraying. Do not return patients to room until after ventilation.

**WASPS:** Use a 0.05 to 0.35% spray. Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary.

**FOR CRAWLING INSECTS:** Roaches, earwigs, grain mites, sowbugs, spiders and centipedes: Use a 0.25 to 0.35% spray. Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards, and storage areas. Spray directly on insects where possible.


**ANTS:** Use a 0.25 to 0.35% spray. Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

#### DILUTING INSTRUCTIONS

Mix the following amounts of this concentrate with a low odor kerosene to a volume of one (1) gallon.

% SBP 1382	Fld. oz SYNTHROID-3
0.05%	2-1/8
0.10%	4-1/4
0.15%	6-1/2
0.20%	8-2/3
0.25%	10-2/3
0.35%	15
0.50%	21-1/3

\*Active ingredient of SBP 1382®, trademark of S. B. Panick Co. + U. S. Patent No. 3,465,007.



# NAMCO®

## SYNTHROID-3 (In Oil)

For use in bakeries, food plants, restaurants, schools, hotels, motels, office buildings, hospitals and food handling plants.

#### ACTIVE INGREDIENTS:

*-(5-Benzyl-3-furyl)methyl 2, 2-dimethyl-3-2-methylpropenyl)cyclopropanecarboxylate	....3.0%
Related compounds	.....0.4%
Aromatic petroleum hydrocarbons	.....3.9%
Petroleum distillate	.....92.0%
INERT INGREDIENTS:	.....0.7%
	100.0%

\*Cis/trans isomers ratio: max. 30% (±) cis and min. 70% ± trans.

EPA Reg. No. 5316-45-AA

### CAUTION:

KEEP OUT OF REACH OF CHILDREN

See side panel for additional cautions

#### NET CONTENTS

MANUFACTURED BY  
**NAMCO CHEMICALS**

(A Subsidiary of Allied Equities Corp.)

765 Landess Avenue, Milpitas, California

Fresno — Honolulu — Monrovia — Phoenix — Portland  
Sacramento — Watsonville