

Apply only as specified on this label.

CONTACT OR SPOT SPRAYING

CONTACT SPRAYING. A just spray to produce large wetting type spray particles. In hospitals, patients should be removed from room prior to treatment. Room should be ventilated for 2 hours after spraying. Do not return patients to room until after ventilation.

WASPS: Use a 0.05 to 0.35% spray. Application should be made in late evening when insects are at rest. Spray liberally into hiding and breeding places, contacting as many insects as possible. Repeat as necessary.

FOR CRAWLING INSECTS: Roaches, earwigs, grain mites, sowbugs, spiders and centipedes: Use a 0.25 to 0.35% spray. Spray thoroughly into hiding places such as cracks, crevices, moist areas, openings around pipes and sinks, under refrigerators, baseboards, and storage areas. Spray directly on insects where possible.


ANTS: Use a 0.25 to 0.35% spray. Spray trails, nests and points of entry. Spray on ants where possible. Repeat as necessary.

DILUTING INSTRUCTIONS

Mix the following amounts of this concentrate with a low odor kerosene to a volume of one (1) gallon.

% SBP 1382	Fld. oz SYNTHROID-3
0.05%	2-1/8
0.10%	4-1/4
0.15%	6-1/2
0.20%	8-2/3
0.25%	10-2/3
0.35%	15
0.50%	21-1/3

*Active ingredient of SBP 1382®, trademark of S. B. Panick Co. + U. S. Patent No. 3,465,007.



NAMCO®

SYNTHROID-3 (In Oil)

For use in bakeries, food plants, restaurants, schools, hotels, motels, office buildings, hospitals and food handling plants.

ACTIVE INGREDIENTS:

*-(5-Benzyl-3-furyl)methyl 2, 2-dimethyl-3-2-methylpropenyl)cyclopropanecarboxylate	3.0%
Related compounds	0.4%
Aromatic petroleum hydrocarbons	3.9%
Petroleum distillate	92.0%
INERT INGREDIENTS:	0.7%
	100.0%

*Cis/trans isomers ratio: max. 30% (±) cis and min. 70% ± trans.

EPA Reg. No. 5316-45-AA

CAUTION:

KEEP OUT OF REACH OF CHILDREN

See side panel for additional cautions

NET CONTENTS

MANUFACTURED BY
NAMCO CHEMICALS

(A Subsidiary of Allied Equities Corp.)

765 Landess Avenue, Milpitas, California

Fresno — Honolulu — Monrovia — Phoenix — Portland
Sacramento — Watsonville

CAUTION:

Harmful if swallowed. Avoid breathing spray mist. Avoid contact with skin.

Remove persons and pets prior to use and ventilate treated areas prior to re-entry. Cover fish bowls while spraying. Do not make applications when food is present or unprotected. Food handling utensils and equipment should be well protected or washed thoroughly before use.

COMBUSTIBLE MIXTURE: Do not use, pour, spill, or store concentrate or spray-mixture near heat or open flame. Keep container closed.

This product is toxic to fish and wildlife. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. Birds feeding on treated areas may be killed.

Do not reuse empty container. Dispose of in accordance with state and local laws and regulations. Where permitted, destroy this container by perforating or crushing and then burying or discarding in a safe place away from water supplies.

NOTICE: Seller warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use, but neither this warranty nor any other warranty of MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE express or implied, extends to the use of this product contrary to label instructions or under abnormal conditions, or under conditions not reasonable to Seller, and Buyer assumes the risk of any such use.

NAMCO® trademark of NAMCO CHEMICALS

3331

AC 111
U.S. DEPARTMENT OF AGRICULTURE
OFFICE OF PESTICIDE REGISTRATION
WASHINGTON, D.C. 20250


AC **ROCKLAND**

JUN 2 1976

PYRENONE

**GENERAL PURPOSE
AQUEOUS INSECTICIDE**

Rockland Chemical Co., Inc.
PASSAIC AVENUE, WEST CALDWELL, N. J.



7-18-68
675-11

NATIONAL LABORATORIES
LEHN & FINK INDUSTRIAL PRODUCTS DIVISION
of Sterling Drug Inc.
Montvale, N. J. 07645 Plant: Toledo, Ohio 43612