

NAMCO®

Diazinon 4S

For Sale To, Use and Storage By Servicepersons Only
In Controlling Household Pests as Listed on the Labeling.

ACTIVE INGREDIENTS:

O, O-diethyl-O-(2-isopropyl-6-methyl-4-pyrimidyl) phosphorothioate 42.5%

Aromatic petroleum distillate 8.8%


INERT INGREDIENTS:

Contains 4 pounds of Diazinon per gallon.

KEEP OUT OF REACH OF CHILDREN

WARNING

SEE SIDE/BACK PANEL FOR
ADDITIONAL PRECAUTIONS!



Manufactured By

Van Waters & Rogers

division of **Univar**

San Mateo, CA 94403

NET CONTENTS:
1 Gallon (3.8 liters)

(rev. 3/85) JP

EPA Reg. No. 550-135-AA
EPA Est. No. 550-CA-1

Do not ship or store with food, feeds, drugs or clothing.

AGRICULTURAL CHEMICAL

05403795

KEEP OUT OF REACH OF CHILDREN

WARNING

STATEMENT OF PRACTICAL
TREATMENT: FIRST AID

If swallowed: Get immediate medical assistance. Do not induce vomiting unless directed by medical personnel. If it is necessary to induce vomiting, give victim one or two glasses of water and insert finger in back of throat. Repeat until vomit fluid is clear. Do not induce vomiting or give anything by mouth to an unconscious person.

If inhaled: Remove victim to fresh air. Apply respiration if indicated.

If on skin: Remove contaminated clothing and other personal articles, wash thoroughly with soap and water.

If in eyes: Flush eyes thoroughly for at least 15 minutes with plenty of low pressure water. Get immediate medical attention.

NOTE TO PHYSICIAN: Diazinon is a cholinesterase inhibitor. If cholinesterase inhibition appears, atropine is antidotal. 2-PAM may also be used in conjunction with atropine but should not be used alone.

PRECAUTIONARY STATEMENTS

Hazards to Humans & Domestic Animals

May be fatal if swallowed. Do not swallow. May be absorbed through skin. Do not get in eyes, on skin or clothing. Wash thoroughly after handling and before smoking or eating. Wash contaminated clothing before reuse. Avoid breathing vapors and spray mist. Handle concentrate in a ventilated area. Avoid contamination of food, food utensils, domestic water, or feedstuffs.

Do not use on humans, pets or livestock. Do not apply if unprotected persons or animals, including children or pets, are in the area to be treated. Do not allow unprotected persons or animals to re-enter treated areas until spray has dried. When used in dwellings, care should be taken to avoid deposits which could be frequently contacted by children.

continued --

Reg. # 550-135-AA
p. 115

Environmental Hazards

This product is toxic to fish, birds, and other wildlife. Keep out of lakes, streams, ponds. Cover aquariums. Do not contaminate ornamental fishponds. Apply this product only as specified on this label. Do not contaminate water by cleaning of equipment.

Physical or Chemical Hazards

COMBUSTIBLE MIXTURE: Do not use, pour, spill, or store near heat or open flame. Keep container closed.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

To be applied only by or under the supervision of pest control operators or other trained personnel responsible for pest control programs.

PRECAUCION AL USUARIO: Si usted no lee Inglés, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

STORAGE AND DISPOSAL

General: Do not contaminate water, food, or feed by storage or disposal.

Pesticide: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

Container: Triple rinse, or equivalent. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary land-fill, or by other procedures approved by state and local authorities. Alternatively, plastic containers may be disposed of by incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

This material is formulated for use by pest control operators in controlling household insect pests.

For a 1/2% solution add 1 fl. oz. of this concentrate to sufficient spray base oil to make one gallon. Increase the amount to 2 fl. oz. for a 1% spray.

NOTE: The solvent used in this formulation is a petroleum distillate which may stain certain plastic, rubber and asphalt materials — floor tiles and coverings. Do not treat such materials. Care should also be taken to avoid spotting of wall-paper and fabrics. When used in dwellings, care should be taken to avoid deposits which could be frequently contacted by children. Do not allow children in treated areas until surfaces are dry. Do not contaminate food, food containers or cooking utensils.

Cockroaches (Waterbugs), Ants and Silverfish: Make spot applications of a 1/2% Diazinon as a coarse spray or apply with a paint brush to baseboards, areas around water pipes, cracks and crevices, surfaces behind and beneath cabinets, refrigerators, sinks, stoves and similar areas where these insects hide.

For heavy cockroach infestations, make the first application at a strength of a 1% Diazinon, followed by monthly applications of a 1/2% Diazinon.

Carpet Beetles: Apply a 1/2% Diazinon spray in spot applications along baseboards and edges of carpeting, under carpeting and rugs and furniture, in closets and on shelving, and wherever these insects are seen or suspected.

Spiders and Scorpions: Apply a 1/2% Diazinon spray around windows, doors, and along baseboards. Make spot applications to other areas over which these pests may crawl.

Pantry Pests — exposed stages (Saw-Toothed Grain Beetle, Flour Beetle, Rice Weevil, Cigarette Beetle, Drugstore Beetle, Indian-Meal Moth): Apply a 1/2% spray to shelves and cupboards where food containers suspected of being infested are stored. Remove all food and shelving paper before spraying. Do not replace the food packages until spray has dried. Cover shelves with shelving paper. This treatment is supplemental to good housekeeping, since it will have no effect on insects breeding within food packages. Infected food packages should be destroyed.

Brown Dog Ticks in Buildings: Make thorough application of a 1/2% Diazinon spray to infested areas around baseboards, window and door frames, wall cracks, sleeping quarters of household pets, and localized areas of floors and floor coverings. Fresh bedding should be placed in animal quarters following treatment. Do not treat animals with this formulation.

Food Handling Establishments: (Places where food is prepared or served in private residences in which food is held, processed, or served.)

APPLICATIONS WITHIN FOOD AREAS LIMITED TO CRACK AND CREVICE TREATMENT ONLY. Includes roasting, storage (dry, cold, frozen, raw), packaging (wrapping, boxing), preparing (cleaning, grinding), edible waste storage, enclosure systems (mills, dairies, edible oils, syrups), and systems (when food is present or facility is in operation).

Limited to Crack and Crevice Treatments Only. Apply a pinpoint spray a small amount of a 1/2-1% solution into cracks and crevices — expansion joints between elements of construction or between equipment. The floor, wall voids or hollow equipment legs. Roaches, ants, spiders and silverfish may hide in these areas. Apply this material to electrical distribution facilities and effective control of the above insect pests, de-energize prior to treatment and do not re-energize until has thoroughly dried to minimize the danger of material by sparks produced during operation. This material may also be used as an area treatment of the following pantry pests which may come into contact with the material: saw-tooth grain beetle, confused flour beetle, rice weevil, cigarette beetle, drugstore beetle, and Indian meal moth. Care should be taken to avoid depositing material onto exposed surfaces or introducing the material into areas where food is present. Avoid contamination of food or food processing equipment.

APPLICATIONS OF THIS PRODUCT IN THE TREATMENT OF FOOD HANDLING ESTABLISHMENTS, AS A CRACK AND CREVICE TREATMENT ONLY.

APPLICATION IN NON-FOOD AREAS LIMITED TO CRACK AND CREVICE TREATMENT ONLY. Includes garbage rooms, floor drains (to sewers), entries and vestibules, boiler rooms, machine rooms, boiler rooms, garage and storage (after canning or boiling), serving areas where food is present and facility is not in operation.

Apply 1/2-1% Diazinon as a coarse spray or apply with a paint brush to baseboard areas, around water pipes, behind and beneath sinks, lockers, tables, pallets, areas where insects listed above may hide or where they may enter.

SELLER MAKES NO WARRANTY, EXPRESS OR IMPLIED, CONCERNING THIS MATERIAL OR THE PRODUCT OTHER THAN INDICATED ON THE LABEL. BUYER ASSUMES ALL RISK OF USE AND/OR DAMAGE TO PROPERTY FROM THIS MATERIAL WHEN SUCH USE OR DAMAGE IS CONTRARY TO LABEL INSTRUCTIONS.

continued --