

ACCEPTED

SEP - 6 1985

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 550-173



2.5% Water Soluble Bromacil Liquid Weed Killer

**Controls Most Brushy & Weedy Species On
Non-Crop Land When Used As Directed On Labeling.**

ACTIVE INGREDIENT:
Lithium salt of bromacil (5-bromo-3-sec-butyl-6-methyluracil) 2.5%

INERT INGREDIENTS: 97.5%

Contains 0.21 pounds bromacil per gallon.

KEEP OUT OF REACH OF CHILDREN

WARNING

SEE SIDE/BACK PANEL FOR
ADDITIONAL PRECAUTIONS!

Van Waters & Rogers
division of **Univar**

U.S. Pats
3,352,862 & 3,235,357

Manufactured By

San Mateo, CA 94403

EPA Reg. No. 550-1XX-AA
EPA Est. No. 550-CA-1

NET CONTENTS:
1 Gallon (3.8 liters)

KEEP OUT OF REACH OF CHILDREN

WARNING

PRECAUTIONARY STATEMENTS

**STATEMENT OF PRACTICAL
TREATMENT: FIRST AID**

If in eyes: Flush with plenty of water. Get medical attention if irritation persists.

If on skin: Wash with plenty of soap and water. Get medical attention if irritation persists.

HAZARDS TO HUMANS

Harmful or fatal if swallowed. Causes eye irritation. May irritate nose, throat, and skin. Do not get in eyes. Avoid contact with skin and clothing. Avoid breathing vapors. Wash thoroughly with soap and water after handling and before eating or smoking.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL AND CHEMICAL HAZARDS

Keep container closed when not in use. Product will freeze at temperatures below 32°F.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

General Information

Van Waters & Rogers 5% Water Soluble Bromacil Liquid Weed Killer may be applied to noncrop areas undiluted or diluted with water as conditions and equipment allows. It is an effective general herbicide for control of brush and many annual and perennial weeds, and is particularly useful for control of perennial grasses. Effects are slow to appear and may not become apparent until the chemical has been carried into the root zone of the weeds by moisture. The degree of control and duration of effect will vary with the amount of chemical applied, soil type, rainfall, and other conditions.

STORAGE AND DISPOSAL

Prohibitions: Do not contaminate water, food, or feed by storage, disposal, or cleaning of equipment. Open dumping is prohibited. Avoid contamination of feed and food-stuff.

Pesticide Disposal: Pesticide or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, state, or local procedures.

Container Disposal: Triple rinse container. Then offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by incineration if allowed by state and local authorities.

Important

Injury to or loss of desirable trees or other plants may result from failure to observe the following: Do not apply, drain, or flush equipment on or near desirable trees or other plants, or on areas where their roots may extend, or in locations where the chemical may be washed or moved into contact with their roots. Do not use on lawns, walks, driveways, tennis courts, or similar areas. Prevent drift of spray to desirable plants. Do not contaminate domestic waters. Keep from contact with fertilizers, insecticides, fungicides and seeds. Thoroughly clean all traces of this product from application equipment immediately after use. Flush tank, pump, hoses, and boom with several changes of water after removing nozzle tips and screens (clean these parts separately).

Keep container closed when not in use.

Van Waters and Rogers 2.5% Water Soluble Bromacil Liquid Weed Killer is non-volatile, non-flammable, and non-corrosive to metals except aluminum. Do not use with aluminum spray nozzles.

This product should be used only in accordance with recommendations on this label, or in separate published manufacturer's recommendations available through local dealers.

Seller will not be responsible for losses or damages resulting from use of this product in any manner not specifically recommended by seller. User assumes all risk associated with such nonrecommended use.

Application

Apply this product just before or during active growth of plants to be controlled when expected for soil activation. If dense growth results will be improved if vegetation is removed. Do not apply when ground is frozen.

Before spraying, calibrate equipment to uniform the product. Use a fixed-boom power sprayer calibrated to a constant speed and rate of application with a hand-gun sprayer, be careful of even distribution of the herbicide to the soil. In small areas, a tank-type hand sprayer may be used.

Weed Control

To control most weeds for an extended period on noncrop areas such as RAILROAD, HIGHWAY, PIPELINE RIGHT-OF-WAYS, PETROLEUM TANKS, LUMBERYARDS, STORAGE AREAS, AND INDUSTRIAL PLANT SITES:

Apply 12 to 24 gals. of this product per acre ANNUAL WEEDS and GRASSES such as cheatgrass, crabgrass, foxtail, lambsquarters, puncturevine, ragweed, ryegrass, and wild oats. When applied just prior to germination of annuals, rates as low as 8 gals. per acre give short-term control in higher rainfall areas.

Apply 24 to 48 gals. of this product per acre PERENNIAL WEEDS and GRASSES such as grass, bluegrass, broomsedge, dandelion, goldenrod, plantain, purpletop, quackgrass, smooth brome, and wild carrot. In areas with seasonal rainfall, rates as low as 20 gals. per acre give short-term control in higher rainfall areas.

Apply 48 to 96 gals. of this product per acre HARD-TO-KILL PERENNIAL WEEDS and GRASSES such as bermudagrass, bouncingbet, bracken, dogbane, horsetail, nutsedge, saltgrass, grass, dogbane, horsetail, nutsedge, saltgrass. Where limited rainfall (usually less than 10 inches) occurs during the active growth period, in areas of the West, this product will not provide control of hard-to-kill, deep-rooted perennials such as johnsongrass.

ACCEPTED

SEP - 6 1985

Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under
EPA Reg. No. 550-173



2.5% Water Soluble Bromacil Liquid Weed Killer

Controls Most Brushy & Weedy Species On
Non-Crop Land When Used As Directed On Labeling.

ACTIVE INGREDIENT:
Lithium salt of bromacil (5-bromo-3-sec-butyl-6-methyluracil) 2.5%

INERT INGREDIENTS: 97.5%

Contains 0.21 pounds bromacil per gallon.

KEEP OUT OF REACH OF CHILDREN

WARNING

SEE SIDE/BACK PANEL FOR
ADDITIONAL PRECAUTIONS!

Manufactured By
Van Waters & Rogers

division of Univar

San Mateo CA 94403

NET CONTENTS
1 Gallon (3.8 liters)

EPA Reg. No. 550-1XX-AA
EPA Est. No. 550-CA-1

U.S. Pats
3,352,862 & 3,235,357

KEEP OUT OF REACH OF CHILDREN

WARNING

PRECAUTIONARY STATEMENTS

STATEMENT OF PRACTICAL TREATMENT: FIRST AID

If in eyes: Flush with plenty of water. Get medical attention if irritation persists.

If on skin: Wash with plenty of soap and water. Get medical attention if irritation persists.

HAZARDS TO HUMANS

Harmful or fatal if swallowed. Causes eye irritation. May irritate nose, throat, and skin. Do not get in eyes. Avoid contact with skin and clothing. Avoid breathing vapors. Wash thoroughly with soap and water after handling and before eating or smoking.

ENVIRONMENTAL HAZARDS

Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

PHYSICAL AND CHEMICAL HAZARDS

Keep container closed when not in use. Product will freeze at temperatures below 32° F.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

General Information

Van Waters & Rogers 2.5% Water Soluble Bromacil Liquid Weed Killer may be applied to noncrop areas undiluted or diluted with water as conditions and equipment allows. It is an effective general herbicide for control of brush and many annual and perennial weeds, and is particularly useful for control of perennial grasses. Effects are slow to appear and may not become apparent until the chemical has been carried into the root zone of the weeds by moisture. The degree of control and duration of effect will vary with the amount of chemical applied, soil type, rainfall, and other conditions.

STORAGE AND DISPOSAL

Prohibitions: Do not contaminate water, food, or feed by storage, disposal, or cleaning of equipment. Open dumping is prohibited. Avoid contamination of feed and food-stuff.

Pesticide Disposal: Pesticide or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, state, or local procedures.

Container Disposal: Triple rinse container. Then offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by incineration if allowed by state and local authorities.

Important

Injury to or loss of desirable trees or other plants may result from failure to observe the following: Do not apply, drain, or flush equipment on or near desirable trees or other plants, or on areas where their roots may extend, or in locations where the chemical may be washed or moved into contact with their roots. Do not use on lawns, walks, driveways, tennis courts, or similar areas. Prevent drift of spray to desirable plants. Do not contaminate domestic waters. Keep from contact with fertilizers, insecticides, fungicides and seeds. Thoroughly clean all traces of this product from application equipment immediately after use. Flush tank, pump, hoses, and boom with several changes of water after removing nozzle tips and screens (clean these parts separately).

Keep container closed when not in use.

Van Waters and Rogers 2.5% Water Soluble Bromacil Liquid Weed Killer is non-volatile, non-flammable, and non-corrosive to metals except aluminum. Do not use with aluminum spray nozzles.

This product should be used only in accordance with recommendations on this label, or in separate published manufacturer's recommendations available through local dealers.

Seller will not be responsible for losses or damages resulting from use of this product in any manner not specifically recommended by seller. User assumes all risk associated with such nonrecommended use.

Application

Apply this product just before or during the active growth of plants to be controlled when results will be improved if vegetation is recently treated. Do not apply when ground is frozen.

Before spraying, calibrate equipment to uniform application. Use a fixed boom power sprayer calibrated to a constant speed and rate of application with a hand-gun sprayer, be careful to achieve even distribution of the herbicide to the soil. For small areas, a tank-type hand sprayer may be used.

Weed Control

To control most weeds for an extended period on non-cropland areas such as RAILROAD, HIGHWAY, PIPELINE RIGHT-OF-WAYS, PETROLEUM, LUMBERYARDS, STORAGE AREAS, and INDUSTRIAL PLANT SITES:

Apply 12 to 24 gals. of this product per acre for ANNUAL WEEDS and GRASSES such as cheatgrass, crabgrass, foxtail, lambsquarters, grass, puncturevine, ragweed, ryegrass, tarweed, and wild oats. When applied just prior to emergence of annuals, rates as low as 8 gals. per acre may control annual weeds and grasses in low rainfall areas. Give short-term control in higher rainfall areas.

Apply 24 to 48 gals. of this product per acre for PERENNIAL WEEDS and GRASSES such as grass, bluegrass, broomsedge, dandelion, goldenrod, plantain, purpletop, quackgrass, smooth bromie, and wild carrot. In areas with seasonal rainfall, rates as low as 20 gals. per acre may control many perennial weeds and grasses.

Apply 48 to 96 gals. of this product per acre for HARD-TO-KILL PERENNIAL WEEDS and GRASSES such as bermudagrass, bouncinbnet, bracken fern, dogbane, horsetail, nutsedge, saltgrass, grass. Where limited rainfall (usually less than 10 inches) occurs during the active growth period, in areas of the West, this product will not provide control of hard-to-kill, deep-rooted perennials such as johnsongrass.