

# Buckeye

# GARD



#### ACTIVE INGREDIENTS

n Alkyl(60%C <sub>14</sub> , 30%C <sub>16</sub> , 5%C <sub>12</sub> , 5%C <sub>18</sub> ) Dimethyl Benzyl Ammonium Chlorides	2.25%
n Alkyl(68%C <sub>12</sub> , 32%C <sub>14</sub> ) Dimethyl Ethylbenzyl Ammonium Chlorides	2.25%
Tetrasodium ethylene diamine tetraacetate	1.00%
Sodium Carbonate (Anhydrous)	3.00%

#### INERT INGREDIENTS

91.50%

**WARNING: KEEP OUT OF REACH OF CHILDREN**

See left Panel for Additional Precautionary Information

NET CONTENTS 1 U.S. GALLON

ACCEPTED

JUN 1 1976

Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
EPA Reg. No.  
registered under 559-15

## A QUATERNARY CLEANER DISINFECTANT AND DEODORIZER

### For Use On:

Equipment utensils floors walls doors sinks  
furnishings and other hard surface articles

### MICROBIOLOGICAL DATA

A.O.A.C. Use-Dilution Test		
10 minutes - 20°C		
S. aureus	1:64	A.O.A.C. Detergent Sanitization Test
S. choleraesuis	1:64	30 seconds in hard water
Ps. aeruginosa	1:64	CaCO <sub>3</sub> water
A.O.A.C. Fungicide Test		S. aureus
T. interdigitale	1:64	E. coli

**WARNING: KEEP OUT OF REACH OF CHILDREN.** Harmful if swallowed. Causes skin and eye irritation. Avoid contact of concentrate with skin, eyes or clothing. Avoid contamination of food stuffs. Rinse empty container thoroughly with water and discard it.

**FIRST AID: Contact** - flush eyes or skin with large amounts of flowing water. Remove and wash contaminated clothing before reuse. **Ingestion** - do not induce vomiting. Give large quantities of fluids. In all instances, follow first aid instructions and seek immediate medical attention. Follow first aid instructions and seek immediate medical attention.

For Institutional and Industrial Use Only

**ACCEPTED**  
 JUN 1 1976  
 Under the Federal Insecticide,  
 Fungicide, and Herbicide Act,  
 as amended, for the pesticide  
 EPA Reg. No.  
 registered under 559-15

**A QUATERNARY CLEANER  
 DISINFECTANT AND DEODORIZER**

*For Use On:*

Equipment, utensils, floors, walls, doors, sinks, lavatory  
 furnishings and other hard surface articles

**MICROBIOLOGICAL DATA**

A.O.A.C. Use - Dilution Test			
10 minutes - 20°C			
S. aureus	1:64	A.O.A.C. Detergent Sanitizer Test	
S. choleraesuis	1:64	30 seconds in hard water	
Ps. aeruginosa	1:64	CaCO <sub>3</sub> water	
A.O.A.C. Fungicide Test		S. aureus	1:256
T. interdigitale	1:64	E. coli	1:256

**WARNING: KEEP OUT OF REACH OF CHILDREN.** Harmful if swallowed. Causes skin and eye irritation. Avoid contact of concentrate with skin, eyes or clothing. Avoid contamination of food stuffs. Rinse empty container thoroughly with water and discard it.

**FIRST AID: Contact** - flush eyes or skin with copious amounts of flowing water. Remove and wash contaminated clothing before reuse. **Ingestion** - do not induce vomiting; dilute with large quantities of fluids. In all instances, follow first aid with attendance by a physician.

**For Institutional and Industrial Use Only.**

**GERMICIDAL  
 STAPHYLOCIDAL  
 FUNGICIDAL  
 PSEUDOMONACIDAL**

**DIRECTIONS:** Use a mop or sponge to thoroughly wet surfaces with one of the following solutions.

For all general disinfection of walls, floors, woodwork, and similar environmental surfaces, including applications for control of athlete's foot organism, pseudomonas and the lipophilic viruses Asian Influenza A2, Herpes Simplex, Adeno II and Vaccinia use dilution of 2 ounces GARD to 1 gallon of water.

For sanitizing food equipment and utensils, use dilution of 2 ounces of GARD to 3 1/2 gallons of water. This solution contains 200 ppm quaternary. Treated food contact surfaces must be rinsed with potable water prior to use.

EPA Reg. No. 559-15

EPA Est. No. 559 MO 1

**the  
 davies-young  
 company** 

2700 Wagner Place / Maryland Heights / Mo 63043