

1042

Code: 0570

۲۹

junior

An insecticide for fleas, lice and ticks on dogs and cats, a deodorant against dog odor, and repellent for flies, mosquitoes, and gnats.

CAUTION:

Contents under Dr.
incinerator - **burning**
structures 35-
stoves or **ranges** - **danger**
breathing of **smoke** - **harmful**. **Avoid** **unre-**
peated **contact**. **Wash**
soap and **water**
in **safe** **bands**

NET WT. 6 OZ.

Shawnee,
Kansas
U.S.A.
HAVER-LOCKHART

SOLD TO VETERINARIANS ONLY

CONTENTS

Active Ingredients.

Pyrethrins	0.06%
2,2'-Bis [4-chloro-6-methylphenol]	0.10%
Piperonyl butoxide*, technical	0.48%
Malathion (0,0 dimethyl dithiophosphate + diethyl mercaptosuccinate)	0.50%
1,3-4,5 Bis (2-butylene) tetrahydrofuraldehyde	0.24%
Petroleum distillate	23.62%
Total	75.00%

Chemical structure of statin derivative 6: propylpiperonyl.

DIRECTIONS

DIRECTIONS
Hold Pump-Brant upright 2 to 4 inches from the dog or cat. Decrease valve and direct spray over the animal until entire coat is wet.

For adult dogs an application for 30 seconds is usually sufficient. In heavily coated animals, spray down the base of the hair follicles. In ticks, the spray must hit them directly. May be repeated at weekly intervals if required. The floor, kennel or other quarters should be thoroughly sprayed with the bedding. Nervous dogs and cats soon become accustomed to the hissing noise and cool sensation of the spray.

WARNING. Harmful if swallowed. Avoid contamination of feed and forage tufts. Induce vomiting immediately and get medical attention. Atropine (large dose) is partly antidotal. If nervous symptoms develop, barbiturates may be indicated.

LOT NO

U.S.D.A. Reg. No. 569-54

EX-128

Code: 0575

para bomb

An insecticide for fleas, lice, ticks on dogs and cats; a deodorant against dog odors, and repellent for flies, mosquitoes and gnats.

CAUTION — KEEP OUT OF REACH OF CHILDREN

Contents under pressure. Do not puncture or incinerate container. Do not expose to temperatures above 120° F., such as windows, on stoves or radiators, etc. Avoid prolonged breathing of spray mist. Skin contact may be harmful. Avoid unnecessary, prolonged or repeated contact with skin; wash thoroughly with soap and water before eating. See warnings on side panel.

NET WT. 12 OZ.

SOLD TO VETERINARIANS ONLY

CONTENTS

Active Ingredients:

Pyrethrins	0.06%
2,2'-Thiobis [4-chloro-6-methylphenol]	0.10%
Piperonyl butoxide* technical	0.48%
Malathion (0,0-dimethyl dithiophosphate of diethyl mercaptosuccinate)	0.50%
2,3,4,5-Bis (2-butylene) tetrahydro-2-furaldehyde	0.24%
Petroleum distillate	23.62%
Inert Ingredients:	75.00%

*Equivalent to 0.384% of (ethylcarbityl) (6-propylpiperonyl) ether and 0.096% of related compounds.

DIRECTIONS

Hold Para Bomb upright 2 to 4 inches from the dog or cat. Depress valve and direct spray over the animal until entire coat is damp.

For average-sized dogs, an application for thirty seconds is usually sufficient; for cats, ten seconds. In heavily-coated animals, spray against the lay of the hair. To kill ticks, the spray must hit them directly. May be repeated at weekly intervals if required.

Interior of kennel or other quarters should be thoroughly sprayed as well as bedding. Nervous dogs and cats soon become accustomed to the hissing noise and cool sensation of the spray.

WARNING: Harmful if swallowed. Avoid contamination of feed and food-stuffs. Induce vomiting immediately and get medical attention. Atropine (large dose) is partly antidotal. If nervous symptoms develop, barbiturates may be indicated.

LOT NO.

USDA Reg. No. 569-54

Set copy to fill space

SOLD TO VETERINARIANS ONLY

CONTENTS

Active Ingredients:

Pyrethrins	0.06%
2,2'-Thiobis [4-chloro-6-methylphenol]	0.10%
Piperonyl butoxide* technical	0.48%
Malathion (0,0-dimethyl dithiophosphate of diethyl mercaptosuccinate)	0.50%
2,3:4,5-Bis (2-butylene) tetrahydro-2-furaldehyde	0.24%
Petroleum distillate	23.62%
Inert Ingredients:	75.00%

*Equivalent to 0.384% of (ethylcarbityl) (6-propylpiperonyl) ether and 0.096% of related compounds.

SET COPY TO FILE space

DIRECTIONS

Hold Para Bomb upright 2 to 4 inches from the dog or cat. Depress valve and direct spray over the animal until entire coat is damp.

For average-sized dogs, an application for thirty seconds is usually sufficient; for cats, ten seconds. In heavily-coated animals, spray against the lay of the hair. To kill ticks, the spray must hit them directly. May be repeated at weekly intervals if required.

Interior of kennel or other quarters should be thoroughly sprayed as well as bedding. Nervous dogs and cats soon become accustomed to the hissing noise and cool sensation of the spray.

WARNING: Harmful if swallowed. Avoid contamination of feed and food-stuffs. Induce vomiting immediately and get medical attention. Atropine (large dose) is partly antidotal. If nervous symptoms develop, barbiturates may be indicated.

LOT NO.

USDA Reg. No. 569-54

EXP. DATE

2308