



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

APR 1 1994

JUDITH K. LEMM
ROCKLAND CORPORATION
686 PASSAIC AVENUE BOX 809
WEST CALDWELL, N.J. 07007

OFFICE OF
PREVENTION, PESTICIDES AND
TOXIC SUBSTANCES

SUBJECT: Label Amendment Submission of 11/09/93 in Response to PR Notice 93-7
EPA Reg. No. 572-219
ROCKLAND SUPER PROFESSIONAL DURSBAN CHINCH BUG
KILLER


Dear Registrant:

The labeling cited above and submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, successfully **REMOVES THE PRODUCT FROM THE SCOPE** of PR Notice 93-7 once the comments (if any) on the attached sheet are addressed. Other than the alterations (if any) listed on the attached sheet, no further alterations to the labeling are necessary to reflect the requirements of the Worker Protection Standard.

Since your amendment proposes to delete uses directly and/or to delete uses implicitly through the use of exclusionary statements, the Agency will publish in the Federal Register a notice of receipt of your amendment to delete uses, as required by section 6(f)(1) of FIFRA. The Agency will defer action for 90 days from the date of the Federal Register notice to give affected minor users an opportunity to try to persuade you to retain the uses(s). When the comment period has expired, the Agency will approve the amendment unless you have withdrawn it, and stamp the amended labeling "accepted." Your stamped-accepted labeling will then be sent to you.

As described in Supplement A of PR Notice 93-11 (self-verification option), you may sell and distribute product bearing the submitted labeling before you receive a copy of your stamped-accepted labeling. Note that your registration is not amended until the comment period required by section 6(f)(1) of FIFRA has expired and the Agency has approved the amendment. Therefore, you may withdraw your proposed amendment at any time during the comment period and until you receive your stamped-accepted labeling.

Sincerely,


James Tompkins, Deputy Chief
Registration Support Branch
Registration Division (7505W)



Recycled/Recyclable
Printed with Soy/Canola Ink on paper that
contains at least 50% recycled fiber

143

Super Dursban^{*} Lawn Insecticide

Treats 25,000 Sq. Ft. for Ants and Chinch Bugs, also for grubs, hyperodes weevils 12,500 Square Feet.

ACTIVE INGREDIENTS:

Chlorpyrifos (0, 0-Diethyl 0-(3,5,6-trichloro-2-pyridyl) phosphorothioate) 2.32%

INERT INGREDIENTS: 97.68%

^{*}Dursban—Trademark of DowElanco
U.S. Pat. No. 3,244,588.

KEEP OUT OF REACH OF CHILDREN

CAUTION

Read Entire Label Before Using This Product

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS: Harmful if swallowed. Do not take internally. Avoid contact with skin, eyes or clothing. Flush contaminated eyes with plenty of water and get medical attention if irritation persists. Wash thoroughly after handling. Wash contaminated clothing before re-use. Avoid breathing dust. Keep children and pets off treated areas until this material is washed into the soil and grass is dry. Keep away from food, feedstuffs and domestic water supplies.

NOTE TO PHYSICIAN: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine, only by injection, is an antidote.

ENVIRONMENTAL HAZARDS: This product is toxic to fish, birds and other wildlife. Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production, or for research purposes.

SUPER DURSBAN[®] LAWN INSECTICIDE is a Chlorpyrifos-coated corn cob granular for control of Ants, Brown Dog Ticks, Chinch Bugs, Crickets, Cutworms, Earwigs, Hyperodes (Turfgrass) Weevils, Sod Webworms (Lawn Moths), Sowbugs (Pillbugs) and White Grubs on lawns and around buildings.

Spread evenly at the rate of 1 pound per 1,000 square feet. After application, water lawn using 30 gallons per 1,000 square feet.

To control **ANTS, BROWN DOG TICKS, CRICKETS, CUTWORMS, EARWIGS, SOD WEBWORMS** and **SOWBUGS**—Make first application when pests appear and retreat as needed. For best results, turf should be moist at time of treatment.

To control **CHINCH BUGS**—Consult your local state agricultural extension agent as to the exact timing.

NOTE: To reduce initial infestation or reinfestation of buildings by Earwigs, treat a band of ground 6 to 10 feet wide around and adjacent to the buildings where these pests are active.

SUGGESTED SPREADER SETTINGS

CYCLONE—#3
SCOTT DROP—#4
SCOTT ROTARY—#B

To Control **HYPERODES WEEVIL**—Apply as above except at twice the rate, or 2 lbs. per 1,000 sq. ft. Apply over suspected problem area in mid-April and again in mid-May.

HYPERODES WEEVIL SPREADER SETTINGS

CYCLONE—#4½
SCOTT DROP—#5
SCOTT ROTARY—#J

To Control **WHITE GRUBS** (Larvae of Japanese Beetle and European Chafer), use 2-4 lbs. per 1,000 sq. ft. Apply the granules uniformly over the area treated followed immediately by thorough watering to wash the insecticide into the turf. For best results, treat when grubs are young and actively feeding near the soil surface, usually during late July and August. Consult your local agricultural extension service specialist for proper time to treat in your area.

WHITE GRUB SPREADER SETTINGS

CYCLONE—#4½-5½
SCOTT DROP—#5½
SCOTT ROTARY—#M

These spreader settings are meant as a guide. They are in no sense a guarantee of exact application, inasmuch as age, wear of spreader, speed of operation and roughness of terrain can cause variations in rates applied.

STORAGE AND DISPOSAL

STORAGE: Store unused material, in original container only, in a locked, dry storage area out of reach of children and animals. Do not contaminate water, food or feed by storage or disposal.

DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

WARRANTY: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

E.P.A. Reg. No. 572-219 EPA Est. No. 9198-011-1
#B21925

NET WEIGHT 25 LBS

Treats 25,000 sq. ft.

(Grubs, Hyperodes Weevils: 12,500 sq. ft.)

ACCEPTED
with COMMENTS
in EPA Letter Dated

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 572-219

BEST COPY AVAILABLE

Manufactured for
Rockland Corporation
West Caldwell, N.J. 07006

2

Super Dursban* Lawn Insecticide

Treats 25,000 Sq. Ft. for Ants and Chinch Bugs, also for grubs, hyperodes weevils 12,500 Square Feet.

ACTIVE INGREDIENTS:

Chlorpyrifos (0, 0-Diethyl 0-(3,5,6-trichloro-2-pyridyl) phosphorothioate) 2.32%

INERT INGREDIENTS: 97.68%

*Dursban—Trademark of DowElanco
U.S. Pat. No. 3,244,586.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

Read Entire Label Before Using This Product

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS: Harmful if swallowed. Do not take internally. Avoid contact with skin, eyes or clothing. Flush contaminated eyes with plenty of water and get medical attention if irritation persists. Wash thoroughly after handling. Wash contaminated clothing before re-use. Avoid breathing dust. Keep children and pets off treated areas until this material is washed into the soil and grass is dry. Keep away from food, feedstuffs and domestic water supplies.

NOTE TO PHYSICIAN: Chlorpyrifos is a cholinesterase inhibitor. Treat symptomatically. Atropine, only by injection, is an antidote.

ENVIRONMENTAL HAZARDS: This product is toxic to fish, birds and other wildlife. Keep out of any body of water. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

SUPER DURSBAN* LAWN INSECTICIDE is a Chlorpyrifos-coated corn cob granular for control of Ants, Brown Dog Ticks, Chinch Bugs, Crickets, Cutworms, Earwigs, Hyperodes (Turgrass) Weevils, Sod Webworms (Lawn Moths), Sowbugs (Pillbugs) and White Grubs on lawns and around buildings.

Spread evenly at the rate of 1 pound per 1,000 square feet. After application, water lawn using 30 gallons per 1,000 square feet.

To control **ANTS, BROWN DOG TICKS, CRICKETS, CUTWORMS, EARWIGS, SOD WEBWORMS** and **SOWBUGS**—Make first application when pests appear and re-treat as needed. For best results, turf should be moist at time of treatment.

To control **CHINCH BUGS**—Consult your local state agricultural extension agent as to the exact timing.

NOTE: To reduce initial infestation or reinfestation of buildings by Earwigs, treat a band of ground 6 to 10 feet wide around and adjacent to the buildings where these pests are active.

SUGGESTED SPREADER SETTINGS

CYCLONE—#3
SCOTT DROP—#4
SCOTT ROTARY—#B

To Control **HYPERODES WEEVIL**—Apply as above except at twice the rate, or 2 lbs. per 1,000 sq. ft. Apply over suspected problem area in mid-April and again in mid-May.

HYPERODES WEEVIL SPREADER SETTINGS

CYCLONE—#4½
SCOTT DROP—#5
SCOTT ROTARY—#J

To Control **WHITE GRUBS** (Larvae of Japanese Beetle and European Chafer), use 2-4 lbs. per 1,000 sq. ft. Apply the granules uniformly over the area treated followed immediately by thorough watering to wash the insecticide into the turf. For best results, treat when grubs are young and actively feeding near the soil surface, usually during late July and August. Consult your local agricultural extension service specialist for proper time to treat in your area.

WHITE GRUB SPREADER SETTINGS

CYCLONE—#4½-5½
SCOTT DROP—#5½
SCOTT ROTARY—#M

These spreader settings are meant as a guide. They are in no sense a guarantee of exact application, inasmuch as age, wear of spreader, speed of operation and roughness of terrain can cause variations in rates applied.

STORAGE AND DISPOSAL

STORAGE: Store unused material, in original container only, in a locked, dry storage area out of reach of children and animals. Do not contaminate water, food or feed by storage or disposal.

DISPOSAL: Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or if allowed by State and local authorities, by burning. If burned, stay out of smoke.

WARRANTY: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

E.P.A. Reg. No. 572-219 EPA Est. No. 9198-OH-1
#B21925

NET WEIGHT 25 LBS

Treats 25,000 sq. ft.
(Grubs, Hyperodes Weevils: 12,500 sq. ft.)

Approved for Reading Cup, U.S. Copyright, N.L.C. 7/16.

BEST COPY AVAILABLE

Food Deedland Un... 3