

Rockland®

C-Em-Die® II

- A READY TO USE PYRENONE® INSECTICIDE
- KILLS AND REPELS
- KILLS HOUSE FLIES, STABLE FLIES, HORSE FLIES, HORNFLIES, MOSQUITOES, GNATS AND LICE.
- ACCEPTABLE FOR USE ON DAIRY AND MEAT ANIMALS AND IN DAIRY ROOMS, MILK ROOMS AND DAIRIES.

ACTIVE INGREDIENTS:


Pyrethrins.....	0.10%
Piperonyl Butoxide, Technical.....	1.00%
**INERT INGREDIENTS.....	98.90%
	100.00%

*Equivalent to 0.8% (butylcarbityl)(6-propylpiperonyl) ether and 0.2% related compounds.

**Contains Petroleum Distillate

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

See back panel for additional precautions.



Net Contents: 1 Gal, 5 Gals., 35 gals, 55 gals.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS. CAUTION: Harmful if swallowed. Avoid contamination of feed and foodstuffs. Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using this product in these areas, apply only when the facility is not in operation.

FIRST AID	
Have the product container or label with you when calling a poison control center or doctor, or going for treatment	
If in Eyes:	-Hold eye open and rinse slowly and gently with water for 15-20 minutes. -Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. -Call a poison control center or doctor for treatment advice.
If Swallowed:	-Call poison control center or doctor immediately for treatment advice. -Do not induce vomiting unless told to do so by the poison control center or doctor -Do not give any liquid to the person. -Do not give anything by mouth to an unconscious person.
If on Skin or Clothing:	-Take off contaminated clothing. -Rinse skin immediately with plenty of water for 15-20 minutes. -Call a poison control center or doctor for treatment advice.
If inhaled:	-Move person to fresh air. -If person is not breathing, call 911 or an ambulance, then give artificial respiration,

	preferably by mouth-to-mouth, if possible. -Call a poison control center or doctor for further treatment advice.
Note to Physician: Contains Petroleum Distillate. Solvent presents aspiration hazard. Gastric lavage is indicated if material was taken internally. If symptoms of cholinesterase inhibition are present, atropine sulfate, by injection, is antidotal. 2-PAM is also antidotal and may be administered, but only in conjunction with atropine.	
For information regarding medical emergencies or pesticide incidents, call the International Poison Center at 1-888-740-8712.	

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Do not apply to water, to areas where surface water is present, or to intertidal areas below the mean high water mark. Do not contaminate water by disposing of equipment washwaters.

CHEMICAL HAZARDS: Do not use, pour or store near heat or open flame.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

ON ANIMALS: To protect animals from Horn Flies, House Flies, Mosquitoes and Gnats, apply a light mist sufficient to wet the tips of the hair.

To control Stable Flies, Horse Flies, Dear Flies, apply 2 ounces per adult animal, sufficient to wet the hair, but not to soak the hide. Repeat treatment once or twice daily or at intervals necessary to give continued protection.

To Control Blood-Sucking Lice, apply the spray lightly to infested areas, using a stiff brush to get the spray to the base of the hair. Use 2 ounces or less per animal. Repeat every two to three weeks as required.

BARNs, MILK ROOMs, DAIRY PLANTs: To control Flies, Mosquitoes and Gnats, apply as a fog or line mist, directing the spray toward the ceiling and upper corners of the room until the area is filled with mist, using about 2 ounces per 1,000 cubic feet of space. For best results, close windows and doors before spraying and keep closed for ten to fifteen minutes. Vacate the area and ventilate before reoccupying. Repeat application as necessary.

STORAGE AND DISPOSAL:

Containers larger than one Gallon:

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE AND SPILL PROCEDURES: Store upright at room temperature. Avoid exposure to extreme temperatures. In case of spill or leakage, soak up with an absorbent material such as sand, sawdust, earth, fuller's earth, etc. Dispose of with chemical waste.

PESTICIDE DISPOSAL: Pesticide, spray mixture or rinse water that cannot be used according to label instructions, must be disposed of at or by an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent) then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill or by other approved State and local procedures.

CONTAINERS ONE GALLON AND SMALLER: Do not reuse container. Wrap container in several layers of newspaper and discard in trash.

WARRANTY: Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this materiao when such use and/or handling is contrary to label instructions.

C-EmDie is a registered trademark of Rockland Corporation.

EPA Reg. No. 572-353
EPA Est. No. 572-NJ-1

Manufactured by:
Rockland Corporation
West Caldwell, NJ 07008