Front Panel

Cuprinol® No. 25 Clear Wood Preservative

Protects wood against watermarking, mildew and rot Water actually beads up and rolls off, protecting wood.

ACTIVE INGREDIENT:


3-iodo-2-propynyl Butyl Carbamate	0.50 %
INERT INGREDIENTS	<u>99.50%</u>
TOTAL	00.00%

Contains petroleum distillates

EPA Reg. No. 577-547 EPA Est. No.

KEEP OUT OF REACH OF CHILDREN CAUTION

See side panel for additional Precautionary Statements



1 Gallon 3.785 Liter

Back and Side Panels

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

General Information

Cuprinol Clear Wood Preservative No. 25 is for use on bare wood above ground level to protect against rot, mildew, warping and swelling. It contains an effective fungistat. Cuprinol preservative is not a varnish, stain, or sealer. It will not crack, chip, blister, or peel. Cuprinol penetrates to protect wood against mildew, watermarking and other water damage while still letting your wood weather naturally. This weathering process can produce graying and contrasting wood tones, depending upon the type of wood and its exposure. Use it on all bare wood outside, above ground line, and especially wood that is subject to dampness: house siding, sills, doors, door frames, windows, millwork, roofs, fences, decks.

General Precautions and Restrictions

- -Do not apply this product in a way that will contact any person or pet
- -Do not apply this product in a way that will contact workers or other persons
- -Do not use on wood that will be in contact with food, feed, potable water, or prolonged dermal (skin)
- -Due to the presence of petroleum distillates, do not use where dairy cattle or livestock can come in contact with the treated wood

Application Instructions

The degree of weathering that results from different exposure is unpredictable. In some woods, weathering may cause natural extractives to produce uneven shadings. To minimize extractive discoloration, apply a solution of 1 part oxalic acid and 9 parts water. Let it sit for half an hour. Then rinse with water, let dry and apply Cuprinol wood Preservative.

It helps protect the wood and extends the life and beauty of paint by protecting against blistering, cracking and peeling caused by rain and dew. Allow 24 hours after application before painting with a good quality, oil-based paint, or 6-12 months before applying latex paint or clear finishes.

This preservative should not be applied to a mildewed surface. Test for mildew by applying a 50-50 solution of bleach and water. Mildew is present if the area lightens. Scrub all mildew infected surfaces with a solution of 1 quart household bleach and 3 quarts warm water. Let stand for 30 minutes, then rinse with clear water.

Before use, thoroughly mix contents of can. Do not thin.

Applying paints and stains often results in splashing or dripping. Cover desirable plants and shrubs to protect against possible injury. Wood must be dry, free of bark, mildew and any finish. Cut and machine wood prior to treatment, if possible. If not, liberally apply two coats of preservative to all joints, cracks, cut ends, holes or other openings. Apply by brush, spray, or dip. The more preservative absorbed by the wood, the longer and more effective the protection. Use only one thin coat before applying paint. Cuprinol Clear No. 25 dries in 24 to 36 hours on dry wood. For second coat application, apply within one hour of the first. When dipping, allow to soak for 3 minutes. For best results and uniformity of appearance, retreat once every three years. Roofs should be retreated every 2 years. On initial treatment of new wood siding, two coats are recommended.

Do not thin.

Clean Cuprinol Clear No. 25 from brushes, etc. with mineral spirits, paint thinner or turpentine.

Coverage: 300 sq. ft. per gallon average, depending on wood porosity and surface roughness. For protection below ground and for wood in contact with water, use Cuprinol Green Wood Preservative No. 10.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

PESTICIDE STORAGE: Do not store near excessive heat. Keep contents away from food.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product can be disposed of on the site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.

FIRST AID

IF SWALLOWED OR ON CLOTHING: Call a Poison Control Center or doctor immediately for advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to by a Poison Control Center or doctor. Do not give anything by mouth to an unconscious person.

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a Poison Control Center or doctor for treatment advice.

Have the product container or label with you when calling a Poison Control Center or doctor or going in for treatment.

NOTE TO PHYSICIAN: This product may pose an aspiration pneumonia hazard. Contains petroleum distillate.

Wear long-sleeved shirt and long pants, shoes plus socks during application. Wear goggles and rubber gloves when handling, and rubber gloves when handling freshly treated lumber. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions exist for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. User should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. User should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by disposal of equipment wash waters. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other water unless in accordance with the requirements of a national Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS

Combustible mixture. Do not use, pour, spill or store near heat or open flame. In case of fire, use water spray, foam, carbon dioxide or dry chemical.

LIMITED WARRANTY

Cuprinol® Group will replace this product if it is shown to be defective within one year of the date of purchase. Claims must be sent within the warranty period, together with proof of purchase to Cuprinol® Group, 101 W. Prospect Ave., Cleveland, Ohio 44115. This warranty does not apply if the product is not used as directed. The duration of any implied warranties is limited to the duration of this limited warranty. Cuprinol's® liability, under any warranty, whether expressed or implied, is limited solely to replacement of the product and does not include labor or other incidental or consequential damages. Some states do not allow limitations on how long an implied warranty lasts or exclusions or limitations of incidental or consequential damages, so the above limitations or exclusions may not apply to you. This warranty gives you specific legal rights, and you may have other rights, which vary, from state to state.

©Cuprinol® Group

Cuprinol® Group, Cleveland, OH 44115