

**ACTIVE INGREDIENTS:**

O,O-Dimethyl S-(4-oxo-1,2,3-benzotriazin-3(4H)-ylmethyl) Phosphorodithioate .....	3.0%
Sulfur .....	20.0%

<b>INERT INGREDIENTS:</b> .....	<u>77.0%</u>
---------------------------------	--------------

Total	100.0%
-------	--------

\*Reg. U.S. and Canadian Pat. Offs. by Farbenfabriken Bayer, A.G. Chemagro Corporation licensee.



**POISON**

**DANGER: Keep Out of Reach of Children**

**ANTIDOTE:** Internal: Give a teaspoon of mustard in a glass of warm water, repeat until vomit fluid is clear. Have victim lie down and keep quiet after physical vomiting has been carried out. Call a physician immediately.

External: If skin is contaminated, wash thoroughly with soap and warm water.

**NOTE TO PHYSICIAN:** Compound inhibits cholinesterase resulting in stimulation of the central nervous system, the parasympathetic nervous system, and the somatic motor nerves. Do not give morphine. Watch for pulmonary edema, which may develop in serious cases of poisoning even after 12 hours. At first sign of pulmonary edema, the patient should be placed in an oxygen tent and treated symptomatically.

**Antidote:** Administer atropine sulfate in large therapeutic dosage. Repeat as necessary to the point of tolerance. Liberal doses of glucose enhances the antidotal properties of atropine. 2-PAM is also antidotal and may be administered in conjunction with atropine.

Recommended for use in orchards to control such insects as Aphids, Apple Maggots, Codling Moths, European Apple Sawfly, Fruit Tree, Leaf Rollers, Leafhoppers, Mites, Plum Curculion, Red-banded Leaf Rollers, and Oriental Fruit Moths; and to control such diseases as Scab, Powdery Mildew and Brown Rot on Apples, Cherries, Pears, Plums, Peaches, and Grapes.

Poisonous, if swallowed, inhaled, or absorbed through the skin. Do not get

in eyes or on skin. Wear protective clothing, natural rubber gloves and goggles. Do not breathe dust. Wear a mask or respirator of a type passed by the U.S. Bureau of Mines for GUTHION protection. Wash arms, hands and face after handling and before eating or smoking. Wash all contaminated clothing with soap and hot water before re-use. Keep away from children, animals, feed and footstuffs. Keep unprotected persons and beneficial animals out of operating area or vicinity where there may be danger of drift. Vacated areas should not be re-entered for at least two days.

Birds feeding on treated areas may be killed. Do not apply when weather conditions favor drift from areas treated. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes.

This product is poisonous to fish and wildlife. Do not contaminate any body of water nor apply in any manner not specified on the label. Sulfur may burn foliage when temperatures are excessively high.

Do not reuse empty container. Destroy it by burying with waste or burning. Stay away from smoke or fumes.

**DIRECTIONS**

HAVILAND "GS" ORCHARD DUST should be applied at the rate of 35 to 40 lbs. per acre beginning with petal fall and repeated at 10 to 14 day intervals in subsequent cover applications. To avoid excess residues, do not use more than amount suggested above and do not use more than 8 applications of this material per season. Apply no more than 3 times per season on grapes. On apples, cherries, pears, plums and prunes do not make application within 15 days of harvest. For peaches, do not make application within 21 days of harvest. For grapes, do not make application of a low dosage within 10 days and of a maximum dosage within 28 days of harvest.

**NON-WARRANTY**

Seller makes no warranty, expressed or implied, concerning the use of this product other than indicated on the label. Buyer assumes all risk of use and/or handling of this material when such use and/or handling is contrary to label instructions.

USDA Reg. No. 595-254

Net Wt. 50 Lbs.