

For use on horses or in stables

KILLS: stable flies, horse flies, face flies, gnats and mosquitoes

ACTIVE INGREDIENTS:

Pyrethrins	0.125%
Technical Piperonyl Butoxide**	0.250%
N-Octyl Bicycloheptene Dicarboximide	0.413%
2,2-Dichlorovinyl dimethyl phosphate (DDVP)	0.186%
Related Compounds	0.014%
2,3:4,5-bis (2-butylene) tetrahydro-2-furaidehyde	0.200%
Petroleum Distillates	28.812%
INERT INGREDIENTS:	70.000%

**Consists of 0.200% (butylcarbityl) (6-propylpiperonyl) ether and 0.050% related compounds

DIRECTIONS FOR USE: TOP FORM Insecticide and Repellent Spray provides quick knockdown and kill of flies, gnats and mosquitoes and is an active repellent.

For Use in Stables: All doors and windows should be closed prior to spraying. Fill the room with mist and keep windows and doors closed for 15 minutes.

For Use on Horses: Hold the container approximately 18 to 24 inches from the horse, press valve and apply in a sweeping motion. Apply only enough to moisten hair tips. Spray from the front of the horse toward the rear. Particular attention should be given the legs. Avoid excessive contact with the eyes. Do not apply in excess of 2 ounces (approximately 50 seconds spraying time) of spray per animal per

**TOP
FORM***



ACTIVE INGREDIENTS.

Pyrethrins	0.125%
Technical Piperonyl Butoxide**	0.250%
N-Octyl Bicycloheptene Dicarboximide	0.413%
2,2-Dichlorovinyl dimethyl phosphate (DDVP)	0.186%
Related Compounds	0.014%
2,3:4,5-bis (2-butylene) tetrahydro-2-furaldehyde	0.200%
Petroleum Distillates	28.812%
INERT INGREDIENTS.	70.000%

**Consists of 0.200% (butylcarbityl) (6-propylpiperonyl) ether and 0.050% related compounds

DIRECTIONS FOR USE: TOP FORM Insecticide and Repellent Spray provides quick knockdown and kill of flies, gnats and mosquitoes and is an active repellent.

For Use in Stables: All doors and windows should be closed prior to spraying. Fill the room with mist and keep windows and doors closed for 15 minutes.

For Use on Horses: Hold the container approximately 18 to 24 inches from the horse, press valve and apply in a sweeping motion. Apply only enough to moisten hair tips. Spray from the front of the horse toward the rear. Particular attention should be given the legs. Avoid excessive contact with the eyes. Do not apply in excess of 2 ounces (approximately 50 seconds spraying time) of spray per animal per

TOP
form*



