

Directions: Hold 2 to 4 inches from animal and direct spray over body until coat is damp. Spray heavily coated dogs against the lay of hair. Usually 30 seconds spraying is sufficient for a 25 to 30 lb. dog. Ticks are killed by direct contact with the spray. Repeat treatment as required. Kennels or other quarters and bedding should be sprayed thoroughly to avoid reinfestation.

EPA Est. 33595-MO-1
 EPA Reg. No. 622-35
 For Veterinary Use Only




**NORDEN
 LABORATORIES**

Lincoln, Nebraska 68501, USA

85-7170-01

norsect

DOG and CAT SPRAY INSECTICIDE



**CAUTION: KEEP OUT OF REACH
 OF CHILDREN**

See other precautions on the side panel
 12 oz. net wt.

Active Ingredients:


Carbaryl (1-naphthyl N-methylcarbamate) ¹	0.500%
Pyrethrins	0.075%
Piperonyl butoxide, technical*	0.150%
N-Octyl bicycloheptene dicarboximide.....	0.250%
Methoxychlor, technical**	0.500%
2, 3, 4, 5- bis (2-butylene) tetrahydro-2-furaldehyde.....	0.200%
Lanolin isopropanol ester.....	1.100%
Inert Ingredients	97.225%

TOTAL 100.00%

¹Sevin

*Equivalent to 0.12% (butylcarbityl) (6-propylpiperonyl) ether and 0.03% related compounds.

**Equivalent to 0.44% 2,2-bis(p-methoxyphenyl)-1,1,1-trichloroethane and 0.06% other isomers and related compounds.



ACCEPTED

DOG AND CAT SPRAY INSECTICIDE



Caution: Harmful if swallowed or inhaled. Do not inhale directly; deliberate inhalation of contents can cause death. Contains fluorocarbons. Avoid contamination of food. Avoid breathing spray mist. Avoid contact with skin.

Wash thoroughly after using.

Do not use on kittens.

Warning: Contents under pressure. Do not puncture. Do not use or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting. Never throw container into fire or incinerator.