

PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS
 Harmful if swallowed or inhaled. Avoid breathing of spray mist. Avoid contact with skin and eyes; wash thoroughly after use. In case of eye contact, flush with plenty of water. If irritation develops or persists get medical attention. Avoid contamination of feed and foodstuffs. Do not treat or cause exposure of kittens or puppies less than four weeks old.

PHYSICAL OR CHEMICAL HAZARDS
 Contents under pressure. Do not use or store near heat or open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE
 It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL
 Do not incinerate. Wrap container and put in trash collection.

Indications: Kills fleas, ticks and lice - stops scratching. Repellent to gnats, mosquitoes and flies.

NORDEN

FLEA and TICK KILLER

for CATS and DOGS

CONTAINS ALLETHRIN



ACTIVE INGREDIENTS:
 Allethrin (allyl hemolig of Cisnerin I) 0.10%
 Piperonyl Butoxide, Technical 0.90%
 Butoxypropylene Glycol 5.00%
INERT INGREDIENTS: 94.00%
 100.00%

*Equivalent to 0.48% (butylcarbitol (n-propyl-piperonyl) ether and 0.12% related compounds.

KEEP OUT OF REACH OF CHILDREN
CAUTION
 Harmful if swallowed or inhaled. Avoid contact with skin. In case of eye contact, flush with plenty of water. If irritation develops or persists get medical attention.
 See left panel for additional precautions.

Distributed By: Norden Laboratories, Inc. EPA Est. No. 33585-MO-1
 Lincoln, NE 68501, U.S.A. EPA Reg. No. 622-38

NET CONTENTS 14 OZ.

Remove protective cap, hold container upright, nozzle away from you. With nozzle 10 to 12 inches away, direct spray over the animal, beginning at the tail, spray over the animal until the entire coat is damp up to the back of neck. On long-haired dogs and cats, ruffle the coat and spray against the lay of hair, spraying directly behind hand so that spray reaches skin. For best results in controlling tick infestations, locate ticks and spray directly on them. Avoid spraying face and genitals. An application of 30 to 45 seconds is usually sufficient for an average size dog, for cats about 10 seconds is adequate. Repeat application weekly if necessary.

NOTE: Do not treat or cause exposure of kittens or puppies less than four weeks old.

In kennels or other sleeping quarters to control these insects, spray the animal regularly as above and spray bedding, walls, cracks, crevices and flooring as often as necessary.

WARRANTY STATEMENT

Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.

For Veterinary Use Only

NORDEN
 a SmithKline company
 Lincoln, NE 68501, U.S.A.

ACCEPTED
 MAR 3 0 1981
 Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 622-39