

Best Available Copy

644-103

7/16/2001

Page 121

ACCEPTED

JUL 6 2001

PRECAUTIONARY STATEMENTS  
HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

HANDFULS. IF SWALLOWED DO NOT INDUCE VOMITING. CALL A PHYSICIAN IMMEDIATELY. DO NOT GET IN EYES, NOSTRILS, OR CONTACT WITH SKIN OR CLOTHING. WASH THOROUGHLY AFTER HANDLING. USE WITH APPROPRIATE PERSONAL PROTECTIVE EQUIPMENT. READ THE LABEL CAREFULLY. USE STRICTLY IN ACCORDANCE WITH LABEL DIRECTIONS, WARNINGS AND PRECAUTIONS.

PERSONAL PROTECTIVE EQUIPMENT

Wear materials that are chemical-resistant to this product as listed below. If you wear materials not listed below, wear a minimum of the following: long-sleeved shirt and long pants; chemical-resistant gloves, such as barrier laminate or nitrile rubber or neoprene rubber or vinyl; shoes plus socks.

USER SAFETY RECOMMENDATIONS

Wash hands before eating, drinking, smoking, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

SPILL CONTROL

Eliminate all ignition sources. Ventilate confined spaces. Keep people away. Remove fire product. Add sand, earth or other suitable absorbent to spill area. Keep product out of rivers and water courses. Advise authorities if product cannot be contained. Conform with applicable governmental regulations.

PILE PREVENTION

Use water spray to keep fire-exposed surfaces cool. Compatible with foam, water spray, dry chemical, carbon dioxide, or vaporizing liquid.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. STORAGE: Store in a cool, dry area, away from heat and open flame. Open dumping is prohibited.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. CONTAINER DISPOSAL (Metal): Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

CAUTION

- "Empty" containers retain residue (liquid and/or vapor) and can be dangerous.
- DO NOT PRESSURIZE, CUT, WELD, BRAZE, SOLDER, DRILL, GRIND, OR EXPOSE THIS CONTAINER TO HEAT, FLAME, SPARKS, OR OTHER SOURCES OF IGNITION; IT MAY EXPLODE AND CAUSE INJURY OR DEATH.
- Refer to the Material Safety Data Sheet for additional information.



Manufactured by:  
Exxon Mobil Lubricants and Petroleum Specialties Company  
A Division of Exxon Mobil Corporation  
3225 Gallows Rd., Fairfax, VA 22037

ORCHEX® 796B  
SPRAY OIL FOR  
BANANA/PLANTAIN CROPS

EPA Reg. 644-103 EPA Est. No. 00644-TX-1

ACTIVE INGREDIENTS	By Weight
Mineral Oil	100%
Unsulfonated Residue	92% Minimum
Superior Petroleum Oil (C <sub>2</sub> H <sub>5</sub> N)	

KEEP OUT OF REACH OF CHILDREN  
CAUTION  
MAY BE HARMFUL IF SWALLOWED OR INHALED

**First Aid**  
**Note to Physician:** Contains petroleum distillates. Do not induce vomiting. May cause aspiration pneumonia. Have the product container or label with you when calling a poison control center or going for treatment.  
**If swallowed:** Do not induce vomiting unless told to by a poison control center or doctor. Do not give anything to an unconscious person.  
**If in eyes:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing.  
**If on skin:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.  
**If inhaled:** Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.  
 Call a poison control center or doctor immediately for treatment advice.

**DIRECTIONS FOR USE**  
It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

FOR CONTROL OF YELLOW SIGATOKA (MYCOSPHARABELLA MUSICOLA) ON PLANTAINS AND BANANAS

AGRICULTURAL USE REQUIREMENTS

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment and restricted entry intervals. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Act. Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 4 hours. PPE required for entry into treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated such as plants, soil or water is:

1. Coveralls
2. Chemical-resistant gloves, such as barrier laminate or neoprene rubber or nitrile or vinyl
3. Shoes plus socks

CHEMIGATION PROHIBITION

Do not apply this product through any type of irrigation system.

REENTRY STATEMENT

Written or oral warnings must be given to workers who are expected to be in a treated area or in an area about to be treated with this product. When oral warnings are given, warnings shall be given in a language customarily understood by workers.

Written and oral warnings must include the following information: CAUTION - Area treated with Petroleum Oil on (Banana/Plantain crops). Do not enter without appropriate protective clothing within 4 hours of application. Required Protective Clothing: long-sleeved shirt, long-legged pants, neoprene gloves and overshoes, goggles and face protection.

GENERAL INSTRUCTIONS

Apply ORCHEX 796B to the foliage of Banana/Plantain plants (Musa species) at the rate of 1 to 1 1/4 gallons per acre (9 to 15 liters per hectare) for the control of Yellow Sigatoka (Mycosphaerella musicola). Repeat application every 14 days during the rainy season and every 21 days during the dry season. Apply by motorized backpack or air mist sprayer or by aerial application.

AERIAL APPLICATION INSTRUCTIONS

Avoid aerial applications under conditions when uniform coverage cannot be obtained or when excessive drift may occur. Do not have application when wind velocity exceeds 15 mph or when an atmospheric temperature inversion exists. Boom length must not exceed 75% of wing length or rotor diameter.

NOTICE:

EXXON MOBIL WARRANTS THAT THIS PRODUCT CONFORMS TO THE CHEMICAL DESCRIPTION ON THE LABEL THEREOF AND IS REASONABLY FIT FOR THE PURPOSES STATED ON SUCH LABEL, ONLY WHEN USED IN ACCORDANCE WITH THE DIRECTIONS UNDER NORMAL USE CONDITIONS. IT IS IMPOSSIBLE TO ELIMINATE ALL RISKS INHERENTLY ASSOCIATED WITH THE USE OF THIS PRODUCT. CROP INJURY, INEFFECTIVENESS, OR OTHER UNINTENDED CONSEQUENCES MAY RESULT BECAUSE OF SUCH FACTORS AS WEATHER CONDITIONS, PRESENCE OF OTHER MATERIALS OR THE MANNER OF USE OR APPLICATION, ALL OF WHICH ARE BEYOND THE CONTROL OF EXXON MOBIL CORPORATION. IN NO CASE SHALL EXXON MOBIL BE LIABLE FOR COMBUSTION, SPECIAL OR INDIRECT DAMAGE OR REPAIRS FROM THE USE OR HANDLING OF THIS PRODUCT. ALL SUCH RISKS SHALL BE ASSUMED BY THE BUYER, EXCEPT AS EXPRESSLY PROVIDED HEREIN. EXXON MOBIL MAKES NO WARRANTIES, GUARANTEES, OR REPRESENTATIONS OF ANY KIND, EITHER EXPRESSED OR IMPLIED, OR BY USAGE OF TRADE, STATUTORY OR OTHERWISE, WITH REGARD TO THE PRODUCT SOLD, INCLUDING, BUT NOT LIMITED TO, MERCHANTABILITY, FITNESS FOR PARTICULAR PURPOSE, USE OR ELIGIBILITY OF THE PRODUCT FOR ANY PARTICULAR TRADE USAGE.