

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS & DOMESTIC ANIMALS
CAUTION**

Harmful if swallowed. Keep out of reach of children. Avoid breathing spray mist. Avoid skin and eye contact. Wash thoroughly after handling and before eating or smoking.

Do not allow children or pets to contact treated surfaces until spray has dried. Do not use on plants. Do not allow spray to contact food, feedstuffs or water supplies. Thoroughly wash dishes and food handling utensils contaminated with this product. Remove pets and cover fish bowls before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Do not apply directly to water. Do not contaminate water by disposal of wastes. Apply this product only as specified on this label.

PHYSICAL HAZARDS

Do not use, or store near heat or open flame. Exposure to temperatures about 130°F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

STORAGE: If container is damaged. Stop any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear protective gear. On cleanup of spilled liquids wear protective equipment.

**PRENTOX
PYRONYL
1.2-2.4-4.0
EMULSIFIABLE
CONCENTRATE**

For use against the exposed stages of Confused Flour Beetles, Granary Weevils, Rice Weevils, Cadelle Infesting Grain and Food Storage Plants.

ACTIVE INGREDIENTS:	
Petroleum Distillates	80.4%
N-octyl bicycloheptene dicarboximide	4.0%
Piperonyl Butoxide, Technical*	2.4%
Pyrethrins	1.2%
INERT INGREDIENTS:	12.0%
	TOTAL 100.0%

*Equivalent to 1.92% (Butylcarbityl) (6-propylpiperonyl) Ether and 0.48% related compounds.

PRENTOX® - Registered Trademark of Prentiss Drug & Chemical Co., Inc.

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

STATEMENT OF PRACTICAL TREATMENT

If swallowed: Call a physician or Poison Control Center immediately. DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia.

If inhaled: Remove victim to fresh air.

If on skin: Remove contaminated clothing and wash affected areas with copious amounts of water.

If in eyes: Flush eyes with plenty of water. Call a physician immediately for further instructions.

SEE SIDE PANEL FOR
ADDITIONAL PRECAUTIONARY STATEMENTS

EPA REG NO 655-495

EPA EST NO. 655-GA-1

NET CONTENTS

LOT NO

STORAGE AND DISPOSAL (cont'd)

as required to prevent contact with the product or its vapors. Cover the spilled areas with generous amounts of absorbent material such as dry diatomaceous earth, sand, or sawdust. Sweep the contaminated absorbent on to a shovel and put the sweepings into a salvage drum. Dispose of wastes as below. Place any leaking container into a similar drum or glass container. Do not store, use, pour, or spill near heat or open flame.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

DIRECTIONS FOR USE (Cont'd)

DIRECTIONS: Dilute at rate of 1 gal. Concentrate with 4 gal. of water. Add some water to the sprayer tank first, then add this concentrate and stir. Make up to volume with water and agitate vigorously until a complete emulsion is obtained. The resulting water emulsion should be used fresh the same day and should not be allowed to stand overnight or longer. Spray the emulsion on grain storage bins, elevator booths, mill walls and floors, etc., paying special attention to cracks, crevices, and other insect hiding places. Do not spray on foodstuffs. Use the diluted spray at intervals of 1 to 2 weeks, or as needed. Alkaline surfaces such as cement, mortar, or calcined wood or metal, require more frequent applications than neutral surfaces. Food should be removed or covered during treatment or thoroughly washed before using. When using the product in these areas, apply only when the facility is not in operation.



Prentiss Drug & Chemical Co., Inc.

Plant: Kaolin Road
Sandersville, GA 31082

Office: C. B. 2000
Forest Park, GA 30024