Prentox Pyronyl Fly Spray EPA Registration No. 655-582



PYRONYL[™] FLY SPRAY

(For Application by Trained Personnel)
For use in Poultry Houses, Barns, Warehouses,
Storage Bins, and Storage Rooms.
CONTROLS HOUSE FLIES, STABLE FLIES,
HORN FLIES

TOTAL:

ACTIVE INGREDIENTS:	
Pyrethrins	0.62%
Piperonyl Butoxide Technical*	5.03%
INERT OTHER INGREDIENTS**	94.35%

*Equivalent to 4.02% (Butylcarbityl)(6-Propylpiperonyl) Ether and 1.01% related compounds.

**Contains Petroleum Distillates

PRENTOX* — Registered Trademark of Prentiss Incorporated EPA REG. NO. 655-582

EPA EST. NO. 655-GA-1

100.00%

	KEEP OUT OF REACH OF CHILDREN	
CAUTION		
FIRST AID		
Have the pro	oduct container or label with you when calling a poison control center or physician, or going for treatment.	
If swallowed	 Immediately call a Poison Control Center, physician, or the National Pesticide Telecommunications Network at 1-800-858-7378. 	
	Do not induce vomiting unless told to do so by the Poison Control Center or physician.	
	Do not give any liquid to the person.	
	Do not give anything by mouth to an unconscious or convulsing person.	
If on skin or clothing	Take off contaminated clothing.	
	Rinse skin immediately with plenty of water for 15-20 minutes.	
	Call a Poison Control Center, physician, or the National Pesticide Telecommunications Network at 1-800-858-7378 for treatment advice.	
If in eyes	Hold eye open and rinse slowly and gently with water for 15-20 minutes.	
	Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.	
	Call a Poison Control Center, physician, or the National Pesticide Telecommunications Network at 1-800-858-7378 for treatment advice.	
If inhaled	Move person to fresh air.	
	If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.	
	Call a Poison Control Center, physician, or the National Pesticide Telecommunications Network at 1-800-858-7378 for treatment advice.	
NOTE TO PH	IVSICIAN: Contains petroleum distillate vomiting may cause aspiration pneumonia.	
For information	n on this pesticide product (including health concerns, medical emergencies, or pesticide incidents), call the	
	cide Telecommunications Network at 1-800-858-7378.	
SEE SIDE	PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND DIRECTIONS FOR USE	

Manufactured by:

1.004

NET CONTENTS _____

PRENTISS INCORPORATED

Plant: Kaolin Road, Sandersville, GA 31082 Office: C.B. 2000, Floral Park, NY 11002-2000

ACCEPTED

APR 2 2002

Under the Federal Insecticide, Fundicide, and Redenticide Act, as amended, for the pesticide registered under EPA Reg. No. 655-582

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed. Avoid breathing vapor. Avoid contact with skin, eyes, or clothing. Wear mask or respirator of type recommended by NIOSH (National Institute for Occupational Safety or Health) to give adequate protection against this material. Wear protective clothing. Wash exposed skin with soap and water after handling and before eating. Wash all contaminated clothing with soap and water, separately from clothing, before re-use.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds and other wildlife. Do not apply directly to water. Do not contaminate water when disposing of equipment washwater. Apply this product only as specified on this label.

PHYSICAL HAZARDS

Do not use, or store near heat or open flame. Exposure to temperatures above 130° F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

CONTACT SPRAY — Diluted for Use with Sprayers that give large, wetting spray Particles — To kill Cockroaches and accessible stages of Granary Insects; Rice & Granary Weevil, Red Flour Beetle, Indian Meal Moth Larvae, Cadelles, Grain Mites and Saw-Toothed Grain Beetles. Cover or remove exposed food and close room. Dilute Concentrate with Oil at the rate of 1 part Concentrate plus 9 parts Oil, and mix well. Spray outside walls of grain bins, flooring, about base of milling machinery, walls and baseboards, areas behind cabinets, around pipes and other insect harbourages using 1 gal. of Spray per 1,000 sq. ft. of surface. Force spray into all cracks and crevices. Repeat applications as necessary. Infested stored food products should be furnigated or treated by other effective methods using an approved product intended for this purpose.

SPACE SPRAY — Undituted in Aerosol Generators — To kill Flies, Mosquitoes, Small Flying Moths & Gnats: Cover or remove exposed food and food handling surfaces. Close room and shut off all air conditioning or ventilating equipment. Apply at the rate of 2 to 6 oz. of undiluted Concentrate per 1,000 cu. ft. of space. Direct output from aerosol generator upward towards upper corners of room and ceiling. Leave room closed for one half hour. Do not remain in treated areas. Ventilate the area after treatment is completed. Sweep up and destroy fallen insects. Repeat as necessary.

SPACE SPRAY — Dilute 1 plus 4 with Base Oil for Use in Barns & Poultry Houses, Warehouses, Storage Bins & Storage Rooms — To control House Flies, Stable Flies & Horn Flies, apply as a fine mist over the livestock in stanchions or holding pens or over the poultry in cages or in pens. Use a fogger or mist generator, so spray is directed and applied above the animals and direct spray to center of the area where animals are housed. Apply 1 oz. per 1000 cu. ft., so that the spray mist is distributed uniformly throughout the entire area sprayed. Do not ventilate the area for at least 10 minutes after spray has been applied. If used in Dairy Barns, acrate the barn thoroughly before milking. Repeat daily, morning and afternoon, or as required. Keep sprayer unit reservoir and nozzle clean, to ensure proper delivery of spray mist or fog. Product to be used in mechanical sprayers, which give particle size aerosol range or smaller, such as ULV type.

SPACE SPRAY — For use in Mechanical Fogging Equipment — Kills Flies, Mosquitoes, Small Flying Moths & Gnats. Cover or remove exposed food and Food handling surfaces. Close room, making sure to shut off all air conditioning or ventilation equipment. Dilute Concentrate with Deodorized Kerosene at the rate of 1 part Concentrate with 9 part Deodorized and mix well. Apply at the rate of 50 fl. oz. of diluted spray per 25,000 cu. fl. of space. Make sure to direct the spray upward towards upper corners of room & ceiling. Keep room closed for one half hour after spraying. Do not remain in treated area. Ventilate after treatment is completed.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

STORAGE: If container is damaged: Stop any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear protective gear. On cleanup of spilled liquids, wear protective equipment as required to prevent contact with the product or its vapors. Cover the spilled areas with generous amounts of absorbent material, such as clay, diatomaceous earth, sand or sawdust. Sweep the contaminated absorbent on to a shovel and put the sweepings into a salvage drum. Dispose of wastes as below. Place any leaking container into a similar drum or glass container. Do not store, use pour or spill near heat or open flame. Do not store in car trunk where temperatures may exceed 120° F.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **CONTAINER DISPOSAL:** Triple rinse (or equivalent). Puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.