PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS (AND DOMESTIC ANIMALS) SULFUR

CAUTION: Harmful if swallowed. Avoid breathing dust or spray mist. May cause irritation of eyes, nose, throat and skin. Avoid contact with eyes, skin or clothing. In case of contact, flush with plenty of water, for eyes, get medical attention. Wash hands and skin thoroughly after using Avoid contamination of feed and foodstuff.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposer

PESTICIDE DISPOSAL

Pesticide, spley mixture or rinse water, that cannot be used according to label instructions must be disposed of according to Federal or approved state procedures.

CONTAINER DISPOSAL

Completely empty bag by shaking and tapping sides and bottom to loosen clinging particles. Empty residue into application equipment. Then dispose of bags in a sanitary landfill or by incineration if allowed by State and local authorities.

Do not use within 2 weeks of an oil spray treatment. Full coverage spray applications should be made. Always observe the printed CAUTIONS and follow the recommendations of the State Agricultural Experiment Station or State. Agricultural Extension Source where spraying is to be done.

A Weltable Sulfur Compound of Microecopic Finenes:
DUST or SPRAY

prentox*

Controls Apple Scab. For use as a pre-blossom spray and summer spray.

Controls Scab on Peaches, Brown Rol on Peaches, Plums and Cherries.

ACTIVE	INGREDIENTS:

Sulfur 96%
INERT INGREDIENTS: 5%

TOTAL: 100.00%

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Induce vomitting

IF ON SKIN: Wash thoroughly with soap and water

IF INHALED Take victim to fresh air

IF IN EYES: Wash with plenty of water and get medical attention

SEE SIDE PAMEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS FUNGICIDE

EPA REG. NO. 666-661

E.P.A. EST NO CONTE

NET CONTENTS:

BEST DUNCTAL THE TEACHER

DIRECTIONS

RUSHS

Diseases: Powdery Mildew, Leaf Spot, Black Spot, Rust.

Mix one-pound Prentor Sulfur in 10 gallons of water or apply drist from the can NOTE Used as a pray — Mix 8 tables poonstill in a little water to make a thin pastor add to 1 gallon water and agriculturing application. One pound makes 10 gallor diluted spray.

Apply as a dust or can be diluted with water for spray. For best results apply in early morning of late evening when the temperature is low and the air is still. Apply so all exposed parts are contacted, especially upper and lower feat surfaces. Do not treat during periods of excessively high temperature (above 90 final, damage to foliage may occur. Disease control roses should be preventive, so treat before damage appears and follow a regular rose, and

APPLES Disease: Scab

PRE-BLOSSOM APPLICATIONS Control of the Prentox Sulfur and Repounds of hydration of the Sulfur Sulfur and 2 pounds of Prentox Sulfur to 50 gallomof water.

PETAL FALL OR CALYX APPLICATION . pounds of Prentox Sulfur and is pound of hydrated lime to 25 gallons of water.

SUMMER APPLICATION AFTER THE CALYX STATE—2 pounds of Prentox Sulfur and 1 pounds of hydrated lime to 50 gallons of water.

PEACHES, PLUMS and CHERRIES Disease: Brown Rot and Peach Scab

2 pounds of Prentox Sulfur to 33 rigations of water are recommended for application before in an about after bloom for brown not blossom the procontrol on stone fruits. 2 pounds of Prentox Soult to 50 gallons of water are recommended for so it on peaches, and brown not near harvest peaches, plums, and chemies.

Sulfur may burn foliage when temperatures are excessively high (** (** 17 1) 11)

prentiss

Drug & Chemical Co Inc

Plant: Kaolin Road Sander e, GA: 31082

Office: C.B. 2000

JAN 2 J 1984

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Caution: Harmful if swallowed or inhaled. Avoid breathing dust. Avoid contact with eyes, skin or clothing. Wash thoroughly after handling.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not discharge into lakes, streams, ponds or public water except in accordance with an NPDES permit. For further guidance, contact the nearest EPA Regional Office.

PHYSICAL OR CHIMICAL HAZARDS

Keep away from excessive heat. Avoid storage near steampipes or raditors.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

STORAGE: Reclose container after each use. Store in a cool dry place away from food or feed. If spilled, sweep up and dispose of as below.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility

CONTAINER DISPOSAL: Completely empty bag into application equipment. Then dispose of bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

•

DIRECTIONS FOR USE (CONTINUED)

FORMILATORS ARE RESPONSIBLE FOR OBTAINING EPA REGISTRATION FOR THEIR FORMILLATED PRODUCTS.

DEST DUCUMENT AVAILABLE