

prentox®

ACCEPTED

AUG 18 1986

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 655-662

ALLETHRIN MOSQUITO ADULTICIDE FOR ULV FOGGERS

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed. Keep out of reach of children. Avoid breathing spray mist. Avoid skin and eye contact. Wash thoroughly after handling and before eating or smoking. Do not allow children or pets to contact treated surfaces until spray has dried. Do not allow spray to contact food, feedstuffs or water supplies. Thoroughly wash dishes and food handling utensils contaminated with this product. Remove pets and cover fish bowls before spraying.

ENVIRONMENTAL HAZARDS

This product is toxic to fish, birds, and other wildlife. Do not apply directly to water. Do not contaminate water by disposal of wastes. Apply this product only as specified on this label.

PHYSICAL HAZARDS

Do not use, or store near heat or open flame. Exposure to temperatures above 130°F may cause bursting.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

STORAGE: If container is damaged: Stop any leaks by repositioning the container or by patching or otherwise repairing the leaks. Take care to avoid contact with pesticide and wear protective gear. On cleanup of spilled liquids, wear protective equipment as required to prevent contact with the product or its vapors. Cover the spilled areas with generous amounts of absorbent material, such as clay, diatomaceous earth, sand, or sawdust. Dispose of wastes as below. Place any leaking container into a similar drum or glass container. Do not store, use, pour, or spill near heat or open flame.

ACTIVE INGREDIENTS:

Allethrin	12.00%
Related Compounds	1.34%
Piperonyl Butoxide, Technical*	60.00%
INERT INGREDIENT	26.66%
TOTAL:	100.00%

*Equivalent to 48% (Butylcarbityl) (6-propylpiperonyl) ether & 12% related compounds.

PRENTOX®—Registered Trademark of Prentiss Drug & Chemical Co., Inc.

KEEP OUT OF REACH OF CHILDREN CAUTION

STATEMENT OF PRACTICAL TREATMENT

If **swallowed:** Call a physician or Poison Control Center immediately. DO NOT INDUCE VOMITING. Vomiting may cause aspiration pneumonia.

If **inhaled:** Remove victim to fresh air.

If **on skin:** Remove contaminated clothing and wash affected areas with soap and water.

If **in eyes:** Flush eyes with plenty of water. Call a physician immediately.

SEE SIDE PANEL FOR
ADDITIONAL PRECAUTIONARY STATEMENTS

E.P.A. REG. NO. 655-662

E.P.A. EST. NO. 655-GA-1

NET CONTENTS _____

LOT # _____

STORAGE AND DISPOSAL (cont'd.)

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by State and local authorities.

DIRECTIONS FOR USE (Cont'd.)

This Concentrate can be used in Mosquito Adulticiding Programs in residential and recreational areas, swamps, marshes, and roadsides, or wherever adult mosquitoes are present in large numbers. Best results are obtained when there is a slight breeze — less than 5 miles per hour. Fog with breeze. Repeat applications as necessary.

FOR TRUCK MOUNTED LECO MACHINE (OR SIMILAR MACHINE): Objective is to treat terrain with .002 to .0025 pounds of Allethrin, and .010 to .0125 pounds of Piperonyl Butoxide per acre. Dilute 1 part of this Concentrate with 1.4 parts (weight) of Oil (such as mineral oil, fuel oil or deodorized kerosene), to give a solution containing 5% Allethrin plus 25% Piperonyl Butoxide. Fog this solution with a discharge rate of 2 to 2.25 fluid ounces per minute, while machine is moving 5 m.p.h., and pressure is set at 3 lbs. per square inch. Discharge nozzle is positioned approximately 30° above horizontal off side of truck bed. Delivery rate and traveling speed can be varied slightly, so long as the basis objective of .002 to .0025 pounds actual Allethrin per acre is maintained. Use swath width of 300 feet per acreage calculations.

FOR HUDSON BACK PACK #4712 (OR SIMILAR MACHINE): Strive for same poundage of Allethrin and Piperonyl Butoxide per acre as with LECO. Dilute this Concentrate 1 part, plus 17 parts (weight) of Oil (such as mineral oil, fuel oil or deodorized kerosene), to give a solution containing .67% Allethrin, plus 3.35% Piperonyl Butoxide. Fog this solution at the rate of 7 fluid ounces per acre, based on a 25-foot killing swath. The Hudson Back Pack is carried on the back of the individual treating the area. The individual should walk forward approximately 870 feet during discharge of the 7 fluid ounces. This is roughly at the pace of 2 miles per hour.



Manufactured by

prentiss

Drug & Chemical Co., Inc.

Plant: Kaolin Road
Sandersville, GA. 31082

Office: C.B. 2000
Floral Park, N.Y. 11001