655-764.

म्ब्यु_ं त

1-25-2001

ACCEPTED

JAN 25 2001

Under the Federal Insecticide, Pungicide, and Bodanicide Act, as amanded, for the posticide Registered under EPA Reg. No. 655-764

Prentox Dursban 2.32G Granular Insecticide EPA Registration No. 655-764



DURSBAN^{*} 2.32G GRANULAR INSECTICIDE

ACTIVE INGREDIENT:	
Chlorpyrifos (0,0-diethyl 0-(3,5,6-trichloro-2-pyridinyl) phosphorothioate)	2.32%
INACTIVE INGREDIENTS:	97. <u>68%</u>
Total:	100.00%

PRENTOX* — Registered Trademark of Prentiss Incorporated DURSBAN* — Registered Trademark of Dow AgroSciences, LLC

	KEEP OUT OF REACH OF CHILDREN
	CAUTION
	FIRST AID ORGANOPHOSPHATE Have label with you when obtaining treatment advice.
If swallowed	 Call a physician, Poison Control Center or the National Pesticide Telecommunications Network at 1-800-858-7378 immediately for treatment advice. Drink 2 glasses of water and induce vomiting by touching the back of the throat with finger.
,	Do not induce vomiting or give anything by mouth to an unconscious person.
If on skin	 In case of contact, immediately wash skin with soap and water. Call a physician, Poison Control Center or the National Pesticide Telecommunications Network at 1-800-858=7378 immediately for treatment advice.
If in eyes	Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes. Call of the design of the continue rinsing eyes.
	 Call a physician. Poison Control Center, or the National Pesticide Telecommunications Network at 1-800- 858-7378 immediately for treatment advice.
NOTE TO PI antidote.	INSICIAN — Active ingredient is cholinesterase inhibitor. Treat symptomatically. Atropine only by injection is an
	on on this pesticide product (including health concerns, medical emergencies, or pesticide incidents), call the National communications Network at 1-800-858-7378.
	SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA REG. NO. 655-764	EPA REG. NO. 655-GA-1
NET CONTENTS:	
LOT NO.	
Manufactured by:	

PRENTISS INCORPORATED

Plant: Kaolin Road, Sandersville, GA 31082 Office: C.B. 2000, Floral Park, NY 11002-2000

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if swallowed. Do not take internally. Avoid eye contact. Keep away from food, feedstuffs, and domestic water supplies. Personal Protective Equipment: Applicators and other handlers must wear long-sleeved shirt and long pants, waterproof gloves and shoes plus socks. Follow the manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for wishables, use detergent and hot water. Keep and wash PPE separately from other laundry.

User Safety Recommendations

Users should wash hands before eating, drinking chewing gum, using tobacco or using the toilet. Remove clothing intradiately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to birds, fish, and aquatic invertebrates. Birds feeding in treated areas may be killed. Clean up spilled product to reduce exposure to wildlife. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

Page 1 of 2

2/2

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Apply this product only as specified on this label. This product may not be applied around residences.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your State or Tribe, consult the agency responsible for pesticide regulation.

Agricultural Use Requirements

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and the handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on this label about personal protective equipment (PPE), and restricted-entry interval. The requirements in this box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 24 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is: coveralls, waterproof gloves, and shoes plus socks.

Non-Agricultural Use Requirements

The requirements in this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

Keep the public (especially children and pets) off treated areas until this material is washed into the soil and grass is dry

DIRECTIONS FOR USE APPROXIMATE SPREADER SETTINGS CYCLONE _______ 2%

The age, condition of spreader, speed of operation and roughness of turf will cause variations in rates applied. These suggested spreader settings are for your guidance only.

(Wash granules into soil with 30 gallons of water per 1,000 sq. ft.)

INSTRUCTIONS FOR USE ON GOLF COURSE TURF, INDUSTRIAL PLANT SITES, AND ROAD MEDIANS

CHINCH BUGS, SOD WEBWORMS, ANTS, EARWIGS, CRICKETS, CUTWORMS, BROWN DOG TICKS AND SOWBUGS (PILLBUGS): Spread uniformly at a rate of 1 pound per 1,000 sq. ft. In Northern states, make first application in May or June, or when insects first appear. Retreat as needed, usually in July or August. Consult your Extension Service Specialist as to exact timing of application. FOR PROFESSIONAL USE ONLY - THE CONTROL OF FIRE ANTS UNDER USDA/APHIS PPQ PROGRAM: Apply Prentox Dursban 2.32G for the control of Imported Fire Ants in nursery bench and potting media. Thoroughly mix 1 pound of this product per cubic yard

of media. Use equipment suitable to give uniform distribution of granules.
TO TREAT FIELD GROWN WOODY ORNAMENTALS (Balled and Burlapped Stock)

- 1. To be used as a preharvest treatment on non-food bearing field grown woody ornamentals, use this product in combination with an Imported Fire Ant Bait approved by U.S.D.A. (A.P.H.I.S./P.P.Q.) for use in the U.S.D.A. Fire Ant quarantine program.
- Apply this product 3 5 days after approved bait application, with equipment capable of uniform distribution at a rate of 260 lbs. per acre, or 4.5 lbs. per 750 square feet (6 lbs. A.I. per acre). This application will provide a 60 day certification period following a 30 day exposure period.
- To extend certification period, re-treat areas with this product every 90 days.
- Use this product only in accordance with U.S.D.A. guidelines.

Do not use plants for food or feed purposes which have been treated with this product.

COCKROACHES: To help prevent infestation of buildings by cockroaches. Treat band 6 to 10 feet wide around and adjacent to the building where pests are active and may find entrance. Treat at a rate of one pound per 1,000 square feet.

