

To Be Inserted where BARDAC 205-7.5 appears

Sanitizing of Food Processing Equipment and Other Food Surfaces in Food Contact Locations. For sanitizing food processing equipment, dairy equipment for utensils, dishes, silverware, glasses, and non-countertop refrigerated storage and display equipment and other hard non-porous surfaces. No Potable water rinse is required.

Wash and clean all articles thoroughly then apply a solution of 1 oz. BARDAC-205-7.5 in 4 gallons of water (150 ppm active). Surfaces should remain wet for at least one minute followed by adequate draining and air drying. Fresh solution should be prepared daily or when use solution becomes visibly dirty. For mechanical application, use solution may not be reused for sanitizing applications.

Apply to sink traps, drainpipes, refrigerated storage and display equipment and other stationary hard surfaces by cloth or brush or mechanical spray device. No Potable water rinse is required.

Dishes, silverware, glasses, cooking utensils and other similar use food processing equipment can be sanitized by immersing in a 1 oz / 4 gallon solution of BARDAC-205-7.5. No Potable water rinse is required.

At 1 oz / 4 gallons BARDAC-205-7.5 fulfills the criteria of Appendix E of the Grade "A" Pasteurized Milk Ordinance 1978 Recommendations of the U.S. Public Health Service in water up to 800 ppm of hardness calculated as CaCO₃, when evaluated by the AOAC Germicidal and Detergent Sanitizer Method against Escherichia coli and Staphylococcus aureus.

The udder tanks and teats of dairy cows can be sanitized by washing with a solution of 1 oz. BARDAC-205-7.5 in 4 gallons of warm water. No Potable water rinse is required. Use a fresh towel for each cow. Avoid contamination of sanitizing solution by dirt and soil. Do not dip udder teats back into sanitizing solution. When solution becomes visibly dirty, discard and provide fresh solution.

Precautionary Statements

Hazards to Humans and domestic animals

DANGER

Keep out of reach of children. Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Harmful if swallowed. Do not breath spray mist. Avoid contamination of food.

STORAGE AND DISPOSAL

- DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL
- OPEN DUMPING IS PROHIBITED
- DO NOT REUSE EMPTY CONTAINER

PESTICIDE DISPOSAL

PESTICIDE OR RINSE THAT CANNOT BE USED OR CHEMICALLY REPROCESSED SHOULD BE DISPOSED OF IN A LANDFILL APPROVED FOR PESTICIDES OR BURIED IN A SAFE PLACE AWAY FROM WATER SUPPLIES

CONTAINER DISPOSAL

TRIPLE RINSE (OR EQUIVALENT) AND DISPOSE IN AN INCINERATOR OR LANDFILL APPROVED FOR PESTICIDE CONTAINERS, OR BURY IN A SAFE PLACE

GENERAL

CONSULT FEDERAL, STATE OR LOCAL DISPOSAL AUTHORITIES FOR APPROVED ALTERNATIVE PROCEDURES SUCH AS LIMITED OPEN BURNING

DISINFECTANT SANITIZER

Disinfectant-Sanitizer Fungicide-Deodorizer with Organic Soil Tolerance for Hospital, Institutional Industrial, School, Dairy and Other Farm Use

Active Ingredients

Alkyl (C ₁₄ - 50%; C ₁₂ - 40%; C ₁₀ - 10%) dimethyl benzyl ammonium chloride	ACCEPTED USES	3.000%
Octyl decyl dimethyl ammonium chloride	2.250%	
Didecyl dimethyl ammonium bromide	1.125%	
Diocetyl dimethyl ammonium chloride	1.125%	
Inert Ingredients	registered, for the Pesticide Act under EPA Reg. No.	92.500%
		100.000%

KEEP OUT OF REACH OF CHILDREN

DANGER

Statement of Practical Treatment

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution; or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

EPA Registration No.

713-

EPA Establishment No.

713-Tx

Net Contents

MANUFACTURED BY:

ATLAS MFG. COMPANY
DALLAS, TEXAS

Directions for Use GENERAL CLASSIFICATION

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Apply BARDAC-205-7.5 with a cloth, mop or directional spray device. When applied with a mechanical spray device, surface must be sprayed until thoroughly wetted. Treated surfaces must remain wet for 10 minutes. Fresh solution should be prepared daily or when the use solution becomes visibly dirty.

Disinfection in Hospitals, Nursing Homes and Other Health Care Institutions. For disinfecting floors, walls, countertops, bathing areas, lavatories, bed-frames, tables, chairs, garbage pails and other hard non-porous surfaces.

Add 35 oz. BARDAC-205-7.5 to 4.5 gallons water. Apply to previously cleaned hard surfaces. At this use level, BARDAC-205-7.5 is effective against *Pseudomonas aeruginosa*, *Staphylococcus aureus* and *Salmonella choleraesuis* in the presence of 5% blood serum when evaluated by the AOAC Use-Dilution test.

Disinfection in Institutions, Industry and Schools. Add 2 oz. of BARDAC-205-7.5 to 4.5 gallons of water. At 0.5 oz. to 2.25 gallons of water use level, the fungicidal effectiveness of BARDAC-205-7.5 in the presence of 5% blood serum against *Trichophyton mentagrophytes* has been shown utilizing the AOAC Fungicidal Test.

Disinfection of Barber Tools. Procleaned barber tools (such as combs, brushes, razors, and scissors) can be disinfected by immersing in a 0.5 oz./gallon solution of BARDAC-205-7.5.

Disinfection of Poultry Equipment, Animal Quarters and Kennels. Poultry brooders, watering founts, feeding equipment and other animal quarters (such as stalls and kennel areas) can be disinfected after thorough cleaning by applying a solution of 2 oz. BARDAC-205-7.5 to 4.5 gallons of water. Small utensils should be immersed in this solution.

Prior to disinfection, all poultry, other animals and their feeds must be removed from the premises. This includes emptying all troughs, racks and other feeding and watering appliances. Remove all litter and droppings from roofs, walls and other surfaces occupied or traversed by poultry or other animals.

After disinfection, ventilate buildings, coops and other closed spaces. Do not house poultry or other animals or employ equipment until treatment has been absorbed, set or dried.

All treated equipment that will contact feed or drinking water must be rinsed with potable water before reuse.

1/81



BEST DOCUMENT AVAILABLE

7/3-36

-2-

- e. We recommend that you verify your EPA Establishment Number with your Regional EPA office located in Dallas, Texas, for the appropriate EPA Establishment Number. An application form is enclosed for your convenience.
- f. For consistency, delete the letter "s" from the word "chlorides" within the first active ingredient on the front panel.
- g. For the label size submitted, the STORAGE AND DISPOSAL heading and the Child Hazard Warning "KEEP OUT OF REACH OF CHILDREN" would require a 12 point type size minimum and the signal word DANGER (front panel only) would require an 18 point type size minimum.
- h. Within the "Disinfection in Institutions, Industry and Schools" section of the Directions for Use (middle right panel), correct the spelling of the word "Mentagrophytes."
- i. This product requires the following statement to be placed on the label: "ONLY FOR SALE TO, USE, AND STORAGE BY SERVICEPERSONS." This statement must be at least the same type size as the Child Hazard Warning statement and preferably placed on the upper front panel. Refer to the 40 CFR 162.16, "Pesticides Requiring Special Packaging," and the Federal Register, Vol. 46, No. 41, Tuesday, March 3, 1981, pp. 15104-15109, "Clarification of Policy Issues on Special Packaging," for guidance and proper submission requirements.
- j. Submit five (5) copies of your final printed labeling before you release the product for shipment. Refer to the A-79 Enclosure for a further description of final printed labeling.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(c). Your release for shipment of the product constitutes acceptance of those conditions.

A stamped copy of the label is enclosed for your records.


John H. Lee
Product Manager (31)
Disinfectants Branch
Registration Division (78-767c)

Enclosures

BEST DOCUMENT AVAILABLE