

173

SUREGARD BRAND
7-1/2% CAPTAN DUST

RECEIVED
per self Cont
OCT 13 1987
EPA Reg. No. 769-249

ACTIVE INGREDIENTS:	
Captan -----	7.39%
Related Derivatives -----	0.16%
INERT INGREDIENTS: -----	92.45%
	100.00%

EPA Reg. No. 769-249 EPA Est. 769-GA-1

KEEP OUT OF REACH OF CHILDREN
DANGER - PELIGRO

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta le haya sido explicada ampliamente.

STATEMENT OF PRACTICAL TREATMENT

IF IN EYES: Flush eyes immediately with fresh water for 15 minutes. Call a physician. IF SWALLOWED: Drink promptly a large quantity of milk, egg whites, gelatin solutions, or if these are not available, drink large quantities of water. Avoid alcohol. IF ON SKIN: Wash with plenty of soap and water. IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferably mouth-to-mouth. Get medical attention.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER! Causes irreversible eye damage. Harmful if swallowed or inhaled. May cause allergic skin reactions. Do not get in eyes. Wear goggles or face shield when handling. Avoid contact with skin and clothing. Remove and separately launder clothing before reuse.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not apply directly to water or wetlands (swamps, bogs, marshes or potholes). Drift and runoff from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water by cleaning of equipment or disposal of wastes.

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling. READ ENTIRE LABEL. USE STRICTLY IN ACCORDANCE WITH PRECAUTIONARY STATEMENTS AND DIRECTIONS, AND WITH APPLICABLE STATE AND FEDERAL REGULATIONS.

REENTRY STATEMENT

Keep all unprotected persons out of operating areas or vicinity where there may be danger of drift. Do not allow persons to enter treated areas within 4 days following application unless a long sleeved shirt and long pants or a coverall that covers all parts of the body except the head,

BEST AVAILABLE COPY

hands and feet and chemically resistant gloves are worn. ~~Conspicuously post reentry information at site of~~ application. Certain states may require more restrictive reentry intervals; consult your State Department of Agriculture for further information. Written or oral warnings regarding use of protective clothing and accidental exposure must be given to workers who are expected to be in treated areas or in areas about to be treated.

USE PRECAUTIONS: Wear goggles or face shield when handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing and separately launder clothing before reuse. Mixers/loaders when mixing and loading this product must wear a long sleeved shirt and long pants or a coverall that covers all parts of the body except the head, hands and feet. Wear chemical resistant gloves, goggles or a face shield and a chemically resistant apron. Fieldworkers and harvesters must wear chemical resistant gloves. Leather or fabric gloves are not acceptable. A dust mask must be worn when mixing and loading this product. During application only, if from a tractor with a completely enclosed cab, a long sleeved shirt and long legged pants must be worn. Chemically resistant gloves must be available in the cab and worn while exiting.

AFTER WORK: Take off all clothes and shoes. Shower using soap and water. Do not wear contaminated clothing. Wash protective clothing and equipment with soap and water after each use. Personal clothing worn during use must be laundered separately from household articles. Clothing and protective equipment heavily contaminated or drenched with captan must be destroyed according to state and local regulations.

Do not apply this product through any type of irrigation system.

PEACHES: To control brown rot and scab, apply at the rate of 25 to 30 lbs. per acre using ground equipment. This product will not control insects and should be used only as a supplement to the regular spray or dust program when disease control alone is needed. For control of diseases listed, application of this product or another fungicide should be made as indicated.

DUST SCHEDULE: (1) PETAL-FALL when all petals are off; (2) SHUCK-FALL or FIRST COVER when 3/4 shucks are off; (3) SECOND COVER 7 to 10 days later; (4) THIRD COVER 12 to 14 days after the second cover; (5) FOURTH COVER 14 days after third cover; (6) 6 WEEKS BEFORE HARVEST of each variety; (7) 4 WEEKS BEFORE HARVEST of each variety; (8) 2 WEEKS BEFORE HARVEST of each variety; (9) 1 WEEK BEFORE HARVEST

BEST AVAILABLE COPY

3/3

STRAWBERRIES: Botrytis fruit rot. Apply 40 to 50lbs. per acre beginning as soon as new growth starts and repeat at weekly intervals immediately after each picking.

Do not apply under conditions involving possible drift to food, forage or other plantings that may be damaged or the crops thereof rendered unfit for sale, use or consumption.

STORAGE AND DISPOSAL

STORAGE: Store pesticide in original container and place in a locked storage area. Opened pesticide containers should be securely resealed prior to storage. Protect from penetration of moisture, excessive heat or cold. Avoid cross-contamination with other pesticides or fertilizers. Use caution when storing pesticides in stacks.

PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of federal law. If these wastes cannot be disposed of by use according to label


instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Completely empty bag into application equipment then dispose of empty bag in a sanitary landfill or by incineration or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

NOTICE: The seller makes no implied warranty of merchantability nor any other warranties which extend beyond the description on this label.

NET WEIGHT: 50 LBS.

MANUFACTURED FOR
SURECO, INC.
FORT VALLEY, GA 31030



BEST AVAILABLE COPY