### MIXING DIRECTIONS

Mix with water by agitation or by circulating the mixture through the spray pump and back into the tank. A proper mixture will have the appearance of a milky emulsion with no free oil on the surface. Agitate before use until a uniform milky emulsion is formed.

### DIRECTIONS FOR USE

Allow at least 2 months before and after treatment before cultivating or mowing. Apply after harvest only in accordance with local recommendations.

### FOR CONTROL OF PINE MICE in Apple Orchards

Use 3 pts. per 100 gal, of water. Boom applications—apply 100 gal, of spray in a band 11 ft, wide and 670 ft, long on each side of the tree row (350 to 400 gal, per acre). Hand-gun application—apply 11 gal, of spray under each tree. Treat from base of the tree to one or two feet beyond the drip line. In order to penetrate ground cover to reach pine mice trail systems, apply sprays at 500 psi pressure.

### FOR CONTROL OF MEADOW MICE in Apple Orchards

Lise 2 pts. per 100 gal. of water Saturate ground cover under trees (300 to 350 gal. per acre). Follow Boom or Hand Gun Application directions under Pine Mice.

### **USE PRECAUTIONS**

POST TREATED AREAS. Do not allow entry into treated areas for at least 30 days after application.

Do not graze treated areas, cut for hay or allow fruit drop to be used for any purpose.

NURSERY, ORNAMENTALS, FLOWERING PLANTS Cyclamen Mites

USE 212 pts per 100 gal of water. Spray when insects first appear and repeat at 3 week intervals. Thoroughly cover all foliage.

NOTICE: Follow directions carefully. Timing and method of application, weather and original indicates mixtures with other chemicals not specificately reinfluenced and other influencing factors in the use of this project are beyond the appropriate for the second Buyer assumes are risks of use strange or harring of this materia. If in siril a or lance with directions given herealth



# ENDRIN 1.6E

(1.6 lbs. Endrin per Gallon)

### INSECTICIDE



Keep out of reach of children.

See right side panel for additional warnings and antidote.

Active ingredients	
Endrin (Hexachloroepoxyoctahydro-endo,	
endo-dimethanonaphthalene)	20.0%
Petroleum Hydrocarbons	
Inert ingredients	4.80%

E.P.A. Reg. No. 802-317-AA



### PRECAUTIONS IN USING

Do not apply or allow to drift to areas occupied by unprotected humans or beneficial animals. Do not contaminate feed and foodstuffs. During commercial or prolonged exposure in spray-mixing or loading operations, wear clean, synthetic rubber gloves and a mask or respirator of a type passed by the U.S. Bureau of Mines for protection against Endrin.

This product is highly toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Keep out of lakes, streams and ponds. Apply this product only as specified on this label. Do not apply where runoff is likely to occur. Do not apply when honey bees are foraging in the field.

Rinse equipment and containers and dispose of wastes by burying in a pit in non-crop lands away from water supplies. Containers should be disposed of by breaking or by punching holes in them and burying with wastes. Do not contaminate water by cleaning of equipment, or disposal of wastes.

## DANGER! POISONOUS IF SWALLOWED, INHALED OR ABSORBED THROUGH SKIN! RAPIDLY ABSORBED THROUGH SKIN

Do not get in eyes, on skin, or on clothing. Do not breathe vapor or spray mist. Wash thoroughly with soap and water after handling and before eating or smoking. Wear clean clothing. In case of spillage on person or clothing, immediately remove all contaminated clothing and flush skin or eyes with plenty of water. For eyes get medical attention, Keep away from heat and open flame.



## ANTIDOTE AND FIRST AID TREATMENT— CALL A PHYSICIAN IMMEDIATELY IN ALL CASES OF SUSPECTED POISONING!

INTERNAL: If the material has been swallowed, induce vomiting immediately. This may be done by introducing a finger into the throat or by giving warm salt water (1 tablespoon of salt to a glass of water). Repeat until vomit fluid is clear. NEVER GIVE ANYTH NG BY MOUTH TO AN UNCONSCIOUS PERSON. Keep patient prone and quiet.

**EXTERNAL:** If spilled on the skin, remove all contaminated clothing and wash with soap and running water. If the material gets into the eyes wash immediately with running water for at least 15 minutes.

NOTE TO PHYSICIAN: In case of poisoning, administer barbiturates as tor anti-convulsant therapy. Observe patient carefully since repeated treatments may be necessary.