


THIODAN* - SEVIN* 310D

(3% THIODAN* + 10% SEVIN* DUST)

AGRICULTURAL INSECTICIDE

for

FILBERTS



Active ingredients

Endosulfan (Hexachlorohexahydromethano-2,4,3-benzodioxathiepin Oxide)†	3%
Carbaryl (1-naphthyl N-methylcarbamate)	10%
Inert ingredients	87%

FILBERT WORM, FILBERT APHID

Use 40 lbs. per acre. Apply when air is calm, using ground equipment or aircraft. Make thorough coverage of trees with uniform deposit of dust. Application should be made only by experienced personnel using approved safety equipment.

For Filbertworms, the first application should be made within a few days after moth emergence. The extended period of emergence requires that a second application be made three weeks after the first. These applications will also control any Filbert Aphids present.

For Filbert Aphids only consult State Agricultural Extension Service for additional information consistent with label directions and cautions.

*THIODAN is the Reg. T.M. of Canadian Hoechst, Ltd.

†U.S. Patent No. 2,799,685

*SEVIN is the Reg. T.M. of the Union Carbide Corp.

U.S. Patent No. 2,903,478

NOTICE: This product is highly toxic to fish and wildlife. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

U.S.D.A. Reg. No. 802-432

MP-3E

CAUTION - Keep out of reach of children.

Harmful if swallowed, inhaled or absorbed through the skin. Do not breathe dust. Do not take internally. Skin contact may be harmful. Avoid contact with skin, eyes, or clothing. In case of contact with skin or eyes, flush with plenty of water. For eyes, get medical attention. Wash hands with soap and running water after handling and before eating or smoking. Take shower or bath after work. Wear regular long sleeved work clothing. Change to clean clothing daily. Workers entering treated areas within 24 hours of application should wear protective clothing.

Avoid contamination of foodstuffs. Avoid contamination of feed, feeding troughs and watering receptacles.

Do not apply when weather conditions favor drift from the areas treated. Do not allow this material to drift onto neighboring crops or non-crop areas, or use in a manner or at a time other than in accordance with label directions because animal, plant or crop injury, illegal residues, or other undesirable results may occur.

This product is toxic to fish and wildlife. Keep out of any body of water. Do not apply where runoff is likely to occur. Do not contaminate water by cleaning of equipment or disposal of wastes. Apply this product only as specified on this label.

This product is toxic to bees and should not be applied when bees are actively working in the area.

Dispose of wastes by burying in non-crop areas away from water supplies. Containers should be disposed of by punching holes in them and burying with wastes.

NOTE TO PHYSICIAN Carbaryl is a moderate, reversible, cholinesterase inhibitor. Atropine is antidotal.