

# SUPER

# SLASH

## CONCENTRATED

## LIQUID

# SANITIZER - DETERGENT

**DANGER: KEEP OUT OF REACH OF CHILDREN**

**SEE BACK PANEL FOR FIRST AID AND ADDITIONAL PRECAUTIONS**

Container Disposal: When empty rinse container thoroughly with water and destroy it by crushing or burying in a safe place.

**ACTIVE INGREDIENTS:**

n-Alkyl (50% C<sub>14</sub>, 40% C<sub>12</sub>, 10% C<sub>16</sub>) Dimethyl Benzyl Ammonium Chlorides 5.0%

**INERT INGREDIENTS:**

Water, Octyl Phenoxy Polyethoxy Ethanol, Ethanol 95.0%

Manufactured by

## ALEX. C. FERGUSON COMPANY

FRAZER, PA. 19355

**ACCEPTED**

FEB 7 1975

UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTER-  
ED UNDER NO.

SANITIZATION for meat at processing plants, first clean through use of automatic disinfectant. Use SUPER SLASH at a rate of 1/2 oz. per gallon with a rinse solution containing 1/2 oz. per gallon water rinse prior to re-use for sanitation.

DEODORIZATION: To deodorize meat containing 1/2 oz. of SUPER SLASH cleaner designed for use in meat processing plants. As directed, SUPER SLASH will remove odors from meat. It may be relied upon in meat processing and other areas where obnoxious odors are present.

KEEP OUT OF REACH OF CHILDREN. Do not get in eyes, on skin or on clothing. Avoid contamination of food.

FIRST AID—In case of contact with skin, wash with water for 15 minutes. For eyes, call a physician immediately.

If swallowed, drink promptly with water. If water not available, drink large quantities of water.

NOTE TO PHYSICIAN—Precautions against circulatory system.

NET CONTENT

E. P. A. Reg. No. 833-68

ED

# TERGENT


## CAUTIONS

Destroy it by crushing or burying in a safe place.

5.0%

95.0%

COMPANY



## DIRECTIONS

**SANITIZATION** for meat and other departments. To sanitize walls, floors and equipment in food processing plants, first clean thoroughly with a solution containing 1/2 ounce of Super Slash through use of automatic dispensing pump per gallon of water. If surface is heavily soiled, use SUPER SLASH at a rate of 2-3 ozs. per gal. to insure thorough cleaning. Sanitize cleaned surface with a rinse solution containing 1/2 oz. of SUPER SLASH per gal. of water. Rinse with a potable water rinse prior to re-use for food contact surfaces.

**DEODORIZATON:** To deodorize surfaces during cleaning, mop or brush surfaces with a solution containing 1/2 oz. of SUPER SLASH per gal. of water. SUPER SLASH is an effective sanitizing cleaner designed for use in industrial and institutional cleaning, (non medical). When used as directed, SUPER SLASH will deodorize hard surfaces, such as floors, walls, counter tops and furniture. It may be relied upon to deodorize bathroom areas, garbage pails, food storage areas, and other areas where obnoxious odors may develop.

## DANGER

**KEEP OUT OF REACH OF CHILDREN.** Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling. Harmful if swallowed. Avoid contamination of food. **DO NOT Mix with Soap or other Detergents.**

**FIRST AID**—In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before re-use.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

**NOTE TO PHYSICIAN**—Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

NET CONTENT

GALLON

E. P. A. Reg. No. 833-68

Rev. 12-74