



869-237

12-17-2003

1/5

Please read instructions on reverse before completing form.

Form Approved. OMB No. 2070-0060. Approval expires 2-28-95



United States
Environmental Protection Agency
Washington, DC 20460

Registration
 Amendment
 Other

OPP Identifier Number
259579

Application for Pesticide - Section I

1. Company/Product Number 869-237	2. EPA Product Manager LaRocca	3. Proposed Classification <input type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) Green Light Many Purpose Dust	PM# 13	
5. Name and Address of Applicant (Include ZIP Code) Green Light Company P.O. Box 17985 San Antonio, TX 78217-0985 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____	NOTIFICATION DEC 17 2003
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.	
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.	

Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Revised front panel CAUTION statement to read: "See Back Panel For Additional Precautionary Statements." Please see highlighted text on attached label. This notification is consistent with the provisions of PR Notice 98-10 and EPA regulations at 40 CFR 152.46, and no other changes have been made to the labeling or the confidential statement of formula for this product. I understand that it is a violation of 18 U.S.C. Sec. 1001 to willingly make any false statement to EPA. I further understand that if this notification is not consistent with the terms of PR Notice 98-10 and 40 CFR 152.46, this product may be in violation of FIFRA and I may be subject to enforcement action and penalties under sections 12 and 14 of FIFRA.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No		<input type="checkbox"/> Metal	<input type="checkbox"/> Plastic
* Certification must be submitted		If "Yes" Unit Packaging wgt.	No. per container	<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
		If "Yes" Package wgt.	No. per container	<input type="checkbox"/> Other (Specify)	
3. Location of Net Contents Information <input type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(s) Retail Container		5. Location of Label Directions <input type="checkbox"/>	
6. Manner in Which Label is Affixed to Product			<input type="checkbox"/> Lithograph <input type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled		

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Nora M. Hodge	Title Registration Specialist	Telephone No. (include Area Code) (210) 494-3481
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received (Stamped)
2. Signature <i>Nora M. Hodge</i>	3. Title Registration Specialist	
4. Typed Name Nora M. Hodge	5. Date 11/20/2003	

2/5

GREEN LIGHT MANY PURPOSE DUST

NOTIFICATION

DEC 17 2003

CONTAINS DELTA DUST

Indoor/Outdoor Long-Lasting Odorless Non-Staining Kills on Contact

Fast, Effective Kill of Fire Ants No Watering In Treats 30 Fire Ant Mounds

Kills Insects for up to 8 Months Guaranteed to Work or Your Money Back

Controls Ants, Fleas, Ticks, Spiders, Scorpions, Termites and Other Insect Pests

ACTIVE INGREDIENT:

Deltamethrin [(s)-alpha-cyano-3-phenoxybenzyl(1R, 3R)-3-(2,2-dibromovinyl)-2,2-dimethyl cyclopropanecarboxylate.....

0.05%

OTHER INGREDIENTS.....

99.95%

100.00%

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Back Panel For Additional Precautionary Statements

EPA Reg. No. 869-237

EPA Est. No. 73273-TX-1

Net Weight 1 lb. (454 gm)

Manufactured for Green Light Company, P.O. Box 17985, San Antonio, TX 78217-0985


www.greenlightco.com (210) 494-3481

(Back Panel)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: May be harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling.



3/5

FIRST AID

If on skin or clothing

- . Take off contaminated clothing.
- . Rinse skin immediately with plenty of water for 15-20 minutes.
- . Call a poison control center or doctor for treatment advice.

If in eyes

- . Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- . Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- . Call a poison control center or doctor for treatment advice.

HOT LINE NUMBER

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact the National Pesticide Information Center at 1-800-858-7378 for general information and/or medical information.

ENVIRONMENTAL HAZARDS: This product is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water. Use with care when applying in areas adjacent to any body of water. Do not contaminate water when disposing of equipment washwater.


DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

Storage: Store product in original container in a cool, dry, locked place out of the reach of children.
DISPOSAL: If empty-Do not reuse this container. Place in trash or offer for recycling if available. If partly filled-Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

IMPORTANT: Read the entire Directions for Use, Precautions and Disclaimer of Warranty before using this product. Green Light Many Purpose Dust is a ready-to-use insecticide dust which exhibits effective knockdown and residual control against the pests listed when used according to label directions. Green Light Many Purpose Dust can be used for long-lasting pest control in and around homes and their immediate surroundings. Permitted areas of use include, but are not limited to: animal quarters, apartments, household greenhouses, houses, mobile homes and recreational vehicles and ornamentals.
 This product is intended for application with a hand duster, or from the container to hiding and runway areas and other places where insects are found.

INDOOR USE: In living areas, make applications in such a manner as to avoid deposits on exposed surfaces or introducing the material into the air.
 Apply lightly and uniformly to infested areas. Pay particular attention to cracks and crevices, service ducts, false



floors and ceilings, wall voids, around electrical and telephone fittings and equipment, around water and sewer pipes, under and behind cabinets, refrigerators and sinks, around windows and door frames, along baseboards, in attics and crawl spaces. The amount to be applied will vary with the site, but should usually be in the range of 0.5 lbs. per 1,000 square feet. Repeat as necessary to maintain adequate control.

ANTS, BOXELDER BUGS, COCKROACHES (INCLUDING BOTH RESISTANT AND NON-RESISTANT STRAINS), CRICKETS, FLEAS, FIREBRATS AND SILVERFISH: Apply Green Light Many Purpose Dust thoroughly to all areas where these pests crawl and hide, especially in those areas described above. For ANTS, apply to ant trails, around doors and windows and other places where ants enter premises.

TERMITES, CARPENTER ANTS AND CARPENTER BEES: Apply to voids or channels in damaged wooden members of a structure; to cracks, spaces or bearing joints between wooden members of a structure; or between such members and the foundation; and in locations vulnerable to termite attack. Drilling may be necessary prior to applying dust in these locations, but it must be recognized that such drilling and treating of timber in a particular location may not result in complete coverage of infested and vulnerable voids or galleries. This dust can be applied in attics and crawl spaces to prevent entry of drywood and formosan termites at a rate of 0.5 lb. per 1,000 square feet of floor area. In these treatments, all vents and blowers should be closed. Inspect at 6 months and one year to insure that colony has been killed. Repeat if necessary.

The purpose of such applications of Green Light Many Purpose Dust is to kill workers or winged forms which may be present in the treated channels at the time of treatment and to impart a temporary resistance at these places to attack which may aid in the prevention of immediate reinfestation. Such applications are not substitute for mechanical alteration, soil treatment or foundation treatment but merely a supplement. This supplemental treatment can be particularly supportive of new construction.

CENTIPEDES, GROUND BEETLES, MILLIPEDES, SCORPIONS, SPIDERS AND SOWBUGS (PILLBUGS): Apply dust along and behind baseboards, to window and door frames, corners, pipes, storage locations, attics, crawl spaces, and other areas where these pests may enter or crawl.

WASPS AND BEES: It is generally advisable to treat wasp and bee nests in the evening when insects are less active and have returned to the nest. Wear protective clothing if deemed necessary to avoid stings. Using hand or power duster or other suitable means, with extension tubes if necessary, thoroughly dust nest, entrance and surrounding areas where insects alight. Nests in wall voids can be located by listening with your ear against the wall. Drill a hole in the area, blow dust in and reseal. For ground wasps, dust entrance and surrounding areas. For best results, check nests carefully one or two days after treatment to ensure complete kill, then remove and destroy nest to prevent emergence of newly hatched insects. If removal is not feasible, retreat the nest, if necessary. Do not use this product to treat overhead nests.

WEBBING CLOTHES MOTHS: Use Green Light Many Purpose Dust as a crack and crevice treatment in closets and other storage areas where these pests are found. This is an adjunct treatment and will not control moth larvae already on the clothes. DO NOT apply this product directly to clothing.

CARPET BEETLES (BLACK, FURNITURE, COMMON AND VARIED): Dust where these insects are found, for example: on and under edges of floor coverings, around baseboards, under rugs and furniture and in closets.

BEDBUGS: Apply dust thoroughly to all areas where these pests are typically found including: folds and tufts of mattresses, coils of springs, upholstery of chairs and sofas, picture frame moldings and all cracks and crevices in the room should be treated. Allow powder to remain in contact with surface for 4-6 hours. Thoroughly vacuum treated areas, dispose of vacuum bag and place clean linens on bed.

STORED PRODUCT PESTS: To aid in the control of the exposed stages of: cadelles, cheese mites, cigarette beetles, confused flour beetles, dark meal worms, drugstore beetles, grain mites, granary weevils, lesser grain borers, merchant grain beetles, red flour beetles, rice weevils, rusty grain beetles, saw-toothed grain beetles, spider beetles, tobacco moths, yellow meal worms. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before use. Exposed food should not be covered or removed. Clean up waste materials, dust, dirt and other debris. Thoroughly treat floors, walls and other surfaces in storage and handling areas. Apply dust in cracks and crevices, behind and under cupboards and other difficult to reach areas where insects may hide. DO NOT apply directly on food, utensils or on areas where food is stored.

ORNAMENTAL PLANT PESTS: For the control of: aphids, beet armyworms, blister beetles, boxelder bugs, certain leafminers (Boxwood, Holly, Oak, Spruce, Needle), elm leaf beetle, flea beetles, Japanese beetle, leafhoppers, leafrollers, orange tortrix, periodical cicada, plant bugs, rose chafer, rose midges, rose slugs, tent caterpillars, thrips, weevils.

SHRUBS AND ORNAMENTALS: Apply when insects or their damage first appear and repeat at weekly intervals or as necessary. Apply 8 ounces per 1,000 square feet; or thoroughly apply to place a thin layer of dust on both upper and lower sides of leaves, stems and flowers.

ROSES, PETUNIAS, CHRYSANTHEMUMS, GERANIUMS, CARNATIONS AND OTHER RELATED FLOWERS: To control many leaf and flower chewing insects, apply as soon as the insect appears and repeat at 7 day intervals or as long as insects continue to appear. Apply a thin layer of dust on both upper and lower sides of leaves, stems and flowers.

OUTDOOR USE

PERIMETER TREATMENT: Use Green Light as a residual treatment for control of: ants, bees, centipedes, cockroaches, crickets, firebrats, fleas, ground beetles, millipedes, scorpions, silverfish, slugs, sowbugs (pillbugs), spiders, ticks and wasps. Make a residual treatment around windows and doors, porches, screens, eaves, patios, garages, under stairways, in crawl spaces and other areas where pests hide. To help prevent the invasion of buildings and structures by these pests, apply thoroughly and uniformly to the foundation and crawl spaces where pests are active and may find entrance.

FLEAS AND TICKS IN RODENT BURROWS: To control fleas and ticks in and around rodent burrows around homes and other buildings, apply dust with a shaker can. Thoroughly apply dust to adequately cover mound and around the perimeter (18" from the outer edge). Be sure to treat abandoned rodent burrows which are suspected of containing fleas and ticks. Treat for a minimum of 5 days for light rodent populations, 10 days when populations are dense. Apply as needed for control.

USE DIRECTIONS FOR FIRE ANT TREATMENT

IMPORTED FIRE ANT MOUND TREATMENT: Apply Green Light Many Purpose Dust with a shaker can. Thoroughly apply dust to adequately cover mound and around the perimeter (18" from the outer edge of the mound). A second treatment may be necessary if complete control is not obtained. **DO NOT DISTURB THE MOUND PRIOR TO APPLICATION.** If possible, treat all colonies in the vicinity. Also, treat colonies which have not yet constructed a mound.

(Alternate Directions - Evenly sprinkle one tablespoon (approximately 1/2 oz.) of Green Light Many Purpose Dust over the top of each mound. Do not water in or disturb the mound. Apply when temperatures are between 65 and 80 F. Allow 3 to 4 days for maximum control, then repeat as necessary. Food utensils such as a teaspoon or measuring cup should not be used for food after use with pesticides.)

NOTICE: Buyer assumes all responsibility for safety and use not in accordance with directions.

