VELSICOL

Belt[®]-40% W.P.

Agricultural Insecticide

ACTIVE INGREDIENT:

void ter. 1 of

z on

ter.

Call

aste.

for

on

icol

ex-

Technical Chlordane* 40.0%
INERT INGREDIENTS 60.0%
TOTAL 100.0%

Equivalent to 24% Octachloro-4.7-methanotetrahydroindane and 16% related compounds.

CAUTION

KEEP OUT OF THE REACH OF CHILDREN

See Left Panel for Antidote and Additional Precautionary Statements

NET CONTENTS: 50 POUNDS

EPA Reg. No. 876-172-AA

VELSICOL CHEMICAL CORPORATION

341 East Ohio Street, Chicago, Illinois 60611

DIRECTIONS FOR USE

	Insects	DOSAGE Broadcast		RATES Row	
CROP (or USE)		Pounds of Belt 40WP Granules/ Acre	Lb./acre Technical Chlordane	Pounds of Belt 40WP Granules/ Acre	Lb./acre Technical Chlordane
Corn (field & sweet) (use suspended effec- tive August 1, 1976)	White grubs (in the State of Michigan only)	7.5-12	2.5-4	6	2
	Cutworms	7.5-12	2.5-4	<u> </u>	
	White fringed beetle larvae (for use only in 8 S.E. States: AL, FL, GA, LA, MS, NC, SC, TN)	7.5-15	2.5-5		
Beans, beets, broccoli, brussels sprouts, cabbage, cantaloupe, cauliflower, celery, collards, cucumbers, eggplant, kale, kohlrabi, lettuce, melons, okra,	White grubs (in the State of Michigan only)	7.5-12	2.5-4	6	2
	White fringed beetle larvae (for use only in 8 S.E. States: AL, FL, GA, LA, MS, NC, SC, TN)	7.5-15	2.5-5		
onions, peas, peppers, pimentos, potatoes, radishes, rutabagas, squash, sweet potatoes, tomatoes, turnips, watermelon					
Apples, apricots, cherries, nectarines, pears, plums, prunes, quinces, blackberries, grapes, huckleberries, loganberries, raspberries, strawberries	White grubs (in the State of Michigan only)	7.5-12	2.5-4		
	White fringed beetle larvae (for use only in 8 S.E. States: AL, FL, GA, LA, MS, NC, SC, TN)	7.5-15	2.5-5		
Strawberries (for pre-	Root weevil larvae	. Ju	10		
plant application only)	Rootworms	15-30	5-10		
NONCROPLANDS	Imported fire ants*	4.5 (max.)	1.5 (max.)		

^{*}For fire ant control make mound application only. Apply thoroughly to mound, Do not contaminate food or feed crops.

NOTE: Where row treatment is desirable, application should be made at planting time using suitable row equipment.

A 7-10 inch band is recommended for control of white grubs in vegetables; row treatment of corn should be in a 7-inch band. Minimum rates should be based on no less than a 7-inch band. For best control, a broadcast application is recommended.

ACCEPTED

MAY 17 1976

Under the Federal Insecticide, Fungicide, and Rouenticide Act, as amended, for the pesticide registered under EPA Reg. No. 876 - 172

WARNING

May be fatal if swallowed! Do not breathe vapor, dust or spray mist.


Do not get on skin. In case of contact, wash immediately with soap and water.

Do not contaminate feed or foodstuffs. Keep out of reach of children.

Rinse equipment and containers and dispose of wastes by burying in non-crop lands away from water supplies. Containers should be disposed of by punching holes in them and burying with waster, or by burning. (Keep out of smoke.)

This product is toxic to fish, birds and other wildlife. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

02 129-140



VELSICOL

Heptachlor 40

DUST BASE

ACTIVE INGREDIENTS:

Heptachlor*		40.0%
Related Compounds	· · · · · · · · · · · · · · · · · · ·	15.5%
INERT INGREDIENTS:		. 44.5%
	TOTAL	100.0%

*Heptachlorotetrahydro-4, 7-methanoindene

NET WEIGHT 50 LBS.

E.P.A. Reg. No. 876-183-AA

WARNING

KEEP OUT OF REACH OF CHILDREN
See other precautions on side panel

VELSICOL CHEMICAL CORPORATION
341 E. Ohio Street, Chicago, Illinois 60611

FOR MANUFACTURING PURPOSES ONLY

For Use by Formulators in the Preparation of Insecticidal Dusts

NOTICE: Because Velsicol Chemical Corporation has no control over storage, handling, and conditions of use, which are of critical importance, Velsicol Chemical Corporation makes no representation or warranty, either express or implied, for results or residues greater than any tolerance which may be established by appropriate governmental agencies, due to misuse, improper handling or storage of this material. Nor does Velsicol Chemical Corporation assume any responsibility for injury to persons, crops, animals, scil or property arising out of misuse, improper handling or storage of this material.

ACCEPTED

JAN 19 1773

FUNDER THE FEDERAL INSECTICIDE FUNGICIDE AND RODENTICIDE ACT FOR ECONOMIC POISON REGISTERED UNDER NO. 276. "SUBJECT TO ATTACHED COMMENTS.

VELSICOL

CHLOROHEPTON No. 5

FOR MANUFACTURING USE ONLY

ACTIVE INGREDIENTS:	
Technical Chlordane*	58.7%
Heptachlor**	
Related Compounds	7.9%
INERT INGRÉDIENTS:	12.0%
TOTAL	100.0%

- *Equivalent to 35.2% octachloro-4,7-methanotetrahydroindane and 23.5% related compounds.
- **Heptachlorotetrahydro-4,7-methanoindene

NET CONTENTS: 55 GALLONS

E.P.A. Reg. No. 876-181

WARNING

KEEP OUT OF THE REACH OF CHILDREN

See side panel for Antidote and Additional Warning Statements

VELSICOL CHEMICAL CORPORATION 341 E. Ohio Street, Chicago, Illinois 60611

WARNING

May be fatal if swallowed. Do not breathe vapors. Do not get on skin. Do not contaminate foodstuffs or food containers.

Avoid contamination of livestock feeds.

This product is toxic to fish, wildlife, and birds. Do not contaminate water by cleaning of equipment or disposal of wastes.

ANTIDOTE

EXTERNAL: In case of spillage wash promptly with

soap and water.

INTERNAL: Emetic of 1 tablespoonful of mustard in a

tumbler of warm water. Call a physician.

CONTAINER DISPOSAL DO NOT REUSE EMPTY CONTAINER

Rinse equipment and containers and dispose of wastes by burying in noncroplands away from water supplies.

Containers should be disposed of by punching holes in them and burying with wastes or by burning. Keep out of smoke.