



H NO HOOKS H WR BL DR

TOXAPHENE 40% DUST

AN INSECTICIDE FOR FORMULATING USE

ACTIVE INGREDIENT:

Toxaphene (technical chlorinated camphene—67-69% chlorine)

INERT INGREDIENTS:

WARNING: May be fatal if swallowed. Do not get on skin, in eyes, or on clothing. Wash Moroughly after using. Can be absorbed rough skin.

This product is toxic to fish, birds, and other wildlife. Keep out of lakes, streams, or pond. Do not contaminate water by cleaning of equipment or disposal of wastes. Rinse equipment and dispose of wastes by burying in noncrop lands away from water supplies. Do not reuse containers for other purposes. Avoid contamination of feed and foodstuffs.

ANTIDOTE:

INTERNAL: Give sodium chloride 15 g (one tablespoonful of table salt) in a glass of warm water and repeat until vomit is clear. Call a doctor immediately.

EXTERNAL: Wash with soap and water

NOTE: For additional information on the properties, handling, and use of Hercules Toxaphene 30% Dust refer to Hercules Product Data Bulletin Number 220.1.

50.7 POUNDS - 23.0 KU OS GROSS MEIGHT 50.0 POUNDS - 22.7 KILOS NET WEIGHT

HERCHIEF INCORD CAME MARK AN WASSANTO FRANK TO ME AND A CONTRACTOR AND A C

PHYSICIAN'S NOTE: Toxaphene phornees central nervous system excitation that responds to barbituric acid derivatives. Prevent or control convulsions with barbitu rates, preferably administered intravenously If the barbiturate can be given before convulsions start, sodium pentobarbital is the drug of choice. Since toxaphene has a fairly long duration of action, a long-acting parbiturate such as phenobarbital may be used after initial control of convulsions. Refer to "Clinical Handbook of Economic Poisons," which was prepared by the U.S. Department of Health. Education, and Welfare, Public Health Ser vice, Communicable Disease Center, Atlanta. Georgia.

WARNING: KEEP OUT OF REACH OF CHILDREN

EPA REGISTRATION NO. 891-11-AA

MADE PA

AGMICHITURAL CHI MICALS

· 医自动系统 的程序的打造规范的是102000

11 S 1