

904-239 PM17 123



3610 FOGGING CONCENTRATE

ONLY FOR SALE TO, USE AND STORAGE BY SERVICE PERSONS (Statement For Sizes Over One Gallon)

FOR USE IN HOMES, RESTAURANTS, FOOD PROCESSING PLANTS, WAREHOUSES, AND INDUSTRIAL INSTALLATIONS.

ACTIVE INGREDIENTS:	By Weight
Pyrethrins	3.0%
*Piperonyl Butoxide, Technical	6.0%
+N-Octyl Bicycloheptene Dicarboximide	10.0%
Isoparaffinic Petroleum Hydrocarbons	81.0%
TOTAL	100.0%

*Equivalent to 4.8% (butylcarbityl)(6-propylpiperonyl) ether and 1.2% related compounds +MGK-264 Insecticide Synergist

EPA Reg. No. 904-239

EPA Est. No. 72-PA-1

KEEP OUT OF REACH OF CHILDREN

CAUTION

CAUCION

PRECAUCION AL USUARIO: Si usted no lee ingles, no use este producto hasta que la etiqueta haya sido explicado

ampliamente.

STATEMENT OF PRACTICAL TREATMENT

Call a physician or Poison Control Center. Do not induce IF SWALLOWED:

> vomiting. Vomiting may cause aspiration pneumonia. Do not induce vomiting or give anything to an unconscious or

convulsing person. Flush with plenty of water. Get medical attention if IF IN EYES:

irritation persists.

Remove contaminated clothing. Immediately wash affected IF ON SKIN:

area with soap and water. Launder clothing before reusing.

Get medical attention if irritation persists.

Remove victim to fresh air. Apply respiration if indicated. IF INHALED:

Empty stomach if material was taken internally. NOTE TO PHYSICIAN:

Gastric lavage may be indicated. If symptoms of cholinesterase inhibition are present, atropine is antidotal. 2-PAM is also antidotal and may be ad-

ministered in conjunction with atropine.


SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

Pratt-Gabrie: Division MILLER CHEMICAL & FERTILIZER CORPORATION Hanover, Pennsylvania 17331

NET CONTENTS:

1 GALLON LIQUID 5 GALLONS LIQUID 30 GALLONS LIQUID

55 GALLONS LIQUID





PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS: CAUTION -- Harmful if swallowed, inhaled, or absorbed through the skin. Avoid contact with eyes, skin and clothing. Avoid breathing vapors - spray mist. Wear a pesticide respirator jointly approved by the Mining Enforcement and Safety Administration (formerly the U.S. Bureau of Mines) and by the National Institute for Occupational Safety and Health under the provisions of 30 CFR Part 11. Wash thoroughly after handling. Wash hands, face and arms with soap and water before eating and smoking. Wear chemical resistant gloves and longsleeved work clothing. Change to clean clothing daily. Wash all contaminated clothing with soap and hot water before reuse. Do not remain in treated area. Ventilate the area thoroughly before re-entry. Do not apply to animals or human beings. Do not use in poultry houses. Remove pets, birds, and cover fish aquariums before spraying. Do not apply in a food processing plant while plant is in operation. When applied, in a food processing plant, remove or protect food during treatment. Facilities and equipment must be thoroughly washed with an acceptable detergent solution and then rinsed with potable water to remove all traces of contamination.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Do not apply directly to water or wetlands. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not apply when weather conditions favor drift from areas treated. Apply this product only as specified on this label.

PHYSICAL OR CHEMICAL HAZARD

Do not use or store near heat or open flame. Keep container closed and store in a cool place.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

STORAGE & DISPOSAL .

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in tightly closed, original container in a locked area away from children and domestic animals.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. Do not cut or weld metal containers. Do not reuse empty container. Plastic containers may be incinerated or burned if allowed by state and local authorities. If burned, stay out of smoke. Do not reuse empty container.

DIRECTIONS

GENERAL: This Concentrate is designed for use undiluted in mechanical sprayers ""
which produce aerosol size particles, such as the LECO Mini ULV or Micro-Gem
Micron Generator. It can be diluted with refined kerosenes which meet Pood Additive Regulations 121.1182 and can be applied in fogging equipment that gives larger
than aerosol particle size, such as Microsol or Challenger machines. It dan also
be diluted with oil specified above and applied as a contact spray to kill crawling insects shown later on this label.

SPACE SPRAY-UNDILUTED IN AEROSOL GENERATORS-TO KILL FLIES, MOSQUITOES, SMATL FLYING MOTHS AND GNATS: Cover or remove exposed food and food handling surfaces. Close room and shut off all air conditioning or ventilating equipment. Apply at the rate of 1 oz. of undiluted Concentrate per 1,000 cu. ft. of space. Direct output from aerosol generator upward towards upper corners of room and ceiling. Leave room

closed for one-half hour. DO NOT REMAIN IN TREATED AREAS AND VENTILATE AREA BEFORE RE-ENTRY. Do not apply this undiluted spray in facilities operating under USDA poultry, meat, rabbit and egg products inspection program.

SPACE SPRAY-DILUTED FOR ORDINARY MECHANICAL FOGGING EQUIPMENT - TO KILL FLIES, MOSQUITOES, SMALL FLYING MOTHS AND GNATS: Cover or remove exposed food and food handling surfaces. Close room and shut off all air conditioning or ventilating equipment. Dilute Concentrate with oil at the rate of 1 part Concentrate plus 29 parts of oil and mix well. Apply at the rate of 50 fl. oz. dilute spray (0.4 gal.) per 25,000 cu. ft. of space. Direct fog upward towards upper corners of room and ceiling area. Leave room closed for one-half hour. DO NOT REMAIN IN TREATED AREAS AND VENTILATE ROOM THOROUGHLY BEFORE RE-ENTRY.

CONTACT SPRAY-DILUTED FOR USE WITH SPRAYERS THAT GIVE COARSE WETTING SPRAY PARTICLES TO KILL COCKROACHES AND ACCESSIBLE STAGES OF GRANARY INSECTS: GRANARY WEEVILS, RICE WEEVILS, CONFUSED FLOUR BEETLES, RED FLOUR BEETLES, INDIAN MEAL MOTH LARVAE AND ADULTS, CADELLES, GRAIN MITES, AND SAW-TOOTHED GRAIN BEETLES. Cover or remove exposed food and close room as described above. Dilute Concentrate with oil at the rate of 1 part Concentrate plus 29 parts of oil and mix well. Spray outside walls of grain bins, flooring, about base of milling machinery, walls and base-boards, areas behind cabinets, and around pipes using 1 gal. spray per 1,000 sq. ft. of space. Force spray into all cracks and crevices. Repeat application as necessary.

CONTACT AND SPACE SPRAY-UNDILUTED-TO KILL COCKROACHES, SILVERFISH, EARWIGS, ANTS, SPIDERS, IN SHELTERED SITUATIONS: Adjust spraying device to deliver a coarse wet spray. Apply as a contact spray into all cracks and crevices in woodwork, walls, floors, underneath sinks, behind pipes and in all places where these insects shelter. Contact as many insects as possible. Do not allow spray to contact stored food. Then adjust sprayer to deliver aerosol size particles. Apply as a space spray at the rate of one-half fl. oz. per 1,000 cu. ft. of room space. Repeat dosage as necessary for control. Leave the room closed for 1 hour. DO NOT REMAIN IN TREATED AREAS AND VENTILATE AREA BEFORE RE-ENTRY. Do not apply this undiluted spray in facilities operating under USDA poultry, meat, rabbit, and egg products inspection program.

NOTE: This spray when diluted properly as described, and applied per the directions and cautions given above, conforms with Fcod Additive Regulations 121.1074, 121.1075, and 121.1205 and the food additive tolerances established thereunder. Additionally, when diluted and used according to label directions, this spray will meet specifications for use under USDA poultry, meat, rabbit, and egg products inspection program.

LIMITED WARRANTY: Buyer assumes all risks of use, storage or handling of this material not in strict accordance with directions given herewith.