935-70

Pogo 193

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

MAY 28 1996

Occidental Chemical Corporation Technical Center. V-81 P.O. Box 344 Niagara Falls, NY 14302

Attention: Walter F. Suchanek

Senior Regulatory Specialist

Subject: Towerbrom 90M, One Inch Tablets EPA Registration Number 935-70

Eight Month Response to the Chlorinated Isocyanurate

Reregistration Eligibility Document (RED)

The amendment referred to above, submitted in response to the Reregistration Eligibility Document, in accordance with section 4(g)(2)(b) of the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable subject to the following comments:


The Precutionary Statements should read:

"Corrosive. Causes irreversible eye damage or skin burns. May be fatal is swallowed. Harmful if absorbed through skin or inhaled. Do not get in eyes, on skin or on clothing. Avoid breathing dust. Wear goggles or face shield. Wear protective clothing and rubber gloves. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash clothing before reuse.

The Statements of Practical Treatment should read: 2.

IF SWALLOWED: Call a physician or Poison Control Center. Drink large amounts of water and induce vomiting by touching back of throat with finger. person is unconscious, do not give anything by mouth and do not induce vomiting.

Wash with plenty of soap and water. IF ON SKIN: medical attention.



EPA Form 1320-1A (1/90)

Printed on Recycled Paper

☆ U.S. GOVERNMENT PRINTING OFFICE 1935 - 619-457

IF INHALED: Remove victim to fresh air. If not breathing, give artificial respiration, preferable mouth-to-mouth. Get medical attention.

IF IN EYES: Hold eyelids open and flush with steady, gentle stream of water for 15 minutes. Get medical attention.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

- 3. The Child-resistant packaging is recommended for products which are intended for residential use.
- 4. Delete "& related Isocyanurates" from the ingredient statement.

A stamped copy is enclosed for your records. Submit one copy of the final printed label before you release the product for shipment bearing the amended label.

If you have any questions concerning this letter, please contact Delores Williams at (703) 305-7109.

Sincerely,

WS

Walter C. Francis Acting Product Manager (32) Antimicrobial Program Branch Registration Division (7505C)

PRECAUTIONARY STATEMENTS HAZARD TO HUMANS AND DOMESTIC ANIMALS

DANGER

CORROSIVE, CAUSES EYE AND SKIN DAMAGE, IRRITATING TO NOSE AND THROAT, HARMFUL OR FATAL IF SWALLOWED.

Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Avoid breathing dust or fumes. Wash thoroughly with soap and water after handling. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARD

This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and addressed in an NPDES permit. Do not discharge effluent containing this product into sewer system without previously notifying the sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of EPA.

PHYSICAL OR CHEMICAL HAZARD

STRONG OXIDIZING AGENT. Will burn with the evolution of chlorine and equally toxic gases. Contact with water slowly liberates irritating and hazardous chlorine containing gases. Decomposes at 460°F to 480°F with liberation of harmful gases.

Mix only with water. Use clean, dry utensils. DO NOT add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture organic material, or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible fire and explosion.

IN CASE OF FIRE OR SMOKE:

If possible, isolate in open air or well ventilated area. Flood with large volume of

IN CASE OF CONTAMINATION OR DECOMPOSITION: DO NOT reseal

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal

STORAGE: Keep container tightly closed. Store in a dry place. DO NOT ALLOW WATER TO GET INTO CONTAINER. Keep container off wet floors.

PESTICIDE DISPOSAL: Pesticide wastes are acutely toxic. Improper disposal of excess posticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance. Clean equipment and for dispose if equipment wash water in a manner to avoid contamination of water resources.

CONTAINER DISPOSAL:

For Fibre Drums: Completely empty liner by shaking and tepping sides and bottom to loosen clinging particles. Empty rectain into application equipment. Then dispose of liner in a sanitary landfill or by incineration as allowed by state and local authorities. If drum is contaminated and cannot be reused, dispose of in the same manner.

a design

For Plastic Pails: Trigle rinse (or equivalent). Then offer forms, cling or reconditioning, or puncture and dispose of in a sanitary landfile, or incineration, or, if allowed by State and local authorities, by burning, if burned, stay out of

. JWERBROM® 90M. ONE INCH TABLETS

ACTIVE INGREDIENT:	
Trichloro-s-triazinetrione and related isocyanurates	92.9%
Sodium Bromide	6.9%
INERT INGREDIENTS	0.2%
	100.0%

Contains 83% available Provides 187% available. with continued use in accordance with the Directions for Use

TOWERBROM 90M is a high performance bromine microbiocide. When used as directed, TOWERBROM 90M ONE NICH TABLETS will aid to the control of organic stimes of aligne, becteria and tungl in recrealation water of condensing and cooling equipment.

KEEP OUT OF REACH OF CHILDREN

DANGER

STATEMENT OF PRACTICAL TREATMENT (FIRST AID)

IF SWALLOWED, drink large amounts of water. DO NOT induce vomitting. Avoid alcohol. Call a physician or poison control center immediately.

IF IN EYES, flush with plenty of water for 15 minutes. Get medical attention.

IF ON SKIN: Immediately brush off excess chemical and flush with plenty of water. Remove contaminated clothing. Wash clothing before reuse. GET MEDICAL ATTENTION If irritation persists.

IF INHALED: Remove to fresh air. GET MEDICAL ATTENTION.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

See side panel for DIRECTIONS FOR USE

EPA Est. No. 58401-MO-1 EPA Reg. No. 935-70

Occidental Chemical Corporation Basic Chemicals Group Dallas, Texas 75380 214-404-3800 24 Hour Emergency Phone: 1-800-733-3665

NET WT 50LBS./22.7 KG

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling

RECIRCULATING COOLING WATER SYSTEMS

TOWERBROM 90M ONE INCH TABLETS aid in the control of bacterial, lungal and algal slimes in evaporative condensers, heat exchanger water systems, commercial and industrial cooling towers, ornamental fountains, influent systems such as flow through filters, lagoons, industrial water scrubbing systems and cooling systems for brewery pasteurizers. This product may be added to the system continuously or intermittently as needed by the direct placement of ONE INCH TABLETS into the water at a point where the dissolved ONE INCH TABLETS will be uniformly mixed. The frequency of feeding and duration of the treatment will depend on the severity of the contamination. Badly fouled systems must be cleaned before treatment is begun.

FOR CONTROL OF BACTERIA, FUNGI AND ALGAE

intermittent or slug method

Initial Dose: When the system is noticeably fouled, add TOWERBROM 90M ONE INCH TABLETS at the rate of 0.5 to 1.0 pounds (15-30 tablets) per 1000 gallons of water (60-120 ppm) in the system to achieve 1-5 ppm total residual halogen as chlorine, as measured by a suitable test kit. Repeat dosage until residual is

Subsequent Dose: When microbial control is evident, add TOWERBROM 90M ONE INCH TABLETS at the rate of 0.1 to 0.5 pounds (3-15 tablets) per 1000 gallons of water in the system to achieve 1 ppm total residual halogen as chlorine, as determined by a suitable test kit. Repeat dosage until residual is achieved.

Continuous feed method

Initial Dose: When the system is noticeably fouled, add TOWERBROM 90M ONE INCH TABLETS at the rate of 0.5 to 1.0 pounds (15-30 tablets) per 1000 gallons of water in the system to achieve 1-5 ppm total residual halogen as chlorine, as measured by a suitable test kit. Repeat dosage until residual is achieved.

Subsequent Dose: When microbial control is evident, add TOWERBROM 90M ONE INCH TABLETS at the rate of 0.1 to 0.1 pounds (3-15 tablets) per 1000 gallons of water in the system to achieve 1 ppm total residual halogen as chlorine, as determined by a suitable test kit. Repeat desage until residual is achieved

> ACCEPTED with COMMENTS in EPA Letter Dated:

> > MAY 28 1996

Under the Federal Insecticide, Funcicide, and Rodenticide Act as amended for the pesticide e gistered under EPA Reg. No.

W

-1.59