

SOLD TO GRADUATE VETERINARIANS ONLY

R 282

10% SOLUTION

# ROCCAL<sup>®</sup>

## POWERFUL DISINFECTANT—SANITIZER

Active ingredients — n-alkyl\* dimethyl benzyl ammonium chlorides.....10%  
\*(67% C12, 25% C14, 7% C16, 1% C8, C10, C18)

Inert ingredient — Water.....90%

NOTE: This product must be diluted as directed before use. After use of entire contents, rinse empty container thoroughly with water and discard it.

### DANGER: Keep Out of Reach of Children.

Corrosive. Causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Protect eyes and skin when handling. Harmful if swallowed. Avoid contamination of food.

**FIRST AID:** In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Call a physician immediately.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression, and convulsion may be needed.

1 GALLON

**Winthrop**

# ROCCAL<sup>®</sup>

## Directions for Dilution

Dilute with water as directed.

For Roccal 1:625 (1600 ppm) approx., add and stir 2 oz. (4 tablespoons) of Roccal 10% in 1 gallon of water.

For Roccal 1:1250 (800 ppm) approx., add and stir 1 oz. (2 tablespoons) of Roccal 10% in 1 gallon of water.

For Roccal 1:2500 (400 ppm) approx., add and stir ½ oz. (1 tablespoon) of Roccal 10% in 1 gallon of water.

## INSTRUCTIONS FOR USE

For general disinfection of contaminated environmental surfaces in veterinary hospitals, first clean with a good detergent.\* Then apply Roccal solution 1:625. For routine sanitization of floors, walls, kennels, animal cages, furniture, etc. where terminal disinfection is not required, use Roccal solution 1:2500. For sanitization of porous articles or surfaces difficult to clean, use Roccal solution 1:1250.

Cationic detergents such as trisodium phosphate, sodium carbonate, and sodium borate are compatible with Roccal, and may be used with Roccal solutions when indicated. Soap and other anionic detergents should not be used in conjunction with Roccal, as the germicidal efficiency is thereby reduced.

\*When soap or an anionic detergent is used for cleansing, rinse with water before sanitizing.

EPA Reg. No. 944-2-AA

EPA EST. 944-PA-1

Veterinary Department

Winthrop Laboratories Division of Sterling Drug Inc. New York, N. Y. 10016

RW 5K

Made in U. S. A.

ACCEPTED