

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Apply recommended amounts in sufficient water to obtain thorough coverage, usually five gallons per 1,000 sq. ft. of turf area:

DOLLAR SPOT (*Sclerotinia homoeocarpa*) - Apply Bromosan-F at 4 fl. oz. per 1000 sq. ft. beginning early spring as a preventive and continued 7 to 10 day intervals during the disease season.

COPPER SPOT (*Gloeocerospora sorghi*), **BROWN PATCH** (*Rhizoctonia solani*) and **LEAF SPOT** (*Helminthosporium sp.*) - Apply 5 fl. oz. per 1000 sq. ft. as preventive; during hot humid weather it may be necessary to increase the dosage to 8 fl. oz. per 1000 sq. ft.

SNOW MOLD (*Fusarium nivale* and *Typhula sp.*) - For fall application before first snow cover apply 12 to 16 fl. oz per 1000 sq. ft. For mid-winter application or during spring thaw, apply 6 fl. oz. per 1000 sq. ft.

DO NOT APPLY TO SNOW COVERED TURF.

GENERAL INFORMATION

"BROMOSAN-F" is a specifically formulated flowable for use in fine Turfgrass areas, such as Golf Greens and Fairways for Turf Diseases. "Bromosan-F" is not phytotoxic, nor will it discolor THE FINEST BENTGRASSES, BLUE GRASSES, FESCUE OR THEIR MIXTURES.

EPA REG NO. 1001-62

BROMOSAN-F

FLOWABLE BROMOSAN TURF FUNGICIDE

For prevention and control of Dollar Spot, Copper Spot, Brown Patch, Leaf Spot, and Snow Mold

Active Ingredients:
Thiram (Tetramethylthiuram disulfide)
Diethyl 4,4'-o-phenylenebis(3-thioallophanate)
Inerts

Contains 3.14 lbs Thiram per gallon
Contains 1.09 lbs Thiophanate technical per gallon

NET CONTENTSGALLON

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side panel for additional precautionary statements and Statement of Practical Treatment.

W-A-CLEAR-Y
CORPORATION

1049 SOMERSET ST.

68

BEST DOCUMENT AVAILABLE

ACCEPTED
 SEP 18 1980
 Under the Federal Insecticide,
 Fungicide, and Rodenticide Act,
 as amended, for the pesticide
 registered under
 EPA Reg. No.

EPA EST NO 1001-NJ-1

STATEMENT OF PRACTICAL TREATMENT

If swallowed induce vomiting with a mixture of salt, soap in warm water. Call a physician immediately.
 Avoid contact with eyes, skin, or clothing. Avoid breathing spray mist.
 In case of contact wash off skin or eyes immediately, with plenty of water.
 For eyes, call a physician.
 Do not take alcohol before or after exposure to this product. Contact may cause allergic reactions

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of any body of water.
 Do not apply where conditions favor drift from areas treated.
 Do not contaminate water by cleaning of equipment or disposal of wastes.
 Apply this product only as specified on this label.
 Do not graze animals on treated areas or feed clippings to livestock.

STORAGE AND DISPOSAL

Prohibitions—Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse container.
Pesticide Disposal—Pesticide, spray mixture, or rinsate that can not be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.
Container Disposal—Triple rinse (or equivalent) and dispose in an incinerator or landfill approved for pesticide containers, or bury in a safe place.
General—Consult federal, state or local disposal authorities for approved alternative procedures such as limited open burning.

BROMOSAN-F

FLOWABLE BROMOSAN TURF FUNGICIDE

For prevention and control of Dollar Spot, Copper Spot, Brown Patch, Leaf Spot, and Snow

Ingredients:

Thiram (Tetramethylthiuram disulfide)	33.38%
Methyl 4,4'-o-phenylenebis(3-thioallophanate)	11.60%
	55.01%

Contains 3.14 lbs. Thiram per gallon
 Contains 1.09 lbs. Thiophanate technical per gallon

NET CONTENTS GALLON

KEEP OUT OF REACH OF CHILDREN

CAUTION

See side panel for additional precautionary statements and Statement of Practical Treatment.

W-A-CLEAR-U

SOMERSET, N.J. 08873