



# OAKITE®

ACCEPTED  
FEB 21 1975  
Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide EPA Reg. No. 1020-20 registered under 1020-20

# MICROBIOCIDE

EPA REG. NO. 1020-20

EPA Est. 1020-NJ-1

<b>Active ingredients</b> .....	6.0 percent
2-(Thiocyanomethylthio) benzothiazole .....	3.2 percent
2-Hydroxypropyl methanethiolsulfonate .....	2.8 percent
<b>Inert ingredients</b> .....	94.0 percent
Weight per gallon .....	7.69 lb.
Weight of active ingredient per gallon .....	0.46 lb.

**APPLICATION:** MICROBIOCIDE 30 is used to inhibit the growth of algae in recirculating commercial and industrial cooling water systems. Before treatment with MICROBIOCIDE 30 systems must be cleaned to remove algal growth and other deposits. Then the system should be treated with an initial slug addition of 13.3 to 20 fluid ounces of MICROBIOCIDE 30 per 1,000 gallons of water in the system. Repeat the initial dosage until control is evident. Subsequent slug additions of 10 to 20 fluid ounces of MICROBIOCIDE 30 per 1,000 gallons of water should be made every 1 to 5 days or as needed. The required frequency of treatment depends on the relative amount of bleedoff and the severity of the microbiological problem. Slug additions of MICROBIOCIDE 30 should be made to the sump of water cooling towers.

**WARNING!** KEEP OUT OF REACH OF CHILDREN.  
Harmful if swallowed. If swallowed, call a physician immediately. Give powdered charcoal immediately or all he can swallow of raw egg whites, flour and water. Then induce vomiting with salt, soap, or mustard in warm water. Harmful if absorbed through the skin. Workmen handling the product should wear gloves and goggles and should avoid contact of the product with clothing or skin. In case of exposure, wash promptly and thoroughly with an abrasive soap and cool water. In case of eye exposure, wash thoroughly with cool water for 15 to 30 minutes. See a physician if any irritation persists. In case of persistent irritation of the skin, obtain medical attention. If the product gets into the eyes, it causes eye damage; therefore, flood eyes thoroughly with cool water for 15 to 30 minutes. See a physician if any irritation persists.  
This product is toxic to fish. Treated effluent should not be discharged into lakes, streams, ponds, or public water.  
Apply MICROBIOCIDE 30 only as specified on this label.  
Do not reuse empty drum. Return to drum reconditioner or destroy by perforating and burying in a safe place away from water supplies.

**NET CONTENTS: 30 GALLONS/113.60 LITERS**



F.14295-175

MANUFACTURED AND SOLD BY: OAKITE PRODUCTS, INC., 50 Valley Road, Berkeley Heights, N.J. 07922

EST. 1909



# OAKITE®

ACCEPTED  
FEB 21 1975  
Under the Federal Insecticide,  
Fungicide, and Rodenticide Act,  
as amended, for the pesticide  
EPA Reg. No.  
registered under 1020-20

# MICROBIOCIDES 30

EPA REG. NO. 1020-20

EPA Est. 1020-NJ-1

..... 6.0 percent  
le ..... 3.2 percent  
ate ..... 2.8 percent  
..... 94.0 percent  
..... 7.69 lb.  
llon ..... 0.46 lb.

ed to inhibit the growth of algae in recirculating  
tems. Before treatment with MICROBIOCIDES 30  
owth and other deposits. Then the system should  
13.3 to 20 fluid ounces of MICROBIOCIDES 30  
Repeat the initial dosage until control is evident.  
ounces of MICROBIOCIDES 30 per 1,000 gallons  
r as needed. The required frequency of treatment  
and the severity of the microbiological problem.  
uld be made to the sump of water cooling towers.

## WARNING! KEEP OUT OF REACH OF CHILDREN.

Harmful if swallowed. If swallowed, call a physician immediately. Give patient doses of powdered charcoal immediately or all he can swallow of raw egg whites, milk, gruel, or flour and water. Then induce vomiting with salt, soap, or mustard in warm water. May be harmful if absorbed through the skin. Workmen handling the product should wear rubber gloves and goggles and should avoid contact of the product with clothing or skin. After any exposure, wash promptly and thoroughly with an abrasive soap and cool water and finally with glycerin. In case of persistent irritation of the skin, obtain medical attention. If the product gets into the eyes, it causes eye damage; therefore, flood eyes immediately and thoroughly with cool water for 15 to 30 minutes. See a physician if any irritation persists.

This product is toxic to fish. Treated effluent should not be discharged where it will drain into lakes, streams, ponds, or public water.

Apply MICROBIOCIDES 30 only as specified on this label.

Do not reuse empty drum. Return to drum reconditioner or destroy by perforating or crushing and burying in a safe place away from water supplies.

NET CONTENTS: 30 GALLONS/113.60 LITERS

# OAKITE

PTD. IN U.S.A.

AND SOLD BY: OAKITE PRODUCTS, INC., 50 Valley Road, Berkeley Heights, N.J. 07922

EST. 1909

