NOV 3 2003

Julie B. Schlekau McLaughlin Gormley King Company 8810 Tenth Avenue North Minneapolis, MN 55427-4372

Subject: Revised Label For:

EVERCIDE Total Release Fogger 2613 EPA Registration No. 1021-1673 Application dated August 21, 2003

Dear Ms. Schlekau:

The proposed amendment to the registration of the product cited above under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, revising the label in accordance with PR Notices 2001-1 and 2001-6 is acceptable subject to the comment listed below. A stamped copy is enclosed for your records.

Since this product contains petroleum distillates, change the First Aid Statement for If Swallowed to read:

IF SWALLOWED:

* Immediately call a poison control center or doctor.

* Do not induce vomiting unless told to do so by a poison control center or doctor.

* Do not give any liquid to the person.

* Do not give anything by mouth to an unconscious person.


Submit two copies of the finished label before the product is released for shipment under this revised label.

If you have any questions please contact Joseph Tavano at (703) 305-6411.

Sincerely,

Linda Arrington
Acting Product Manager 10
Insecticide Branch

Registration Division (7505C)





EVERCIDE® Total Release Fogger 2613

Contains NYLAR® Insect Growth Regulator

8810 Tenth Avenue N. / Minneapolis, Minnesota 55427-4319 U.S.A.

TELEPHONE (763) 544-0341

with COMMENTS

In EPA Letter Dated:

Under the Federal Insecticide,

Fungicide, and Rodenticide Act,

NOV - 3 2003

ONE UNIT TREATS A ROOM OF UP TO 6,000 CUBIC FEET OF UNOBSTRUCTED SPACE (27 ft. x 27 ft. x 8 ft.)

[] OR () indicates alternate or optional wording

[] OR () indicates alternate or optional wording [Nylar®] [brand name] is an insect growth regulator similar to the naturally occurring insect growth hormones which interferes [stops] their growth or ACCEPTED development

(Nylar®) [brand name] stops [prevents] the insect from developing into egg laying adults

[Nylar®] [brand name] can be used as part of an integrated pest management [IPM] program

[Nylar®] [brand name] can be a biorational approach to insect control

[Nylar®] [brand name] keeps working in areas exposed to the sun

inhibits reinfestation by cockroaches for up to 180 days [26 weeks] [6 months]

Kills [controls] existing cockroaches and effectively breaks the cockroach life cycle

orks with nature to interrupt [break] the life cycle of the cockroach

∠ffectively controls [eliminates] cockroach populations by preventing reproduction [thereby eliminating future generations].

[Nylar®] [brand name] keeps working on cockroaches for 180 days [26 weeks] [6 months]

Stops cockroaches from generating reproductive offspring

as amended, for the pesticide registered under EPA Reg. No. 1021-1673 Prevents [stops] [inhibits] nymphal cockroaches from becoming adults [breeding adults] [reproductive adults] [egg laying adults]

[Nylar®] [brand name] works for 180 days [26 weeks] [6 months] against hatching cockroaches [nymphal (preadult) cockroaches] [hatching eggs

(nymphs)]

Inhibits reinfestation by fleas for up to 210 days [30 weeks] [7 months]

Kills adult and preadult fleas, including flea eggs for 210 days [30 weeks] [7 months]

If adult fleas are introduced from untreated areas, their offspring will not become biting [reproductive] adults

Prevents fleas from developing into the biting adult stage

Prevents [stops] eggs, hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)] from becoming full grown [developing into] biting adults

One treatment works for 210 days [30 weeks] [7 months] against eggs, hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)]

Kills present (today's) fleas and prevents new [tomorrow's] fleas from growing up to bite

[Nylar®] [brand name] keeps working on fleas for 210 days [30 weeks] [7 months]

Controls [stops (kills) (prevents)] stages of fleas that don't resemble fleas

Kills Ticks, Spiders, Ants and other listed insects

Also kills [controls] Deer Ticks and other Ticks that may carry and transmit Lyme Disease

ACTIVE INGREDIENTS:

Pyrethrins	0.050%
Permethrin [*(3-Phenoxyphenyl) methyl (+ or -) cis-trans-3-(2,2-dichloroethenyl) 2,2-	
dimethylcyclopropanecarboxylate]	0.400%
Related compounds	0.035%
** N-Octyl bicycloheptene dicarboximide	0.400%
2-[1-Methyl-2-(4-phenoxyphenoxy) ethoxy] pyridine	0.600%
OTHER INGREDIENTS	98.515%
	100.000%

Cis-trans isomers ratio: Min. 35% (+ or -) cis and Max. 65% (+ or -) trans

MGK® 264, Insecticide Synergist

EVERCIDE, NYLAR, MGK® - Registered trademarks of McLaughlin Gormley King Co.

KEEP OUT OF REACH OF CHILDREN

WARNING

STORE THIS PRODUCT IN AN AREA INACCESSIBLE TO CHILDREN

	FIRST AID
IF SWALLOWED:	Call a poison control center or doctor immediately for treatment advice.
	Have a person sip a glass of water if able to swallow.
	Do not induce vorniting unless told to do so by a poison control center or a doctor.
	Do not give anything by mouth to an unconscious person.
IF IN EYES:	Hold eye open and rinse slowly and gently with water for 15-20 minutes.
	Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eyes.
	Call a poison control center for treatment advice.
IF ON SKIN OR	Take off contaminated clothing.
CLOTHING:	Rinse skin immediately with plenty of water for 15-20 minutes.
	Call a poison control center or doctor for treatment advice.
IF INHALED:	Move person to fresh air.
	If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible.
	Call a poison control center or doctor for further treatment advice.
	ntainer or label with you when calling a poison control center or doctor or going for treatment. For information regarding medical
emergencies or pest	icide incidents, call the International Poison Center at 1-888-740-8712.

475

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

Causes skin irritation. Harmful if absorbed through skin. Do not get on skin or clothing. Avoid contact with eyes. Prolonged or frequently repeated skin contact may cause allergic reactions in some individuals. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

PHYSICAL OR CHEMICAL HAZARDS

Highly Flammable Ingredient



Ingrediente Altamente Inflamable

Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130 F may cause bursting. This product contains a highly flammable ingredient. It may cause a fire or explosion if not used properly. Follow the "Directions for Use" on this label very carefully.

[EVERCIDE® TOTAL RELEASE FOGGER 2613] [brand name] contains a combination of three active ingredients that stops [blocks (interrupts) (terminates)] the cockroach and flea life cycle in three ways and controls [kills] other listed insects. The first active ingredient is [NYLAR®] [brand rame], an insect growth regulator, that will not allow the cockroach or flea to reproduce viable offspring thereby providing long term [residual] control. Jylar®] [brand name] inhibits development of the immature stages of the cockroach and flea preventing them from reaching the adult stage. [Nylar®] [brand name] is similar to insect growth hormones that occur naturally in insects causing interference with their growth and development.

[EVERCIDE® TOTAL RELEASE FOGGER 2613] [brand name] with [Nylar®] [brand name] will inhibit [stop] the cockroaches' natural ability to reproduce, thereby eliminating future generations and contains an active ingredient [adulticide] that kills existing cockroaches. This powerful formula reaches cockroaches through cracks and crevices to kill them where they hide. Cockroaches exposed to [Nylar®] [brand name] will have crinkled wings, showing it has affected the population and that these cockroaches cannot reproduce. Immature cockroaches [nymphs] are prevented from developing into reproductive adults, thereby effectively breaking the cockroach life cycle. [EVERCIDE® TOTAL RELEASE FOGGER 2613] [brand name] inhibits the cockroaches natural ability to reproduce future generations by preventing [stopping] [inhibiting] nymphal cockroaches from becoming adults [breeding adults] [reproductive adults] [egg laying adults].

[This fogger] [brand name] kills adults, eggs and hatching fleas [preadult (larval) fleas] [hatching eggs (larvae). It kills hatching fleas [preadult (larval) fleas] [hatching eggs (larvae). It kills hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)] [before they grow up to bite]. [Nylar®] [brand name], the insect growth regulator in this fogger, continues to kill [control] eggs, hatching fleas [preadult (larval) fleas] [hatching eggs (larvae)] for 210 days [30 weeks] [7 months] by preventing their development into the adult biting stage. [EVERCIDE® TOTAL RELEASE FOGGER 2613] [brand name] can be used to control [kill (interrupt) (terminate) (block)] fleas hidden in carpets, rugs, draperies, upholstery, pet bedding, floors, cracks, crevices and cabinets. Occasionally, adult fleas may be present in treated areas when reintroduced from infested animals.

To protect your pet against and to minimize reintroduction of adult fleas from outdoors, use EPA registered flea and tick products, [brand name] flea or flea and tick collar, [brand name] pet powder, [brand name] pet spray, [brand name] pet dip, [brand name] pet shampoo, flea shampoo or flea and tick coet shampoo, in conjunction with this application and prior to re-entry. As part of a complete flea control program use EPA registered [brand name] utdoor [lawn] [home and garden] spray, [brand name] [pressurized] flea and tick [indoor] [premise] spray.

Kills [controls] insects [on contact] [such as]:

Cockroaches [adults (nymphs)]

Smokey Brown Cockroach [adults (nymphs)]

Brown Banded Cockroach [adults (nymphs)] Asian Cockroach [adults (nymphs)]

German Cockroach [adults (nymphs)]
American Cockroach [adults (nymphs)]
Australian Cockroach [adults (nymphs)]
Oriental Cockroach [adults (nymphs)]

Waterbugs [adults (nymphs)]
Palmetto Bugs [adults (nymphs)]
Crickets [adults (nymphs)]

Granary Insects
Flat Grain Beetle

Cadelles
Rice Weevils
Flour Beetles
Cigarette Beetles

Drugstore Beetles Lesser Grain Borer Merchant Grain Beetle

Sawtoothed Grain Beetle Grain Weevils Warehouse Beetle

Red Flour Beetle Confused Flour Beetle

Grain Mites Cheesemites Sowbugs Spiders

Millipedes Scorpions Beetles Ground Beetles Elm Leaf Beetles

Earwigs Lice Dust Mites Pillbugs Clover Mites

Boxelder Bug

Dermestids [Carpet Beetles (Trogoderma)]

Centipedes
Midges
Files
Gnats
Cluster Fly
Mosquitoes
Sciarid Fly
Firebrat
Silverfish

Booklice Bedbugs Wood Borers (exposed stages) Fleas [adults (larvae) (eggs) (preadult]
Ticks [that carry and transmit Lyme Disease]

Brown Dog Ticks
Long Star Ticks
Deer Tick

Other Ixodid Species American Dog Tick Gulf Coast Tick

Foraging Ants [Fire Ants] [Pharaoh Ants] Carpenter Ants [Eastern (Western)]

Flying Moths Almond Moth Chocolate Moth Tobacco Moth Indian Meal Moth Indian Mealworm Angoumois Grain Moth Homets

Homets Carpenter Bees Wasps

Yellowjackets [Eastern (Western)]

For use in [including, but not limited to] [such as]:

Apartments, Atriums, Attics, Automobiles, Basements, Bathrooms, Boats, Cabins, Campers, Cat Sleeping Quarters, Closed Porches, Clothes Storage, Condominiums, Dens, Dormitories, Drive-Ins, Drugstores, Factories, Food Plants, Garages, Homes, Hospitals, Hotels, Institutions, Kennels, Kitchens, Lanais, Living Rooms, Locker Rooms, Motels, Nursing Homes, Office Buildings, Other Public Buildings, Pet Grooming Parlors, Pet Steeping Areas, Pet Stores, Play Rooms, Railroad Cars, Recreation Vehicles, Restaurants, Rooms, Schools, Ships, Solariums, Storage Areas, Sun Rooms, Supermarkets, Taverns, Theaters, Trailers, Trucks, Utility Rooms, Verandas, Veterinaries, Warehouses, Washrooms and Zoos.

DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

READ ALL DIRECTIONS COMPLETELY BEFORE USE

For use only when building has been vacated by human beings and pets. Ventilate area for 30 minutes before re-entry.

For best results, treat all infested areas [sites]. Use one fogger for each 6,000 cubic feet (approximately 27 ft x 27 ft x 8 ft ceiling) of unobstructed area. Use additional units for remote rooms or where the free flow of mist is not assured.

Do not use in food areas of food handling establishments, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed or facility is in operation. In the home, all food processing surfaces and utensils should be covered during treatment or thoroughly washed before reuse. Exposed food should be covered or removed. Not for use in USDA Meat and Poultry Plants.

- REPARATION:

DO NOT use more than one fogger per room. DO NOT use in small, enclosed spaces such as closets, cabinets or under counters or tables. Do not use in a room 5 ft. X 5 ft. or smaller; instead, allow fog to enter from other rooms. Turn off ALL Ignition sources such as pilot lights (shut off gas valves), other open flames or running electrical appliances that cycle off and on (i.e., refrigerators, thermostats, etc.). Call your gas utility or management company if you need assistance with your pilot lights.

Remove or cover exposed food, dishes, utensils, surfaces and food-handling equipment. Shut off fans and air conditioners. Close outside doors and windows. Remove pets and birds but leave pets' bedding as this is a primary hiding place for fleas and must be treated for best results. No need to discard pet bedding after treatment. Cover or remove fish tanks and bowls. Leave rugs, draperles and upholstered furniture in place. This product will not harm furniture when used as directed. Open interior closet doors and cabinets or areas to be treated.

For more effective control of Cockroaches [Smokey Brown Cockroach, Brown Banded Cockroach, Asian Cockroach, German Cockroach, American Cockroach, Australian Cockroach, Oriental Cockroach], [Crickets, (Waterbugs and Palmetto Bugs)] and storage pests [Flour Beetles, Cigarette Beetle, Drugstore Beetle, Lesser Grain Borer, Merchant Grain Beetle, Sawtoothed Grain Beetle, Grain Weevils, Warehouse Beetle, Red Flour Beetle, Confused Flour Beetle) open all cupboard doors [kitchen, bathrooms, pantry], and drawers for better penetration of fog. Remove all infested foodstuffs and dispose of in outdoor trash.

For flea and tick control, thoroughly vacuum all carpeting, upholstered furniture, along baseboards, under furniture and in closets. Put vacuum bag into a sack and dispose of in outside trash. Mop all hard floor surfaces.

PEAD ALL DIRECTIONS AND CAUTIONS BEFORE USING

TO START FOGGING: SHAKE FOGGER WELL BEFORE USE: Hold can at arm's length with top of can pointing away from face and eyes. Push down on finger pad until it locks. This will start fogging action. Set canister in an upright position on a table, stand, etc. (up to 30 inches in height in the center of the area) and place several thicknesses of newspaper under the canister to prevent marring of the surface. Treat the whole dwelling using additional units as required but not to exceed one unit per room. Leave the building at once.

DO NOT RE-ENTER BUILDING FOR TWO HOURS. After two hours, open all outside doors and windows, turn on air conditioners and/or fans and let treated area air for 30 minutes before reoccupying. If additional units are used for remote rooms or where free flow of mist is not assured, increase airing-out time accordingly. Thoroughly clean all food processing areas before using. After first use, treat twice more about 3 months apart.

STORAGE AND DISPOSAL

STORAGE: Store in a cool, dry place. Keep container closed.

Do Not Puncture or Incinerate!

DISPOSAL:

If Empty: If Partly Filled: Place in trash or offer for recycling if available.

Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

Net Contents

Manufactured by: Mc LAUGHLIN GORMLEY KING COMPANY 8810 Tenth Avenue North Minneapolis, MN 55427

EPA Reg. No. 1021-1673

EPA Est. No. 1021-MN-2