PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS DANGER

Causes eye damage and skin irritation. Do not get in eyes, on skin or ori clothing. Protect eyes when handling concentrated product. Harmful if swallowed Avoid contamination of food.

Do not mix with anything but water

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

STORAGE AND DISPOSAL

- 1. PROHIBITIONS: DO NOT CONTAMINATE WATER, FOOD, OR FEED BY STORAGE OR DISPOSAL OPEN DUMPING IS PROHIBITED
 - PESTICIDE DISPOSAL: PESTICIDE THAT JANNOT BE USED SHOULD BE DISPOSED OF IN A LANDFILL APPROVED FOR PESTICIDES OR BURIED IN A SAFE PLACE AWAY FROM WATER SUPPLIES
- 3. CONTAINER DISPOSAL: a) RESEAL CONTAINER AND OFFER FOR RECONDITIONING OR b) TRIPLE RINSE AND OFFER FOR RECYCLING OR DISPOSAL IN APPROVED LANDFILL OR BURY IN A SAFE PLACE.
- 4. GENERAL: CONSULT FEDERAL STATE OR LOCAL AUTHORITIES FOR APPROVED ALTERNATE PROCEDURES
- 1. FOR LIGHT DUTY CLEANING AND SANI-TIZING, use 23 ounce MIKRO-QUAT-50 per gallon of warm or hot water Treated food contact surfaces must be rinsed with potable water prior to reuse.
- 2. FOR COMBINATION DISINFECTION AND CLEANING, use 113 ounce per gallon of water provides 476 ppm active quaternary germicide). For porous or heavily soiled surfaces use 2 ounces per gallon of water (700 ppm).
- 3. KILLS PATHOGENIC FUNGI (Tomentagrophytes) on inanimate hard surfaces at the recommended use concentration of 1.1.3 ounce per gallon (1:100)
 - **KILLS MILDEW FUNGI** on inanimate hard surfaces at the recommended use concentration of 113 ounce per gallon (1,100)
- 4. FOR EATING AND DRINKING UTENSIL SANITATION
- a Scrape and preflush to remove excess soil
- b. Wash in a solution of 4 coz MIKRO-QUAT-50 per gallon of water or use other recommended detergent
- c. Rinse with clears water
- d. Sanitize by immersing utensits for 2 minutes in a solution of a size MIKBO QUAT-50 per gallon of water.
- e. Rinse with potable water and air dry



DETERGENT-GERMICIDE DEODORIZER

ACTIVE INGREDIENTS:

KEEP OUT OF REACH OF CHILDREN DANGER

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED drink promptly a large quantity of milk, egg white or gelatin solution. If these are not available, drink a large quantity of water. Call a physician.

IF ON SKIN flush immediately with plenty of water for at least 15 minutes. Call a physician at once. Remove and wash contaminated clothing before reuse.

IF IN EYES flush immediately with plenty of water for at least 15 minutes. Call a physician at once

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS



Manufactured by:

ECONOMICS LABORATORY, INC.

。St. Paul. Minnesota 55102

EPA Reg. No. 1677-79 EPA Est. 1677-PR-1

NET CONTENTS: 55 GALS.

13243

STAPHYLOCIDAL-FUNGICIDAL PSEUDOMONACIO AL-VIRUCIDAL

Disinfects the following viruses on inanimate environmental surfaces at 1 100 use dilution (113 oz. gallon)

Herpes simplex
Vaccinia
Influenza A

Newcastle Disease Adenovirus type 3

USE DILUTION TEST (AOAC)

 S. aureus
 1:100
 S. typhosa
 1:100

 S. choleraesuis 1:100
 E. coli
 1:100

 Ps aeruginosa 1:100
 P. vulgaris
 1:100

T mentagrophytes 1:100

CLEANS, DISINFECTS AND DEODORIZES IN ONE OPERATION

EASY TO USE . ECONOMICAL

USE MIKRO-QUAT-50 FOR

HOSPITALS

Housekeeping Services
Nursing Services
'Surgical & Obstetrical Suites
Physical Therapy Depts
Autopsy Facilities

NURSING HOMES FOOD SERVICE FACILITIES SCHOOLS RESEARCH ANIMAL FACILITIES

*Especially suitable for conductive floors

This product full as the orders of Appendix E. the Grade. A Faste provided Milk Ordinarioe 1965 recommendations of the United States Public Health services in waters up to 500 ppm of hard news, calculated as CaCO, when tested by the AsciAC Germinala and Detergent Sanitzer Official Method Follow local health authorities recommendations.

The second of th