

NOTE: Type size will conform to Section 362.6(f) of the regulations.

NALPAC 8343

MICROORGANISM CONTROL CHEMICAL

ACTIVE INGREDIENTS:

2, 4-dinitrochlorobenzene - - - - - 22.2%
2, 6-dinitrochlorobenzene - - - - - 2.8%


INERT INGREDIENTS: - - - - - 75.0%

TOTAL - - - - - 100%

EPA Registration No. 1706-60

DIRECTIONS:

Control of bacterial and fungal slime in recirculating cooling water towers is achieved by initially slugging the system with 1-2 gallons of NALPAC 8343 per 10,000 gallons of system water (100-200 ppm). Heavily fouled systems must be pre-cleaned. Repeat dosage as needed to gain control. Once the desired degree of control has been reached slug feed NALPAC 8343 at the rate of $\frac{1}{2}$ -1 gallon per 10,000 gallons of system water (50-100 ppm) once weekly or as required to maintain control.



Feed NALPAC 8343 directly from drum using the automatic equipment (Towerpac) designed for this product to a point in the system where it may be uniformly mixed and evenly distributed. As with any potentially hazardous liquid, pump discharge should not be to a pressurized line. Your NALCO representative can aid you in sizing suitable equipment, selecting an appropriate location for chemical feed, and becoming familiar with the Towerpac safety features.

NOTE: NALPAC 8343 INTENDED FOR INDUSTRIAL USE ONLY. Do not apply to potable water or domestic water systems.

This product is toxic to fish. Tower blow down should not be discharged where drainage is into waters (lakes, streams, ponds or public waters) that contain fish or which may be used as a potable supply for human or animal consumption. Do not contaminate water by cleaning of equipment or disposal of wastes.

Do not reuse this container. Destroy when empty by crushing or burial in a safe place. Use this product only as specified on this label.

WARNING: MAY CAUSE ALLERGIC SKIN REACTION. HARMFUL IF SWALLOWED OR ABSORBED THROUGH SKIN. IRRITATING TO SKIN AND EYES. Do not get in eyes, on skin, on clothing. Wear goggles or face shield and rubber gloves when handling. Keep away from heat and open flame. Keep container closed when not in use. Avoid breathing of vapor and skin contact. Store in cool area. In case of contact, immediately wash skin with plenty of soap and water for at least 15 minutes; for eyes, immediately flush with large amounts of water for at least 15 minutes, and get medical attention. Remove and wash contaminated clothing and shoes before re-use.

Nalco Chemical Company

6216 West 66th Place

Chicago, Illinois 60638

Net Contents Shown Elsewhere on Container