NOTE: TYPE SIZE WILL CONFORM TO SECTION 362.6 (1) OF THE REGULATIONS

Nalco (R)

Microorganism Control Chemical

D-1898

ACTIVE INGREDIENTS:

*as in tall oil fatty acids.

USDA Registration No. 1706-X

DIRECTIONS:

For control of slime and free living microorganisms in hydrocarbon storage tanks and feed lines, use 300 to 500 ppm of Na co D-1898 based on water bottoms or 1 ppm of Nalco D-1898 based on hydrocarbon feed to the tank. Higher dosages may be needed to insure long lasting protection as water condenses out of the hydrocarbon in the tank.

Feed Nalco D-1898 directly from the drum or diluted with water directly to the water bottoms in the storage tank or to the hydrocarbon as it is pumped into storage tanks. Continuous agitation while mixing is necessary for a homogenous solution. Further directions for use obtainable from Nalco. Recommended In-Plant storage limit is six months.

NOTE: Nalco D-1898 is intended for industrial use only. Do not apply to potable water or domestic water systems.

WARNING!

HARMFUL IF SWALLOWED, INHALED, OR AESORBED THROUGH THE SKIN. MAY CAUSE EYE INJURY. Do not get in eyes, on skin, or on clothing. Wear joggles or face shield and rubber gloves when handling. Keep away from heat and open flame. Keep Container closed when not in use. Avoid prolonged or repeated breathing of vapor. Use with adequate ventilation. Do not take internally. In case of contact, immediately flush with large amounts of water for at least 15 minutes; for eyes, also get medical attention. Remove contaminated clothing.

NALCO CHEMICAL COMPANY

6216 West 66th Place

Chicago, Illinois 60538

Net Contents Shown Elsewhere On Container